S
625.7
H3mph
1983

PLEASE RETURN

STATE DOCUMENTS COLLECTION

APR 8 1985

MONTANA STATE LIBRARY
1515 E. 6th AVE.
HELENA, MONTANA 59620

1983 MONTANA PRIMARY HIGHWAY SUFFICIENCY RATINGS

Montana State Library
3 0864 1006 6175 3

PREPARED BY THE

STATE OF MONTANA
DEPARTMENT OF HIGHWAYS
PLANNING & STATISTICS BUREAU

IN COOPERATION WITH THE

U.S. DEPARTMENT OF TRANSPORTATION

FEDERAL HIGHWAY ADMINISTRATION

Cover photo: U.S. 12
Silo Flats N.W. of Townsend

December 31, 1983

TABLE OF CONTENTS

	PAGE
INTRODUCTION	2
SUFFICIENCY COMPARED TO AGE OF RURAL PRIMARY SYSTEM - FIGURE I	7
MILES OF RURAL FEDERAL AID PRIMARY HIGHWAYS YEAR IMPROVED - FIGURE II	8
LOCATION OF SECTIONS WITH LOW SUFFICIENCY -- STATEWIDE -- SYSTEM MAP - FIGURE III	9
MILES OF RURAL PRIMARY HIGHWAY BY SUFFICIENCY RATING AND FINANCIAL DISTRICT - FIGURE IV	10
ROUTE MAPS SHOWING SUFFICIENCY RATINGS BY SECTION	15
RURAL SUFFICIENCY RATINGS BY SECTION AND FINANCIAL DISTRICTS IN ASCENDING ORDER:	
FINANCIAL DISTRICT 1	102
FINANCIAL DISTRICT 2	108
FINANCIAL DISTRICT 3	114
FINANCIAL DISTRICT 4	120
FINANCIAL DISTRICT 5	128
RURAL SUFFICIENCY RATINGS BY SECTION -- STATEWIDE IN ASCENDING ORDER	133

INTRODUCTION

* * *

The State Financial District Law, places the responsibility on the Montana Department of Highways to evaluate the conditions of the Federal-aid Primary System throughout the State for the purpose of allocating construction funds to the five financial districts.

The Department developed a sufficiency rating procedure, which is used in determining the allocation of construction funds to the financial districts and as a tool to assist in the programming of highway improvement projects.

This 1983 report is the tenth to be compiled by fully utilizing the Highway Information System data bank. All items used in the sufficiency formula with the exception of the condition of pavement, foundation and drainage, are extracted from the data bank.

The sufficiency rating procedure applies only to rural sections of the Federal-aid Primary System highways. It is not adaptable to urban sections of highway because of the special conditions encountered in the cities, and for this reason, the urban sections of highway are not rated.

There is a total of 5470.1 miles of primary highway, covering the realigned Federal-aid Primary System, composed of 5276.8 miles of rural and 193.3 miles located within municipal and urban areas.

A completely adequate section of rural highway is assigned 100 points in the sufficiency rating formula. As defined for this study, a section of highway meriting a rating of 100 points must have a thoroughly sound structure, must be free from those hazards that can be eliminated by proper road design and must have adequate capacity to satisfactorily handle existing traffic demands.

The following factors are considered in the sufficiency rating formula:

A. Structural Adequacy - Total 50 Points

1. Foundation - 10 Points

2. Surface - 30 Points

3. Drainage - 10 Points

B. Safety - Total 20 Points

1. Number of Stopping Sight Distances, shorter than permitted by Design Speed.

2. Number of Horizontal Curves, sharper than permitted by Design Speed.

3. Number of Bridges narrower than the width of the traveled-way of approaches.

4. Number of Accidents as related to the Average Traffic Volume for the analysis period.

C. Hourly Service Volume (Traffic Capacity) - Total 30 Points

1. Design Hour Traffic Volume for the current year

2. Pavement and Shoulder Widths

3. Percent of Commercial Vehicles

4. Length of No Passing Zones

5. Design Speed

6. Average Highway Speed

Structural adequacy was determined by a field inspection of the entire system. To insure uniformity, this inspection was made by one who has been schooled in rating techniques. Field measurements of pavement and roadway widths were also made during this inspection, as a check on existing records. The foundation of a section of highway was assigned points in the field between a maximum of 10 if it was considered adequate, and 0 if it was totally inadequate. Surfacing was rated and assigned points between 30 if excellent, and 0 if extremely poor. Drainage was also assigned points between 10 and 0 in the same manner as foundation and surfacing.

Factors affecting the safety rating, such as inadequate stopping sight distances, narrow bridges, and excessive horizontal curves, were obtained from the road plans and straight line diagrams. The number of traffic accidents for the analysis period were obtained from the accident subsystem of Highway Information System data bank. A maximum of 20 points for safety was assigned to a section of highway if stopping sight distance is adequate, there are no excessive curves or narrow bridges and the number of accidents was below average. Conversely, the safety rating was reduced proportionately from 20 to 0 points by existence of any of these items.

The hourly service volume (traffic capacity) of each section of rural highway has been computed by the approved method for rural highways outlined in the new Highway Capacity Manual. This method takes into consideration such items as width of pavement and

shoulders, percent of trucks, length of no passing zones and design and average highway speeds.

The capacity rating expresses the relationship between the traffic volumes presently using the section of road and the ability on the section to accommodate such traffic. The rating is best described as the relationship between the computed Service Volume (SV) and the Design Hourly Volume (DHV). A capacity rating between 15 and 30 would indicate at least a level of service B. Ratings less than 15 would indicate that the volumes are exceeding the volume/capacity ratio that permits free flow at the desired speed.

A total basic sufficiency rating of a section is the sum of the following ratings:

ITEM	RANGE OF POINTS
Foundation	0 to 10
Surface	0 to 30
Drainage	0 to 10
Safety	0 to 20
Capacity	0 to 30
TOTAL RATING	0 to 100

TOTAL SUFFICIENCY RATINGS AND AGE OF RURAL PRIMARY SYSTEM



FIGURE I

MONTANA

MILES OF RURAL PRIMARY FEDERAL AID HIGHWAY IMPROVED BY YEARS 1934 - 1983



FIGURE II


DOMINION OF CANADA
LIBERTY
BLAINE
PHILLIPS
VALLEY
DANIELS
SHERIDAN
ROOSEVELT
RICHLAND
McCONE
DAWSON
PRAIRIE
WIBAUX
LINCOLN
FLATHEAD
SANDERS
MINERAL
GLACIER
TOOLE
PONDERA
TETON
CHOUTEAU
LEWIS AND CLARK
JUDITH BASIN
CASCADE
FERGUS
PETROLEUM
GARFIELD
MUSSELSHELL
MEAGHER
WHEAT LAND
GOLDEN VALLEY
TREASURE
ROSEBUD
CUSTER
FALLON
GRANITE
POWELL
GARFIELD
BROADWATER
JEFFERSON
GALLATIN
DEER LODGE
SILVER BOW
SWEET GRASS
STILLWATER
YELLOWSTONE
POWDER
CARTER
RIVER
BEAVERHEAD
MADISON
BIG HORN
CARBON
SOUTH DAKOTA
PERCENT SUFFICIENT
0 - 40
41 - 60
61 - 100
Under Construction as of June 30, 1984
MONTANA
SUFFICIENCY RATINGS
STATEWIDE
RURAL PRIMARY SYSTEM
JUNE 30, 1984
Figure III

MILES OF RURAL HIGHWAY
DISTRIBUTED BY TOTAL SUFFICIENCY RATING
IN TEN PERCENT INCREMENTS

PERCENT SUFFICIENT		FINANCIAL DISTRICTS 1	2	3	4	5	TOTALS	ACCUM. TOTALS
0-10 PERCENT	MILES	.2					.2	.2
	%							
11-20 PERCENT	MILES	7.0					7.0	7.2
	%	.6					.1	.1
21-30 PERCENT	MILES	82.1	2.4	2.9			87.6	94.8
	%	7.6	.3	.4			1.7	1.8
31-40 PERCENT	MILES	141.0	21.6	62.9	43.0	57.1	325.8	420.6
	%	13.0	2.6	7.4	2.7	6.4	6.2	8.0
41-50 PERCENT	MILES	243.8	194.4	180.8	373.1	159.6	1151.9	1572.6
	%	22.4	23.3	21.4	23.1	17.8	21.8	29.8
51-60 PERCENT	MILES	194.9	204.0	160.8	268.2	181.8	1009.9	2582.5
	%	17.9	24.4	19.0	16.6	20.3	19.1	48.9
61-70 PERCENT	MILES	210.5	163.2	173.3	340.6	192.2	1079.9	3662.5
	%	19.4	19.5	20.5	21.1	21.5	20.5	69.4
71-80 PERCENT	MILES	143.9	141.5	132.7	298.4	159.9	876.5	4539.1
	%	13.2	16.9	15.7	18.5	17.9	16.6	86.0
81-90 PERCENT	MILES	41.9	72.3	87.0	214.1	78.3	493.7	5032.9
	%	3.9	8.7	10.3	13.3	8.8	9.4	95.4
91-100 PERCENT	MILES	21.5	35.7	44.4	75.7	66.5	243.9	5276.8
	%	2.0	4.3	5.3	4.7	7.4	4.6	100.0
TOTAL PERCENT	MILES	1087.1	835.4	845.2	1613.2	895.6	5276.8	
	%	100.0	100.0	100.0	100.0	100.0	100.0	

Figure IV

The curves shown on Figure I, Page 7, were plotted by accumulating the miles of rural primary highway in each sufficiency category and the miles of highway in each age group. The two curves are quite similar. The sharp break in the sufficiency blue curve at about 40 percent, indicates that approximately 421 miles, or 8 percent, of rural primary highways located in all sections of the State are in a critical category and should probably be improved immediately, if funds are available. These sections are shown in red on the state map, Figure III, on Page 9. There are approximately 2583 miles of rural primary highway that are 60 percent or less sufficient and 2162 miles that are rated between 41 and 60 percent. It may be assumed that 2162 miles or 41 percent, of our rural primary highways rated between 41 and 60 percent sufficient are approaching obsolescence and probably should be improved within the next 5 to 10 years. The approximate location of this mileage is also shown, in blue, Figure III. Mileage rated between 61 and 100 percent sufficient is considered to be in tolerable to excellent condition. This category includes 2694 miles of rural primary highways or 51 percent of the total Primary System exclusive of interstate mileage.

The red curve on Figure I, which illustrates the age of the Rural Primary System, indicates that approximately 1,500 miles of highway, that were in use as of December 31, 1983, are at least 40 years old. The same curve shows that 3,078 miles of highway, or about 58 percent of the total Rural Primary System, are now at least 25 years old.

Figure II, Page 8, is of historical interest in that it shows the miles of rural federal-aid primary highway improved by years.

The tabulation on Page 10, Figure IV shows the miles of rural highway in each financial district by total sufficiency ratings.

Strip maps of each federal-aid route showing the location of each rating section and the rating assigned in all categories of the formula are included in the first section of this report. The beginning of each section has also been tied to the milepost numbering system to aid in locating any particular section. The "Year Built" and "Year Improved" are shown for each rating section. The "Year Built" is the date that the existing section was constructed or fully reconstructed while the "Year Improved" is the date of the last major improvement, of record, (such as a pavement overlay) on a section by maintenance betterment or construction.

Sufficiency ratings have been tabulated on a statewide basis by rating sections in ascending order by total sufficiency ratings. These same tabulations are also included for each of the 5 financial districts along with a map of each district which shows the location of sections rated from 0 to 60 percent.

It should be emphasized that the sufficiency ratings are an indication of how well a particular section of road compares to the latest design standards. It is not an indication of needs or alternative evaluations that would be disclosed by a comprehensive needs study.

LL:mb:20AA

Route Maps
Sufficiency Ratings
By Section



BEGINNING MILE POST	0.0	2.6	6.9	13.9	15.2	16.9	21.5	25.4	29.8	31.8	32.7	33.3	36.6	37.3	37.8	44.2	49.2	56.1	64.8	71.5	78.2	BEGINNING MILE POST
LENGTH	2.6	4.3	6.9	1.3	1.6	4.5	3.9	4.4	2.0	0.8	0.5	3.3	0.7	0.5	6.3	5.0	6.8	8.6	6.7	6.6	2.1	LENGTH
YEAR BUILT	54	49	49	U	37	34	37	38	71	U	71	76	76	76	36	36	35	38	41	37	37	YEAR BUILT
YEAR IMPROVED	55	51	51	R	38	38	70	38	76	R	76	76	76	76	51	39	39	50	43	62	62	YEAR IMPROVED
SURFACE WIDTH	24	22	22	B	20	20	24	20	68	B	68	68	62	44	24	20	20	20	20	24	24	SURFACE WIDTH
ROADWAY WIDTH	30	28	28	A	24	24	26	24	68	A	68	68	62	44	24	24	24	26	24	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	RMS	RMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	1080	1098	1418		2554	2005	2089	2649	5900		6790	4676	2834	2695	1769	1060	1060	1060	1060	1060	1060	ADT
DHV	140	142	184		332	260	271	344	767		753	607	368	350	229	137	137	137	137	137	137	DHV
SERVICE VOLUME	289	427	497		150	510	595	240	1800		1880	1472	544	516	649	480	300	312	369	278	309	SERVICE VOLUME
FOUNDATION - 10	3	0	0		0	0	0	0	8		7	6	7	8	0	0	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	14	13	11		12	10	10	12	24		22	24	26	25	10	9	12	12	12	12	13	SURFACE - 30
DRAINAGE - 10	9	8	8		5	3	4	3	10		10	10	10	10	7	7	4	6	7	5	6	DRAINAGE - 10
SAFETY - 20	9	3	5		1	4	7	1	14		20	10	20	20	6	5	4	8	2	2	7	SAFETY - 20
CAPACITY - 30	23	25	24		0	22	23	9	24		24	24	20	20	25	26	23	23	24	23	23	CAPACITY - 30
SUFFICIENCY RATING	58	49	48		18	39	44	25	80		83	74	83	83	48	47	43	49	45	42	49	SUFFICIENCY RATING

FAP ROUTE NO 1
SHEET 1 OF 7



BEGINNING MILE POST	80.3	89.5	99.4	103.1	106.4	113.3	119.6	124.7	133.9	135.8	136.8	137.1	137.4	138.2	138.4	140.0	142.5	153.2	156.6	157.1	159.5	164.7	166.2	169.0	171.1	177.6	180.4	184.2	197.1	BEGINNING MILE POST
LENGTH	9.1	9.8	3.7	3.2	6.8	6.2	5.1	9.2	1.9	0.9	0.3	0.3	0.5	0.2	1.7	2.4	10.7	3.3	0.5	2.3	5.2	1.5	2.8	2.1	6.4	2.8	3.6	12.1	0.3	LENGTH
YEAR BUILT	52	36	47	40	49	49	U	80	U	U	U	U	U	U	34	29	31	48	65	48	57	57	57	75	66	69	81	67	52	YEAR BUILT
YEAR IMPROVED	52	58	61	50	58	82	P	80	N	R	N	N	N	N	66	65	34	49	65	49	59	59	59	75	66	69	81	77	70	YEAR IMPROVED
SURFACE WIDTH	28	22	24	24	22	32	8	88	D C	8	O C	O C	O C	O C	24	24	20	24	24	24	26	26	26	32	32	34	34	32	26	SURFACE WIDTH
ROADWAY WIDTH	28	25	30	24	27	34	A	88	E O	A	E O	E O	E O	E O	30	24	24	28	28	28	26	26	26	32	32	34	34	32	26	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	PMS	N	PMS	R N	N	R N	R N	R N	R N	RMS	RMS	RMS	PMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	1169	1238	1755	1950	2262	3614		5134	S		S	S	S	S	4251	3973	2945	1177	1151	1133	1083	1047	1038	1029	1012	994	988	983	980	ADT
DHV	151	160	201	224	260	415		616	T		T	T	T	T	731	683	506	178	174	172	164	159	157	156	153	151	150	149	148	DHV
SERVICE VOLUME	237	190	331	208	201	412		1840	R		R	R	R	R	289	469	415	129	301	154	357	357	384	378	378	409	220	538	168	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	8		7	U		U	U	U	U	0	0	0	6	5	6	6	6	5	7	6	9	10	5	5	FOUNDATION - 10
SURFACE - 30	12	12	13	13	11	26		24	C		C	C	C	C	12	12	11	18	15	17	18	20	20	22	19	22	30	15	14	SURFACE - 30
DRAINAGE - 10	7	6	7	8	8	10		10	T		T	T	T	T	8	10	5	7	10	7	8	10	10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	7	1	8	5	4	10		12	1		1	1	E	1	9	1	1	2	0	20	15	3	1	14	16	4	1	5	20	SAFETY - 20
CAPACITY - 30	20	17	21	14	11	15		25	O		O	O	O	O	0	8	12	9	21	13	23	23	24	24	24	24	20	26	17	CAPACITY - 30
SUFFICIENCY RATING	46	36	49	40	34	69		78	N		N	N	N	N	29	31	29	42	51	63	70	62	60	77	75	69	71	61	66	SUFFICIENCY RATING

F A P ROUTE NO 1
SHEET 2 OF 7



197.5	197.8	204.3	209.2	210.1	211.3	213.1	218.8	220.4	221.8	222.6	223.7	224.0	228.7	229.8	231.9	233.1	240.2	247.0	251.9	254.1	254.5	254.5	BEGINNING MILE POST
0.2	6.3	4.8	0.8	1.2	1.8	5.7	1.5	1.3	0.7	2.8	0.1	4.9	1.0	2.1	1.2	7.0	6.7	4.9	2.1	0.4	0.0	0.2	LENGTH
52	52	63	63	43	39	77	39	45	U	32	60	35	57	25	50	25	27	27	72	55	U	55	YEAR BUILT
70	70	63	63	62	63	77	63	45	R	70	60	61	57	63	63	61	60	76	72	55	R	55	YEAR IMPROVED
26	26	32	32	26	26	48	26	24	B	22	32	22	24	24	24	24	24	24	50	42	B	42	SURFACE WIDTH
26	26	32	32	30	30	48	30	24	A	24	32	24	32	24	30	24	24	24	50	42	A	42	ROADWAY WIDTH
PMS	PMS	PMS	PMS	PMS	RMS	PMS	RMS	RMS	N	RMS	PMS	RMS	RMS	RMS	RMS	RMS	AMS	PMS	PMS	PMS	N	PMS	SURFACE TYPE
980	914	1062	1259	1289	1333	1439	1541	1775		4041	2265	1540	1540	1540	1540	1327	1307	1462	1982	2990		4110	AOT
148	138	161	191	195	202	218	234	301		686	385	215	215	285	215	185	182	204	277	418		575	DHV
440	440	441	378	292	622	510	183	208		477	258	642	640	772	468	805	838	495	544	817		817	SERVICE VOLUME
6	6	5	5	0	0	7	0	0		3	7	0	2	0	2	0	0	7	6	4		4	FOUNDATION - 10
30	30	17	17	12	10	28	11	11		13	18	12	11	10	13	9	10	25	22	17		17	SURFACE - 30
10	10	10	10	9	8	10	7	7		9	10	6	10	5	10	7	4	7	10	10		10	DRAINAGE - 10
0	3	2	2	1	20	20	1	2		1	20	3	20	1	20	3	3	3	9	1		20	SAFETY - 20
25	25	25	22	20	25	24	11	8		8	8	25	25	26	23	27	27	24	22	22		19	CAPACITY - 30
71	74	59	56	42	63	89	30	28		34	63	48	68	42	68	46	44	66	69	54		70	SUFFICIENCY RATING

254.8	256.0	262.8	263.1	271.0	278.0	278.3	278.8	279.2	280.1	291.7	299.7	BEGINNING MILE POST
1.1	6.8	0.2	7.4	7.0	0.3	0.3	0.4	0.8	11.6	8.0	7.2	LENGTH
U	67	67	65	U	60	60	56	U	54	54	57	YEAR BUILT
R	67	67	65	R	60	60	56	R	59	59	62	YEAR IMPROVED
B	40	40	32	B	68	68	60	B	32	32	32	SURFACE WIDTH
A	40	40	32	A	68	68	60	A	32	32	32	ROADWAY WIDTH
N	PMS	PMS	PMS	N	PMS	PMS	PMS	N	PMS	PMS	PMS	SURFACE TYPE
	2085	1429	1446		1673	4020	4020		1094	919	784	AOT
	291	200	202		234	482	482		148	124	106	DHV
	559	688	688		1472	1424	1780		602	645	602	SERVICE VOLUME
	4	4	6		0	0	0		0	0	0	FOUNDATION - 10
	17	17	18		11	11	11		13	15	11	SURFACE - 30
	10	10	10		10	10	9		10	10	10	DRAINAGE - 10
	20	20	12		20	20	20		20	13	6	SAFETY - 20
	22	26	26		28	25	26		26	27	27	CAPACITY - 30
	73	77	72		69	66	66		69	65	54	SUFFICIENCY RATING

FAP ROUTE NO 1

SHEET 3 OF 7



BEGINNING MILE POST	307.0	308.0	315.3	321.0	321.7	322.6	326.3	332.6	341.9	347.7	348.2	356.5	363.5	372.1	379.1	380.6	383.8	BEGINNING MILE POST
LENGTH	0.9	7.2	5.7	0.7	0.8	3.7	6.1	9.2	5.8	0.5	6.3	8.5	8.5	7.0	1.5	3.1	7.2	LENGTH
YEAR BUILT	57	47	47	77	U	77	76	71	60	U	60	36	36	60	52	U	46	YEAR BUILT
YEAR IMPROVED	62	60	60	77	R	77	76	78	60	R	60	59	59	60	52	R	54	YEAR IMPROVED
SURFACE WIDTH	32	26	26	40	B	40	40	40	32	B	32	26	26	32	40	B	26	SURFACE WIDTH
ROADWAY WIDTH	32	26	26	40	A	40	40	40	32	A	32	31	31	32	40	A	30	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	N	PMS	RMS	RMS	PMS	RMS	N	PMS	SURFACE TYPE
AOT	666	724	966	1530		1294	1149	1076	986		1008	1187	1263	1464	4990		2904	AOT
OHV	90	98	131	208		175	156	146	134		137	161	171	199	523		348	OHV
SERVICE VOLUME	688	456	532	559		645	645	559	688		602	498	622	645	616		507	SERVICE VOLUME
FOUNDATION - 10	2	2	4	10		9	8	7	6		6	4	6	0	4		6	FOUNDATION - 10
SURFACE - 30	13	13	14	30		29	28	23	20		18	15	15	14	17		22	SURFACE - 30
DRAINAGE - 10	10	10	10	10		10	10	10	10		10	10	10	10	10		10	DRAINAGE - 10
SAFETY - 20	20	2	3	14		20	20	20	20		9	1	5	4	10		4	SAFETY - 20
CAPACITY - 30	28	27	26	24		26	26	26	27		27	25	26	25	17		20	CAPACITY - 30
SUFFICIENCY RATING	73	54	57	88		94	92	86	83		70	55	62	53	58		62	SUFFICIENCY RATING

FAP ROUTE NO 1
SHEET 4 OF 7

BEGINNING MILE POST	391.0	393.8	403.5	404.0	414.0	421.3	423.9	424.6	424.7	428.5	429.0	435.1	440.0	446.3	453.6	454.4	457.6
LENGTH	2.8	9.7	0.5	9.9	7.3	2.5	0.7	0.0	3.8	0.5	5.2	4.6	6.4	7.3	0.6	3.2	9.0
YEAR BUILT	46	38	U	40	56	39	68	U	68	68	36	35	35	73	U	49	63
YEAR IMPROVED	54	59	R	56	73	62	68	R	68	68	62	71	71	73	R	78	78
SURFACE WIDTH	24	24	B	28	32	26	40	B	40	40	28	24	24	40	B	26	30
ROADWAY WIDTH	30	30	A	30	32	31	40	A	40	40	30	31	24	40	A	26	30
SURFACE TYPE	PMS	RMS	N	PMS	PMS	RMS	PMS	N	PMS	PMS	RMS	PMS	RMS	PMS	N	RMS	PMS
ADT	2641	2956		2151	1959	1839	1578		2484	1386	1346	1278	1170	1100		1160	1226
DHV	316	354		279	254	239	205		322	180	174	166	152	143		150	159
SERVICE VOLUME	507	624		624	640	624	600		600	520	421	374	462	600		525	546
FOUNDATION - 10	5	5		6	8	5	8		7	8	0	0	0	5		3	8
SURFACE - 30	20	17		30	24	14	20		22	25	11	14	11	18		16	28
DRAINAGE - 10	10	10		10	10	10	10		10	10	10	4	6	10		8	10
SAFETY - 20	20	14		15	16	13	20		4	20	2	1	12	20		7	6
CAPACITY - 30	21	21		23	24	24	25		22	25	24	23	25	26		26	26
SUFFICIENCY RATING	76	67		84	82	66	83		65	88	47	42	54	79		60	78

466.7	471.6	472.4	481.3	489.0	499.1	500.0	BEGINNING MILE POST
4.9	0.6	8.9	7.6	9.9	0.9	1.5	LENGTH
53	U	67	67	67	U	55	YEAR BUILT
53	R	67	67	67	R	55	YEAR IMPROVED
24	B	40	40	40	B	24	SURFACE WIDTH
30	A	40	40	40	A	28	ROADWAY WIDTH
RMS	N	PMS	PMS	PMS	N	RMS	SURFACE TYPE
1469		1842	1214	1218		1150	ADT
190		239	157	158		149	DHV
546		560	600	560		592	SERVICE VOLUME
0		6	7	5		0	FOUNDATION - 10
15		18	19	17		11	SURFACE - 30
10		10	10	10		10	DRAINAGE - 10
20		20	20	20		20	SAFETY - 20
25		24	26	26		26	CAPACITY - 30
70		78	82	78		67	SUFFICIENCY RATING

FAP ROUTE NO 1

SHEET 5 OF 7

BEGINNING MILE POST	501.4	508.0	515.6	521.4	526.5	537.6	540.9	541.0	541.4	542.4	543.8	546.2	554.6	555.1	555.8	555.9	556.1	564.8	571.7	BEGINNING MILE POST
LENGTH	6.5	7.5	5.7	5.1	11.1	3.3	0.1	0.3	1.0	1.3	2.4	8.4	0.5	0.7	0.0	0.1	8.6	6.9	9.3	LENGTH
YEAR BUILT	55	66	50	50	50	80	U	80	U	62	62	53	56	U	56	U	56	61	58	YEAR BUILT
YEAR IMPROVED	55	66	55	55	55	80	R	80	R	62	62	53	70	R	70	R	70	61	76	YEAR IMPROVED
SURFACE WIDTH	24	40	24	24	24	44	B	72	B	68	36	24	32	B	32	B	32	32	24	SURFACE WIDTH
ROADWAY WIDTH	28	40	27	27	27	44	A	72	A	68	36	30	32	A	32	A	32	32	32	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	PMS	N	PMS	N	PMS	PMS	RMS	PMS	N	PMS	N	PMS	PMS	PMS	SURFACE TYPE
ADT	1100	1113	1207	1244	1295	2969		7625		3803	1637	1537	1454		1430		1215	1158	1318	ADT
DHV	143	144	156	161	168	383		838		494	212	199	189		185		157	150	171	DHV
SERVICE VOLUME	481	640	525	455	297	640		1760		1408	560	585	384		528		600	640	640	SERVICE VOLUME
FOUNDATION - 10	0	5	4	3	5	9		10		7	4	0	6		8		5	6	4	FOUNDATION - 10
SURFACE - 30	12	19	16	16	20	29		30		26	15	14	21		23		18	24	20	SURFACE - 30
DRAINAGE - 10	9	10	10	10	10	10		10		10	10	10	10		10		10	10	10	DRAINAGE - 10
SAFETY - 20	20	6	13	4	2	20		20		20	4	20	11		20		5	9	20	SAFETY - 20
CAPACITY - 30	26	27	26	25	22	21		23		25	24	25	23		25		26	26	26	CAPACITY - 30
SUFFICIENCY RATING	67	67	69	58	59	89		93		88	57	69	71		86		64	75	80	SUFFICIENCY RATING

FAP ROUTE NO 1
SHEET 6 OF 7

BEGINNING MILE POST	581.0		590.3	591.4	597.2	601.7	611.5	611.9	625.6	626.1	629.4	634.7	639.1	642.5	644.2	645.0	648.0	656.3	661.5	BEGINNING MILE POST
LENGTH	9.3	1.0	5.7	4.5	9.7	0.3	13.6	0.5	3.2	5.3	4.4	3.3	1.7	0.7	3.0	8.2	5.2	5.6		LENGTH
YEAR BUILT	57	U	58	58	60	U	70	U	43	46	52	52	56	U	56	61	55	55		YEAR BUILT
YEAR IMPROVED	61	R	58	58	60	R	79	R	83	83	83	52	61	R	61	61	62	62		YEAR IMPROVED
SURFACE WIDTH	32	B	32	32	32	B	40	B	24	24	24	24	32	B	32	32	32	32		SURFACE WIDTH
ROADWAY WIDTH	32	A	32	32	32	A	40	A	28	28	28	30	32	A	32	32	32	32		ROADWAY WIDTH
SURFACE TYPE	PMS	N	PMS	PMS	PMS	N	PMS	N	GRV	GRV	GRV	RMS	PMS	N	PMS	PMS	PMS	PMS		SURFACE TYPE
ADT	1749		2481	1793	1919		1896		1352	1279	1197	1162	1168		1319	1099	1202	1290		ADT
DHV	227		322	233	249		246		175	166	155	151	151		171	142	156	167		DHV
SERVICE VOLUME	560		600	600	640		688		354	212	383	366	378		640	640	520	340		SERVICE VOLUME
FOUNDATION - 10	3		6	5	4		10		6	6	6	0	0		6	3	6	6		FOUNDATION - 10
SURFACE - 30	20		16	15	15		28		30	30	30	14	14		17	13	17	15		SURFACE - 30
DRAINAGE - 10	10		10	10	10		10		10	10	10	10	10		10	10	10	10		DRAINAGE - 10
SAFETY - 20	10		4	7	9		12		4	2	20	20	20		4	20	5	6		SAFETY - 20
CAPACITY - 30	24		22	24	24		25		23	18	24	24	24		26	27	26	23		CAPACITY - 30
SUFFICIENCY RATING	67		58	61	62		85		73	66	90	68	68		63	73	64	60		SUFFICIENCY RATING

FAP ROUTE NO 1
SHEET 7 OF 7



BEGINNING MILE POST	0.0	0.9	4.8	6.1	6.8	13.1	20.9	27.4	34.0	45.8	51.7	57.7	70.1	70.8	82.6	84.0	89.0	BEGINNING MILE POST
LENGTH	0.9	3.9	1.5	0.6	6.3	7.7	6.5	6.2	11.7	5.8	6.0	12.3	0.7	11.7	1.3	5.0	6.4	LENGTH
YEAR BUILT	62	U	50	62	50	70	75	73	U	67	67	58	U	39	U	68	68	YEAR BUILT
YEAR IMPROVED	82	R	82	62	50	70	75	73	N	67	67	72	R	39	R	68	68	YEAR IMPROVED
SURFACE WIDTH	32	B	26	32	20	34	34	34	O C	40	40	32	B	24	B	40	40	SURFACE WIDTH
ROADWAY WIDTH	34	A	28	32	24	34	34	34	E O	40	40	32	A	30	A	40	40	ROADWAY WIDTH
SURFACE TYPE	PMS	N	PMS	PMS	RMS	PMS	PMS	PMS	R N	PMS	PMS	PMS	N	PMS	N	PMS	PMS	SURFACE TYPE
ADT	1160		1549	569	563	519	457	466	S	585	620	600		933		850	641	ADT
DHV	127		206	75	74	69	60	61	T	77	82	79		124		113	85	DHV
SERVICE VOLUME	488		731	168	228	364	336	364	R	364	392	481		226		555	592	SERVICE VOLUME
FOUNDATION - 10	10		3	5	0	6	8	8	U	5	5	5		0		0	0	FOUNDATION - 10
SURFACE - 30	30		12	17	12	20	27	29	C	15	13	20		13		12	12	SURFACE - 30
DRAINAGE - 10	10		10	10	9	10	10	10	T	10	10	10		10		10	10	DRAINAGE - 10
SAFETY - 20	1		8	14	2	20	20	20	I	20	20	14		2		4	12	SAFETY - 20
CAPACITY - 30	26		26	23	25	27	27	27	O	27	27	28		22		27	28	CAPACITY - 30
SUFFICIENCY RATING	77		59	69	48	83	92	94	N	77	75	77		47		53	62	SUFFICIENCY RATING

FAP ROUTE NO 2
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.8	8.4	15.3	16.8	18.0	20.1	23.2	23.9	28.3	40.4	41.9	54.9	59.6	BEGINNING MILE POST
LENGTH	1.4	6.5	6.9	1.4	1.2	2.1	3.1	0.7	4.1	12.3	1.4	12.9	4.6	8.5	LENGTH
YEAR BUILT	55	36	36	42	62	U	U	U	81	U	U	21	32	32	YEAR BUILT
YEAR IMPROVED	71	82	61	42	62	N	N	R	81	N	P	61	53	53	YEAR IMPROVED
SURFACE WIDTH	28	28	24	24	35	D C	D C	B	34	D C	B	20	20	20	SURFACE WIDTH
ROADWAY WIDTH	32	31	31	30	35	E D	E D	A	34	E D	A	22	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	RMS	RMS	BST	R N	R N	N	PMS	R N	N	RMS	RMS	RMS	SURFACE TYPE
ADT	3832	3561	1138	1148	1152	S	S		951	S		645	386	337	ADT
DHV	498	462	147	149	149	T	T		123	T		132	79	69	DHV
SERVICE VOLUME	168	504	427	546	560	P	R		560	F		322	299	196	SERVICE VOLUME
FOUNDATION - 10	6	6	0	0	2	U	U		10	U		0	0	0	FOUNDATION - 10
SURFACE - 30	30	30	11	13	14	C	C		30	C		12	12	8	SURFACE - 30
DRAINAGE - 10	10	10	8	8	10	T	T		10	T		5	6	6	DRAINAGE - 10
SAFETY - 20	5	16	5	20	20	I	I		5	I		1	2	1	SAFETY - 20
CAPACITY - 30	0	16	25	26	26	0	0		27	0		24	26	25	CAPACITY - 30
SUFFICIENCY RATING	51	79	49	67	72	N	N		82	N		42	46	40	SUFFICIENCY RATING

FAP ROUTE NO 3
SHEET 1 OF 2



BEGINNING MILE POST	68.2	75.2	83.6	84.3	89.2	95.0	101.0	103.3	BEGINNING MILE POST
LENGTH	6.9	8.3	0.7	4.8	5.8	5.9	2.1	7.2	LENGTH
YEAR BUILT	32	28	66	66	68	66	51	60	YEAR BUILT
YEAR IMPROVED	32	52	66	66	68	66	51	60	YEAR IMPROVED
SURFACE WIDTH	20	22	34	34	34	34	26	32	SURFACE WIDTH
ROADWAY WIDTH	24	24	34	34	34	34	28	32	ROADWAY WIDTH
SURFACE TYPE	BST	RMS	PMS	PMS	PMS	PMS	RMS	RMS	SURFACE TYPE
ADT	330	537	539	525	570	570	570	570	ADT
DHV	67	110	110	107	116	115	113	113	DHV
SERVICE VOLUME	311	548	384	520	441	409	413	441	SERVICE VOLUME
FOUNDATION - 10	0	0	8	6	6	7	3	3	FOUNDATION - 10
SURFACE - 30	6	8	24	22	23	22	14	16	SURFACE - 30
DRAINAGE - 10	4	4	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	1	1	14	5	20	10	20	20	SAFETY - 20
CAPACITY - 30	27	27	26	27	26	26	26	26	CAPACITY - 30
SUFFICIENCY RATING	38	40	82	70	85	75	73	75	SUFFICIENCY RATING

FAP ROUTE NO 3
SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.5	13.4	19.2	23.2	24.7	25.6	26.2	32.7	33.1	33.7	42.7	42.9	50.8	52.2	53.5	57.5	BEGINNING MILE POST
LENGTH	0.5	12.9	5.7	4.0	1.5	0.9	0.6	6.4	0.4	0.5	8.9	0.1	7.9	1.3	1.3	3.9	0.6	LENGTH
YEAR BUILT	49	56	59	72	72	72	U	23	U	54	68	68	49	49	22	U	36	YEAR BUILT
YEAR IMPPOVED	49	63	59	72	72	72	R	51	R	54	68	68	83	83	83	R	64	YEAR IMPROVED
SURFACE WIDTH	24	32	32	40	40	40	B	22	B	24	40	40	28	28	24	B	30	SURFACE WIDTH
ROADWAY WIDTH	30	32	32	40	40	40	A	24	A	32	40	40	32	32	30	A	30	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	PMS	N	RMS	N	RMS	PMS	PMS	RMS	RMS	PMS	N	PMS	SURFACE TYPE
AOT	983	1061	1174	1337	1465	3350		2780		2432	2467	4336	4151	4575	5755		3220	AOT
OHV	127	137	152	173	190	402		333		291	296	520	498	549	690		322	OHV
SERVICE VOLUME	576	518	555	364	518	963		711		828	555	240	520	560	652		280	SERVICE VOLUME
FOUNDATION - 10	8	0	0	2	6	8		0		3	6	7	7	6	7		8	FOUNDATION - 10
SURFACE - 30	25	14	13	16	22	26		10		15	18	24	30	30	30		24	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10		6		10	10	10	10	10	10		8	DRAINAGE - 10
SAFETY - 20	5	20	20	20	20	20		9		20	9	2	11	20	1		1	SAFETY - 20
CAPACITY - 30	27	26	26	23	24	24		23		25	22	0	16	15	14		13	CAPACITY - 30
SUFFICIENCY RATING	75	70	69	71	82	88		48		73	66	43	74	81	62		54	SUFFICIENCY RATING

FAP ROUTE NO 4
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.6	4.0	5.5	15.0	18.4	24.3	27.5	31.1	32.6	32.7	33.0	34.9	35.3	37.3	41.1	46.0	47.3	53.3	56.9	57.8	59.0	59.3	61.0	61.6	64.4	67.4	71.3	77.5	79.3	86.3	92.7
LENGTH	0.6	3.0	1.5	9.4	3.4	5.8	3.1	3.6	1.4	0.1	0.3	1.8	0.3	2.0	3.7	4.9	1.2	6.0	3.4	0.8	1.1	0.3	1.6	0.5	2.8	2.9	3.8	6.2	1.8	6.9	6.4	0.7
YEAR BUILT	76	34	48	64	40	55	55	56	56	U	69	56	72	72	72	66	U	70	58	73	58	58	U	66	54	54	54	62	62	32	33	64
YEAR IMPROVED	76	55	54	76	40	60	60	60	83	R	83	83	83	83	72	66	R	70	58	73	58	58	R	66	54	54	70	62	62	52	65	83
SURFACE WIDTH	64	24	24	36	24	32	32	44	32	B	32	32	28	28	32	40	B	40	32	40	32	40	B	40	24	24	30	32	32	22	24	32
ROADWAY WIDTH	64	24	32	36	30	32	32	44	32	A	32	32	28	28	32	40	A	40	32	40	32	40	A	40	32	32	30	32	32	24	24	32
SURFACE TYPE	PMS	RMS	RMS	PMS	RMS	PMS	PMS	PMS	RMS	N	RMS	RMS	RMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	PMS
ADT	5021	4908	4768	4402	4214	4340	4339	3840	3840		3902	3918	3934	3953	3997	5327		6088	5904	5918	5926	7120		4361	3314	2135	2007	1853	1880	1768	1647	1640
DHV	692	677	657	607	581	598	598	529	529		538	540	542	545	551	735		791	767	769	770	925		588	447	288	270	250	253	238	222	221
SERVICE VOLUME	616	248	136	420	468	481	268	544	444		222	444	207	372	399	555		560	520	616	264	289		257	444	268	259	302	518	348	296	342
FOUNDATION - 10	8	3	4	8	0	5	6	3	3		8	7	10	10	9	10		8	8	5	5	8		5	0	3	4	4	6	0	0	4
SURFACE - 30	21	18	20	25	14	18	19	15	16		30	30	30	30	30	30		20	21	17	15	26		21	17	15	18	19	20	10	9	25
DRAINAGE - 10	10	7	7	10	8	10	10	10	10		10	10	10	10	10	10		10	10	10	10	10		10	10	10	9	10	10	4	4	10
SAFETY - 20	3	2	10	7	6	20	4	5	10		7	12	20	3	4	14		13	14	9	20	20		1	4	15	10	14	12	1	1	20
CAPACITY - 30	13	0	0	8	11	11	0	15	12		0	12	0	8	9	10		9	8	11	0	0		0	15	14	14	18	23	20	19	20
SUFFICIENCY RATING	55	30	41	58	39	64	39	48	51		55	71	70	61	62	74		60	61	52	50	64		37	46	57	55	65	71	35	33	79

FAP ROUTE NO 5
SHEET 1 OF 2

BEGINNING MILE POST	93.5	98.6	104.2	109.6	114.8	120.4	125.4	125.8	126.9	128.4	134.6	145.6	156.9	159.6	168.2	178.0	179.6	180.9	BEGINNING MILE POST
LENGTH	5.1	5.5	5.3	4.9	5.6	4.9	0.3	1.1	1.5	6.2	10.1	11.2	2.6	8.6	9.6	1.5	1.3	6.5	LENGTH
YEAR BUILT	64	63	49	U	57	81	60	45	U	34	55	55	55	31	31	U	43	50	YEAR BUILT
YEAR IMPROVED	83	83	83	R	60	81	60	45	R	54	59	60	60	63	52	R	57	50	YEAR IMPROVED
SURFACE WIDTH	32	32	32	B	36	36	36	36	B	22	24	26	26	22	27	B	22	24	SURFACE WIDTH
ROADWAY WIDTH	32	32	32	A	36	36	36	36	A	23	28	26	26	24	22	A	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	N	RMS	PMS	PMS	PMS	RMS	RMS	N	RMS	RMS	SURFACE TYPE
ADT	2086	3081	7925		6377	5502	8196	8595		2995	1573	1273	1056	1211	1511		2998	570	ADT
OHV	281	406	871		829	715	819	859		419	220	178	147	169	211		449	85	OHV
SERVICE VOLUME	364	464	383		602	688	688	963		322	483	235	235	126	140		319	292	SERVICE VOLUME
FOUNDATION - 10	0	4	5		5	6	6	4		0	2	0	0	0	0		0	0	FOUNDATION - 10
SURFACE - 30	9	30	30		18	30	30	14		10	12	13	13	13	13		12	12	SURFACE - 30
DRAINAGE - 10	10	10	10		10	10	10	10		4	10	9	9	4	5		8	9	DRAINAGE - 10
SAFETY - 20	10	5	13		6	9	20	20		1	7	15	20	1	1		1	20	SAFETY - 20
CAPACITY - 30	18	17	0		9	14	12	17		10	23	19	21	10	7		9	26	CAPACITY - 30
SUFFICIENCY RATING	47	66	58		48	69	78	65		25	54	56	63	28	26		30	67	SUFFICIENCY RATING

FAP ROUTE NO 5
SHEET 2 OF 2



BEGINNING MILE POST	0.0	2.2	4.6	8.2	10.4	11.4	12.3	13.5	14.7	23.3	29.4	37.6	46.2	47.2	49.6	50.4	51.5	BEGINNING MILE POST
LENGTH	2.2	2.3	3.6	2.1	0.9	0.9	1.2	1.1	8.6	6.0	8.2	8.5	0.9	2.4	0.7	1.0	4.5	LENGTH
YEAR BUILT	52	63	52	63	52	63	58	63	59	59	U	U	58	61	48	U	35	YEAR BUILT
YEAR IMPROVED	65	63	64	63	52	63	58	63	64	64	N	N	58	64	54	R	36	YEAR IMPROVED
SURFACE WIDTH	24	28	24	28	24	28	32	28	32	32	O C	C C	32	32	24	8	20	SURFACE WIDTH
ROADWAY WIDTH	28	28	28	28	28	28	32	28	32	32	E D	E D	32	32	28	A	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	RMS	BST	PMS	PMS	PMS	P N	R N	BST	PMS	PMS	N	RMS	SURFACE TYPE
ADT	720	720	720	720	798	794	789	784	866	1010	S	S	1314	1871	3440		1999	ADT
DHV	100	100	100	100	111	111	110	109	121	141	T	T	183	261	412		259	DHV
SERVICE VOLUME	280	218	249	280	187	249	168	416	268	518	A	R	420	201	303		387	SERVICE VOLUME
FOUNDATION - 10	6	5	4	6	5	6	6	6	4	0	U	U	3	5	6		0	FOUNDATION - 10
SURFACE - 30	16	16	14	16	15	17	17	17	16	14	C	C	13	14	15		8	SURFACE - 30
DRAINAGE - 10	8	9	9	10	10	10	10	10	10	10	T	T	10	10	9		6	DRAINAGE - 10
SAFETY - 20	3	8	4	20	6	10	2	8	5	6	I	I	10	4	20		11	SAFETY - 20
CAPACITY - 30	25	23	24	25	21	23	20	26	23	26	D	D	23	11	10		20	CAPACITY - 30
SUFFICIENCY RATING	58	61	55	77	57	66	55	67	58	56	N	N	59	44	60		45	SUFFICIENCY RATING

FAP ROUTE NO 6
SHEET 1 OF 2



BEGINNING MILE POST	56.0	57.8	64.7	68.7	72.5	75.7	76.2	76.6	78.9	85.0	88.7	90.5	94.0	95.6	99.2	102.1	103.0	104.6	105.1	106.1	108.1	115.1	BEGINNING MILE POST
LENGTH	1.7	6.8	3.9	3.8	3.1	0.5	0.3	2.2	6.0	3.6	1.8	3.5	1.2	3.6	2.9	0.7	1.7	0.3	1.0	1.9	7.0	0.9	LENGTH
YEAR BUILT	35	34	39	38	31	U	31	31	31	31	24	69	24	57	24	69	22	69	22	44	27	34	YEAR BUILT
YEAR IMPROVED	49	49	39	52	34	R	34	34	51	51	38	69	38	T6	38	69	57	69	34	44	34	52	YEAR IMPROVED
SURFACE WIDTH	20	20	26	20	18	B	18	18	20	20	20	32	20	30	20	32	20	32	22	24	22	20	SURFACE WIDTH
ROADWAY WIDTH	24	24	26	24	24	A	24	24	24	24	24	32	24	30	25	32	24	32	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	BST	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	PMS	RMS	PMS	RMS	PMS	RMS	PMS	RMS	BST	RMS	RMS	SURFACE TYPE
ADT	1516	1597	1701	2069	2664		3018	1943	1587	900	900	900	900	1037	1050	1050	1050	1050	1050	1050	1278	1370	ADT
OHV	197	207	221	268	346		392	252	206	117	117	117	117	134	136	136	136	136	136	136	166	178	OHV
SERVICE VOLUME	315	364	294	159	343		259	151	336	360	283	350	147	318	374	510	259	240	136	479	406	168	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0		0	0	0	0	0	7	0	7	0	6	0	6	0	0	0	0	FOUNDATION - 10
SURFACE - 30	10	13	12	11	12		14	10	10	11	11	17	12	25	10	18	10	19	12	10	10	11	SURFACE - 30
DRAINAGE - 10	5	5	6	4	6		3	3	5	4	4	10	3	8	4	10	3	10	3	8	4	8	DRAINAGE - 10
SAFETY - 20	11	17	2	3	2		20	0	2	1	0	20	1	20	2	20	0	1	1	13	1	1	SAFETY - 20
CAPACITY - 30	21	21	19	5	15		7	5	21	25	24	25	18	24	25	26	22	22	15	26	24	14	CAPACITY - 30
SUFFICIENCY RATING	47	56	39	23	35		44	18	38	41	39	75	34	84	41	80	35	58	31	57	39	34	SUFFICIENCY RATING

FAP ROUTE NO 6
SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.1	1.4	7.5	13.5	16.7	20.4	23.5	26.4	30.4	31.2	38.7	43.6	44.5	46.5	48.0	49.3	49.5	59.0	66.7	73.5	74.2	74.8	76.8	82.7	83.3	90.1	BEGINNING MILE POST
LENGTH	0.1	1.3	6.1	6.0	3.3	3.5	3.0	2.9	4.0	0.8	7.4	4.9	0.9	1.9	1.4	1.3	0.1	9.4	7.7	6.7	0.6	0.5	2.0	6.0	0.6	6.7	5.0	LENGTH
YEAR BUILT	40	40	40	40	36	37	37	36	36	U	34	81	49	34	U	80	40	53	56	56	74	74	74	74	68	68	U	YEAR BUILT
YEAR IMPROVED	40	40	40	40	39	39	39	36	59	R	35	81	49	59	R	80	40	53	61	61	76	76	76	76	68	68	R	YEAR IMPROVED
SURFACE WIDTH	22	22	22	24	24	24	24	22	22	B	22	38	28	22	B	84	28	24	32	60	44	64	38	38	44	68	B	SURFACE WIDTH
ROADWAY WIDTH	22	22	22	24	24	24	24	25	26	A	24	38	28	24	A	84	28	32	32	60	44	64	38	38	44	68	A	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	BST	BST	BST	BST	RMS	RMS	N	RMS	PMS	RMS	RMS	N	PMS	RMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
AOT	710	715	747	810	960	977	1026	1105	2120		2431	2672	3310	5745		6788	6424	4850	3980	4670	4825	4933	5530	6496	7561	12585		AOT
OHV	92	92	97	105	124	127	133	143	275		291	320	397	689		733	693	523	429	504	521	532	597	701	816	1132		OHV
SERVICE VOLUME	422	422	390	280	288	288	249	305	300		253	560	791	697		1472	240	688	688	1472	688	1472	688	688	464	1312		SERVICE VOLUME
FOUNDATION - 10	10	10	0	0	0	0	0	0	3		0	10	6	0		10	4	10	8	8	8	8	8	8	8	8		FOUNDATION - 10
SURFACE - 30	30	30	12	13	11	13	16	13	13		12	30	14	10		30	15	30	24	24	24	23	25	25	25	24		SURFACE - 30
DRAINAGE - 10	10	10	5	6	7	7	7	6	6		6	10	9	4		10	4	10	10	10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	1	7	1	20	1	2	6	2	2		2	14	5	3		20	20	12	2	10	20	6	20	13	1	7		SAFETY - 20
CAPACITY - 30	27	27	26	24	24	23	22	23	16		13	21	22	15		23	0	19	21	25	19	25	17	15	4	17		CAPACITY - 30
SUFFICIENCY RATING	78	84	44	63	43	45	51	44	40		33	85	56	32		93	43	81	65	77	81	72	80	71	48	66		SUFFICIENCY RATING

FAP ROUTE NO 7
SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.9	11.2	13.0	23.2	25.5	27.3	27.6	30.0	34.3	39.6	46.4	48.5	49.5	52.8	54.4	BEGINNING MILE POST
LENGTH	3.7	7.3	1.7	10.2	2.3	1.6	0.3	2.2	4.1	5.4	7.8	2.0	1.0	3.2	1.6	1.5	LENGTH
YEAR BUILT	78	57	33	33	73	73	77	77	78	33	U	78	U	78	69	69	YEAR BUILT
YEAR IMPROVED	78	64	66	66	73	73	83	83	83	33	R	78	R	78	69	69	YEAR IMPROVED
SURFACE WIDTH	40	32	22	22	56	56	56	56	56	20	8	88	8	44	40	40	SURFACE WIDTH
ROADWAY WIDTH	40	32	24	24	56	56	56	56	56	24	A	88	A	44	40	40	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	RMS	PMS	PMS	RMS	RMS	RMS	RMS	N	PCC	N	PMS	PMS	PMS	SURFACE TYPE
ADT	1613	1651	1683	1791	1940	1940	1940	1972	2063	2916		9745		4204	3399	3101	ADT
DHV	209	214	218	232	252	252	252	256	268	379		1071		567	458	418	DHV
SERVICE VOLUME	504	409	620	573	768	1920	768	768	1920	492		1520		688	688	520	SERVICE VOLUME
FOUNDATION - 10	8	6	0	0	8	7	10	10	10	0		8		8	8	8	FOUNDATION - 10
SURFACE - 30	27	18	8	8	26	24	30	30	30	8		28		28	24	24	SURFACE - 30
DRAINAGE - 10	10	10	8	6	10	10	10	10	10	8		10		10	10	10	DRAINAGE - 10
SAFETY - 20	13	7	6	3	20	17	6	8	8	3		20		20	20	20	SAFETY - 20
CAPACITY - 30	24	22	25	24	25	28	25	25	28	18		19		18	20	18	CAPACITY - 30
SUFFICIENCY RATING	82	63	47	41	89	86	81	83	86	37		85		84	82	80	SUFFICIENCY RATING

FAP ROUTE NO 8
SHEET 1 OF 2



BEGINNING MILE POST	55.9	57.1	65.4	76.9	78.1	87.7	98.9	107.8	108.8	BEGINNING MILE POST
LENGTH	1.1	8.3	11.5	1.1	9.6	11.2	8.9	0.9	0.3	LENGTH
YEAR BUILT	69	72	56	U	39	50	52	52	68	YEAR BUILT
YEAR IMPROVED	69	72	65	A	78	51	52	52	68	YEAR IMPROVED
SURFACE WIDTH	40	34	32	B	30	24	24	24	44	SURFACE WIDTH
ROADWAY WIDTH	40	34	32	A	32	26	28	28	44	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	PMS	RMS	RMS	RMS	RMS	SURFACE TYPE
AOT	2717	2536	2708		1925	1583	1579	770	770	AOT
OHV	366	342	365		259	213	252	123	123	OHV
SERVICE VOLUME	640	409	600		600	455	354	444	288	SERVICE VOLUME
FOUNDATION - 10	8	7	6		7	4	2	6	8	FOUNDATION - 10
SURFACE - 30	25	23	21		24	14	12	16	24	SURFACE - 30
DRAINAGE - 10	10	10	10		10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	20	18	10		11	20	20	19	20	SAFETY - 20
CAPACITY - 30	21	17	21		24	23	19	26	24	CAPACITY - 30
SUFFICIENCY RATING	84	75	68		76	71	63	77	86	SUFFICIENCY RATING

FAP ROUTE NO 8
SHEET 2 OF 2

BEGINNING MILE POST	0.0	1.9	12.4	20.1	20.8	29.3	38.5	43.1	46.0	53.8	60.0	64.0	BEGINNING MILE POST
LENGTH	2.2	10.4	7.7	0.7	8.4	9.0	4.5	2.8	7.8	6.1	4.0	0.7	LENGTH
YEAR BUILT	67	59	63	63	32	32	35	35	35	36	36	U	YEAR BUILT
YEAR IMPROVED	67	59	63	63	65	65	35	35	35	36	36	R	YEAR IMPROVED
SURFACE WIDTH	30	32	32	32	20	20	20	20	20	22	22	B	SURFACE WIDTH
ROADWAY WIDTH	30	32	32	32	24	24	24	24	24	25	25	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	440	440	440	539	534	525	644	499	352	386	438		ADT
DHV	79	79	79	97	96	94	115	89	63	69	78		DHV
SERVICE VOLUME	546	302	340	302	470	448	364	237	286	253	450		SERVICE VOLUME
FOUNDATION - 10	7	5	0	5	0	0	0	0	0	2	2		FOUNDATION - 10
SURFACE - 30	22	19	12	17	10	12	11	11	16	15	16		SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	7	7	8	8	8	8		DRAINAGE - 10
SAFETY - 20	4	12	7	7	2	2	2	1	1	1	11		SAFETY - 20
CAPACITY - 30	28	26	27	25	27	27	25	24	27	26	27		CAPACITY - 30
SUFFICIENCY RATING	71	72	56	64	46	48	45	44	52	52	64		SUFFICIENCY RATING

FAP ROUTE NO 9
SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.5	9.6	16.2	20.0	29.7	39.5	40.6	51.5	52.3	55.1
LENGTH	4.7	6.1	6.4	3.8	9.7	9.8	1.1	10.9	0.6	2.7	8.7
YEAR BUILT	U	40	51	51	63	64	74	74	36	34	34
YEAR IMPROVED	R	71	57	57	63	64	74	74	36	55	55
SURFACE WIDTH	B	28	30	30	32	32	32	32	24	22	22
ROADWAY WIDTH	A	28	30	30	32	32	32	32	24	24	24
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS
AOT		2365	1895	1797	1738	1789	1209	1180	1147	1125	1094
OHV		307	246	233	225	232	157	153	149	146	142
SERVICE VOLUME		481	366	507	520	640	432	560	335	380	702
FOUNDATION - 10		5	4	2	5	6	9	7	0	0	0
SURFACE - 30		20	15	14	19	22	27	25	11	8	8
DRAINAGE - 10		9	10	10	10	10	10	10	8	8	8
SAFETY - 20		3	20	20	12	20	20	20	1	3	4
CAPACITY - 30		20	20	23	24	25	25	26	23	24	27
SUFFICIENCY RATING		57	69	69	70	83	91	88	43	43	47



BEGINNING MILE POST	63.9	72.4	79.3	80.0	84.8	86.0	89.4	89.6	90.9	97.0	104.3	109.5
LENGTH	8.4	6.8	0.6	4.7	1.2	3.3	0.1	1.3	6.0	7.3	5.1	1.7
YEAR BUILT	34	34	U	33	70	33	30	70	30	28	67	52
YEAR IMPROVED	55	55	R	63	70	41	70	70	73	41	67	52
SURFACE WIDTH	22	22	B	24	32	20	30	32	22	22	40	32
ROADWAY WIDTH	24	24	A	26	32	24	30	32	26	24	40	32
SURFACE TYPE	RMS	RMS	N	RMS	PMS	BST	RMS	PMS	PMS	RMS	PMS	RMS
AOT	1055	1049		1154	1130	1130	1130	1205	1262	1408	1846	1800
OHV	137	136		150	146	146	146	156	164	183	239	234
SERVICE VOLUME	360	702		889	640	739	624	640	831	480	600	520
FOUNDATION - 10	0	0		0	5	0	6	6	0	0	6	3
SURFACE - 30	14	8		7	16	8	19	18	10	12	16	15
DRAINAGE - 10	8	8		7	10	7	10	10	7	7	10	10
SAFETY - 20	2	6		9	20	20	20	20	20	20	20	9
CAPACITY - 30	24	27		27	27	27	26	26	27	24	24	23
SUFFICIENCY RATING	48	49		50	78	62	81	80	64	63	76	60

FAP ROUTE NO 10

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.0	1.3	5.5	10.8	16.6	19.3	30.9	40.7	49.9	51.8	55.8
LENGTH	1.0	0.3	4.3	5.1	5.7	2.7	11.6	9.7	9.1	1.8	4.0	2.0
YEAR BUILT	75	75	71	69	69	61	61	61	65	61	U	34
YEAR IMPROVED	75	75	71	69	69	61	61	61	65	61	R	34
SURFACE WIDTH	48	34	34	34	32	32	32	32	32	32	E	20
ROADWAY WIDTH	48	34	34	34	32	32	32	32	32	32	A	24
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	PMS	PMS	PMS	PMS	PMS	N	PMS
ADT	2879	2257	1382	1006	1002	1000	961	1490	2075	3420		2051
OHV	535	419	257	187	186	186	178	277	385	410		266
SERVICE VOLUME	664	611	448	441	441	600	600	600	600	645		654
FOUNDATION - 10	7	8	7	8	6	8	8	7	6	7		6
SURFACE - 30	27	27	23	23	21	23	23	23	17	23		28
DRAINAGE - 10	10	10	10	10	10	10	10	10	10	10		9
SAFETY - 20	1	20	20	20	2	18	6	18	6	9		3
CAPACITY - 30	18	20	21	24	24	25	26	23	20	20		24
SUFFICIENCY RATING	63	85	81	85	63	84	73	81	59	69		70



BEGINNING MILE POST	0.0	2.2	8.0	8.6
LENGTH	2.2	5.7	0.5	0.6
YEAR BUILT	61	61	30	U
YEAR IMPROVED	61	61	78	R
SURFACE WIDTH	34	34	30	E
ROADWAY WIDTH	34	34	30	A
SURFACE TYPE	PMS	PMS	PMS	N
ADT	1650	1699	1852	
OHV	354	365	398	
SERVICE VOLUME	322	640	873	
FOUNDATION - 10	7	3	8	
SURFACE - 30	23	13	25	
DRAINAGE - 10	10	10	3	
SAFETY - 20	8	13	20	
CAPACITY - 30	14	21	23	
SUFFICIENCY RATING	62	60	79	

FAP ROUTE NO 11 & 12
SHEET 1 OF 1

BEGINNING MILE POST	0.0	8.6	16.3	21.3	24.3	27.1	35.9	37.8	47.1	48.6	49.2	56.5	61.5	65.3	74.8	80.7	82.2	83.0	83.9	88.7	93.0	93.3	93.6	94.6	95.7	96.5	97.1	BEGINNING MILE POST
LENGTH	8.5	7.8	4.9	2.9	2.6	8.8	1.9	9.2	1.4	0.6	7.2	5.1	3.7	9.5	5.9	1.4	0.8	0.9	5.2	4.2	0.2	0.3	1.1	1.1	0.8	0.5	0.2	LENGTH
YEAR BUILT	62	66	69	71	U	U	34	34	36	U	34	36	34	34	76	76	50	34	32	32	68	68	49	38	U	50	64	YEAR BUILT
YEAR IMPROVED	76	66	69	71	N	N	34	34	58	R	34	57	34	34	76	76	50	52	48	61	68	68	49	38	R	55	69	YEAR IMPROVED
SURFACE WIDTH	34	40	40	40	0 C	0 C	20	20	22	B	20	22	20	20	32	32	22	22	24	20	40	40	28	24	B	32	32	SURFACE WIDTH
ROADWAY WIDTH	34	40	40	40	E O	E O	24	24	25	A	24	24	24	24	32	32	24	24	30	24	40	40	28	28	A	32	32	ROADWAY WIDTH
SURFACE TYPE	BST	PMS	PMS	PMS	R N	R N	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	RMS	PMS	SURFACE TYPE
ADT	200	408	422	432	S	S	643	903	1649		1293	926	919	560	379	250	250	250	380	380	380	660	920	1440		1460	1460	ADT
DHV	42	85	88	90	T	T	135	189	346		193	138	137	84	56	37	37	37	57	57	57	99	138	216		219	219	DHV
SERVICE VOLUME	426	497	461	383	R	R	762	450	601		420	448	240	240	602	461	286	386	289	180	258	213	640	432		752	406	SERVICE VOLUME
FOUNDATION - 10	7	5	5	7	U	U	0	0	0		0	2	2	0	7	7	0	0	0	0	9	6	2	2		2	8	FOUNDATION - 10
SURFACE - 30	23	19	16	21	C	C	8	14	14		15	15	14	15	25	27	13	11	14	12	26	20	13	11		14	26	SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	7	7	8	9		8	7	8	7	10	10	8	8	8	7	10	10	10	8		8	10	DRAINAGE - 10
SAFETY - 20	7	20	20	20	1	1	4	7	7		4	1	1	1	8	20	1	1	1	1	20	0	20	1		11	20	SAFETY - 20
CAPACITY - 30	29	27	27	26	0	0	27	24	21		23	25	21	25	29	29	28	29	27	25	27	23	27	23		26	22	CAPACITY - 30
SUFFICIENCY RATING	76	81	78	84	N	N	46	53	51		50	50	46	48	79	93	50	49	50	45	92	59	72	45		61	86	SUFFICIENCY RATING

FAP ROUTE NO 13

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.8	2.3	6.4	13.5	23.5	33.4	41.6	42.7	45.1	48.9	55.9	63.1	68.5	73.3	75.1	BEGINNING MILE POST
LENGTH	0.8	1.5	4.0	7.1	9.9	9.9	8.1	0.9	2.4	3.9	6.9	7.2	5.3	4.8	1.7	2.0	LENGTH
YEAR BUILT	U	64	64	37	51	55	33	U	65	65	76	56	37	36	36	34	YEAR BUILT
YEAR IMPROVED	R	64	64	66	51	55	66	R	65	65	76	58	65	63	63	64	YEAR IMPROVED
SURFACE WIDTH	B	32	32	24	20	24	21	B	40	40	36	28	21	22	22	22	SURFACE WIDTH
ROADWAY WIDTH	A	32	32	25	26	27	24	A	40	40	36	28	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	RMS	RMS	PMS	RMS	N	PMS	PMS	PMS	PMS	RMS	RMS	RMS	PMS	SURFACE TYPE
ADT		1819	717	597	521	590	1015		914	417	381	336	320	320	320	400	ADT
DHV		236	93	77	67	76	131		118	54	49	43	41	41	41	52	DHV
SERVICE VOLUME		560	375	364	198	237	584		487	350	350	248	357	364	646	573	SERVICE VOLUME
FOUNDATION - 10		8	7	0	0	2	0		6	5	8	3	0	0	0	0	FOUNDATION - 10
SURFACE - 30		20	17	10	11	12	8		19	16	26	15	9	9	10	10	SURFACE - 30
DRAINAGE - 10		10	10	7	5	9	8		10	10	10	10	8	7	7	6	DRAINAGE - 10
SAFETY - 20		15	16	2	2	1	20		12	11	20	5	3	2	20	2	SAFETY - 20
CAPACITY - 30		24	26	27	25	25	27		26	28	28	27	28	28	29	29	CAPACITY - 30
SUFFICIENCY RATING		77	76	46	43	49	63		73	70	92	60	48	46	66	47	SUFFICIENCY RATING

FAP ROUTE NO 14
SHEET 1 OF 3

BEGINNING MILE POST	77.2	88.0	92.8	99.3	100.3	100.8	108.0	116.4	122.5	124.9	129.5	130.5	133.0	137.0	146.0	BEGINNING MILE POST
LENGTH	10.8	4.7	6.5	0.9	0.5	7.1	8.4	6.1	2.3	4.5	1.0	2.4	3.5	9.1	5.6	LENGTH
YEAR BUILT	34	66	68	U	65	65	53	67	67	56	U	37	37	37	37	YEAR BUILT
YEAR IMPROVED	64	66	68	R	65	65	53	67	67	71	R	37	37	37	37	YEAR IMPROVED
SURFACE WIDTH	22	40	40	B	40	40	24	40	40	28	B	20	20	20	20	SURFACE WIDTH
ROADWAY WIDTH	24	40	40	A	40	40	28	40	40	28	A	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	N	PMS	PMS	RMS	PMS	PMS	PMS	N	RMS	RMS	PMS	RMS	SURFACE TYPE
AOT	460	538	692		1759	1044	1053	1019	1028	1083		1120	1120	1119	340	AOT
OHV	59	69	89		228	135	136	132	133	140		145	145	145	44	OHV
SERVICE VOLUME	524	520	520		708	487	450	487	520	450		538	283	515	147	SERVICE VOLUME
FOUNDATION - 10	0	7	6		8	6	3	6	6	2		0	0	0	0	FOUNDATION - 10
SURFACE - 30	9	17	17		18	17	13	22	21	15		10	9	10	12	SURFACE - 30
DRAINAGE - 10	7	10	10		10	10	10	10	10	10		6	6	8	4	DRAINAGE - 10
SAFETY - 20	4	16	20		3	14	12	10	8	20		3	1	7	1	SAFETY - 20
CAPACITY - 30	28	28	27		25	26	25	26	26	25		26	22	26	26	CAPACITY - 30
SUFFICIENCY RATING	48	78	80		64	73	63	74	71	72		45	38	51	43	SUFFICIENCY RATING

FAP ROUTE NO 14
SHEET 2 OF 3



BEGINNING MILE POST	259.4	265.1	270.5	270.8	270.8	271.2
LENGTH	5.5	5.3	0.3	0.0	0.3	1.2
YEAR BUILT	54	57	U	77	77	U
YEAR IMPROVED	54	75	R	77	77	R
SURFACE WIDTH	24	32	B	40	28	B
ROADWAY WIDTH	24	32	A	40	28	A
SURFACE TYPE	RMS	PMS	N	PMS	PMS	N
AOT	271	388		2120	1750	
OHV	46	65		318	210	
SERVICE VOLUME	424	455		230	448	
FOUNDATION - 10	0	8		9	7	
SURFACE - 30	14	24		29	23	
DRAINAGE - 10	10	10		10	10	
SAFETY - 20	5	6		20	20	
CAPACITY - 30	28	28		9	23	
SUFFICIENCY RATING	57	76		77	83	

BEGINNING MILE POST	151.6	155.1	158.0	160.4	167.5	168.5	170.1	182.0	187.6	192.1	195.3	203.7	205.1	207.1	212.4	217.1	224.4	229.5	242.4	252.3
LENGTH	3.4	2.8	2.4	7.0	0.9	1.6	11.8	5.5	4.4	3.2	8.3	1.4	1.9	5.2	4.7	7.2	5.1	12.8	9.9	7.1
YEAR BUILT	37	56	56	36	33	U	39	39	39	39	39	U	46	46	46	48	48	55	50	54
YEAR IMPROVED	37	56	56	50	56	R	39	39	39	39	39	R	63	57	57	63	63	63	63	54
SURFACE WIDTH	20	24	24	20	26	B	20	20	20	20	20	B	20	20	20	25	25	20	20	24
ROADWAY WIDTH	24	28	28	24	30	A	24	24	24	24	24	A	24	24	24	25	25	20	24	24
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	RMS	PMS	RMS
AOT	340	340	340	412	3220		637	650	649	455	510		405	339	319	295	271	253	242	233
OHV	44	44	44	53	418		108	110	110	77	86		68	57	54	50	46	43	41	39
SERVICE VOLUME	147	220	480	299	630		299	210	322	168	322		538	299	168	371	221	260	322	221
FOUNDATION - 10	0	0	0	0	0		0	0	0	0	0		0	6	3	3	2	0	0	0
SURFACE - 30	11	12	12	12	11		12	12	13	13	15		10	24	19	18	16	13	13	13
DRAINAGE - 10	4	9	10	6	6		10	8	8	8	9		10	10	10	10	10	9	9	10
SAFETY - 20	1	20	20	2	1		1	1	3	1	14		10	3	1	6	2	4	14	2
CAPACITY - 30	26	27	29	27	20		25	22	25	23	26		28	27	25	28	27	28	28	27
SUFFICIENCY RATING	42	68	71	47	38		48	43	49	45	64		58	70	58	65	57	54	64	52

FAP ROUTE NO 14
SHEET 3 OF 3

BEGINNING MILE POST	0.0	4.6	11.8	21.5	23.2	25.1	29.6	38.1	46.2	BEGINNING MILE POST
LENGTH	4.7	7.0	9.6	1.7	1.8	4.5	8.4	8.0	1.8	LENGTH
YEAR BUILT	U	77	34	68	34	34	66	65	37	YEAR BUILT
YEAR IMPROVED	R	77	51	68	58	34	66	65	37	YEAR IMPROVED
SURFACE WIDTH	B	40	20	40	22	20	32	32	20	SURFACE WIDTH
ROADWAY WIDTH	A	40	24	40	24	24	32	32	24	ROADWAY WIDTH
SURFACE TYPE	N	PMS	RMS	PMS	RMS	RMS	PMS	PMS	RMS	SURFACE TYPE
ADT		1436	1437	1452	1457	1467	1487	1586	1865	ADT
DHV		186	186	188	189	190	193	206	242	DHV
SERVICE VOLUME		378	448	264	225	237	472	640	283	SERVICE VOLUME
FOUNDATION - 10		7	0	5	0	0	6	6	0	FOUNDATION - 10
SURFACE - 30		24	10	19	12	12	21	21	11	SURFACE - 30
DRAINAGE - 10		10	5	10	7	6	10	10	8	DRAINAGE - 10
SAFETY - 20		16	1	20	1	1	12	13	1	SAFETY - 20
CAPACITY - 30		23	24	19	17	18	24	25	17	CAPACITY - 30
SUFFICIENCY RATING		80	40	73	37	37	73	75	37	SUFFICIENCY RATING

FAP ROUTE NO 16
SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.2	8.7	10.5	12.0	BEGINNING MILE POST
LENGTH	3.5	5.4	1.7	1.4	1.0	LENGTH
YEAR BUILT	69	38	38	57	U	YEAR BUILT
YEAR IMPROVED	69	83	83	83	R	YEAR IMPROVED
SURFACE WIDTH	24	20	20	24	B	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	28	A	ROADWAY WIDTH
SURFACE TYPE	BST	RMS	RMS	RMS	N	SURFACE TYPE
ADT	438	423	458	480		ADT
DHV	65	63	68	72		DHV
SERVICE VOLUME	313	390	210	356		SERVICE VOLUME
FOUNDATION - 10	3	0	4	5		FOUNDATION - 10
SURFACE - 30	15	12	15	15		SURFACE - 30
DRAINAGE - 10	6	7	8	10		DRAINAGE - 10
SAFETY - 20	6	2	1	3		SAFETY - 20
CAPACITY - 30	27	28	25	27		CAPACITY - 30
SUFFICIENCY RATING	57	49	53	60		SUFFICIENCY RATING

FAP ROUTE NO 17
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.0	2.1	13.0	18.0	20.0	23.9	34.9	38.0	48.4	53.3	58.9	63.3	73.5	BEGINNING MILE POST
LENGTH	0.9	1.1	10.9	5.0	2.0	3.8	10.9	3.1	10.3	4.9	5.4	4.3	10.2	9.3	LENGTH
YEAR BUILT	U	57	64	63	28	28	31	31	31	31	77	76	67	58	YEAR BUILT
YEAR IMPROVED	R	57	64	63	35	35	35	56	35	35	77	76	67	65	YEAR IMPROVED
SURFACE WIDTH	8	32	32	30	20	20	20	20	20	20	30	30	30	28	SURFACE WIDTH
ROADWAY WIDTH	A	32	32	30	24	24	24	24	24	24	30	30	30	28	ROADWAY WIDTH
SURFACE TYPE	N	BST	PMS	PMS	BST	BST	BST	BST	BST	BST	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT		1502	452	276	256	248	243	180	185	192	198	215	239	247	ADT
DHV		225	67	41	38	37	36	27	27	28	29	32	35	37	DHV
SERVICE VOLUME		409	520	624	364	627	448	422	448	470	488	585	624	383	SERVICE VOLUME
FOUNDATION - 10		5	3	2	0	0	0	0	0	0	7	7	5	4	FOUNDATION - 10
SURFACE - 30		18	13	15	11	10	8	8	8	7	26	26	16	15	SURFACE - 30
DRAINAGE - 10		10	10	10	8	8	7	7	7	5	10	10	10	10	DRAINAGE - 10
SAFETY - 20		2	6	5	1	3	1	1	1	1	20	4	19	8	SAFETY - 20
CAPACITY - 30		22	28	29	28	29	29	29	29	29	29	29	29	29	CAPACITY - 30
SUFFICIENCY RATING		57	60	61	48	50	45	45	45	42	92	76	79	66	SUFFICIENCY RATING

FAP ROUTE NO 18
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.8	5.5	7.1	10.1	16.9	22.0	24.3	27.6	30.8	38.5	48.3	57.4	62.5	63.2	63.6	BEGINNING MILE POST
LENGTH	2.8	2.6	1.5	4.7	6.8	5.0	2.2	3.3	3.1	7.7	9.7	9.1	5.0	0.6	0.4	1.3	LENGTH
YEAR BUILT	64	61	61	U	51	51	51	34	34	57	60	31	25	66	66	U	YEAR BUILT
YEAR IMPROVED	64	61	61	P	59	59	59	54	40	76	60	52	52	66	66	R	YEAR IMPROVED
SURFACE WIDTH	76	76	76	B	24	24	32	22	20	32	32	20	20	40	32	B	SURFACE WIDTH
ROADWAY WIDTH	76	76	76	A	28	28	32	24	24	32	32	24	22	40	32	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	RMS	PMS	PMS	PMS	RMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT	1970	3010	5850		2023	1217	1054	733	530	604	608	535	654	682	687		ADT
DHV	275	421	819		303	182	158	109	79	90	91	80	98	102	103		DHV
SERVICE VOLUME	1520	1520	1536		462	528	461	222	287	461	426	732	507	516	688		SERVICE VOLUME
FOUNDATION - 10	8	7	8		2	0	0	0	0	7	3	0	0	9	8		FOUNDATION - 10
SURFACE - 30	24	23	24		12	11	14	11	13	23	13	8	9	25	22		SURFACE - 30
DRAINAGE - 10	10	10	10		8	10	8	7	6	10	10	3	3	10	10		DRAINAGE - 10
SAFETY - 20	12	18	15		7	11	9	2	0	4	16	2	1	2	1		SAFETY - 20
CAPACITY - 30	27	26	22		20	25	25	23	26	27	27	28	27	27	28		CAPACITY - 30
SUFFICIENCY RATING	81	84	79		49	57	56	43	45	71	69	41	40	73	69		SUFFICIENCY RATING

FAP ROUTE NO 19
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.7	6.1	13.0	18.5	23.1	28.8	31.4	32.9	42.0	50.0	50.9	53.1	58.6	62.5	63.9	BEGINNING MILE POST
LENGTH	1.7	4.3	6.8	5.6	4.1	5.7	2.5	1.4	9.0	7.9	0.8	2.2	5.4	3.9	1.3	0.3	LENGTH
YEAR BUILT	U	64	67	69	54	54	75	74	34	73	73	U	35	35	U	56	YEAR BUILT
YEAR IMPROVED	R	64	67	69	82	82	75	74	57	73	73	R	35	35	R	56	YEAR IMPROVED
SURFACE WIDTH	B	40	40	40	28	28	40	40	20	40	83	B	20	20	B	24	SURFACE WIDTH
ROADWAY WIDTH	A	40	40	40	28	28	40	40	24	40	83	A	24	24	A	32	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	PMS	PMS	N	RMS	RMS	N	RMS	SURFACE TYPE
ADT		2566	2008	1870	1884	1899	1913	1925	2018	2756	7615		3965	2961		2710	ADT
DHV		359	281	261	263	265	267	269	282	385	761		475	355		325	DHV
SERVICE VOLUME		444	555	364	372	249	592	518	338	555	1740		390	280		828	SERVICE VOLUME
FOUNDATION - 10		7	7	5	8	8	8	8	0	8	7		0	0		6	FOUNDATION - 10
SURFACE - 30		23	23	18	30	30	26	27	11	26	22		11	12		22	SURFACE - 30
DRAINAGE - 10		10	10	10	10	10	10	10	8	10	10		5	5		10	DRAINAGE - 10
SAFETY - 20		20	20	14	20	12	20	20	3	14	18		14	4		1	SAFETY - 20
CAPACITY - 30		18	22	19	19	14	23	22	17	20	23		12	11		24	CAPACITY - 30
SUFFICIENCY RATING		78	82	66	87	74	87	87	39	78	80		42	32		63	SUFFICIENCY RATING

FAP ROUTE NO 20
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.8	3.7	4.9
LENGTH	0.8	2.7	1.2	0.1
YEAR BUILT	73	34	U	73
YEAR IMPROVED	73	64	R	73
SURFACE WIDTH	40	24	B	40
ROADWAY WIDTH	40	26	A	40
SURFACE TYPE	PMS	RMS	N	PMS
ADT	840	1002		1040
DHV	109	130		135
SERVICE VOLUME	560	561		289
FOUNDATION - 10	6	0		8
SURFACE - 30	24	10		27
DRAINAGE - 10	10	8		10
SAFETY - 20	1	3		4
CAPACITY - 30	27	27		23
SUFFICIENCY RATING	68	48		72

FAP ROUTE NO 21
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.5	7.5	17.9	20.9	29.3	41.0	42.3	43.3	52.6	63.7	63.8	64.0	64.3	71.8	73.8	75.8	75.8	81.3	88.4
LENGTH	0.5	7.0	10.2	3.0	8.4	11.7	1.3	1.0	9.2	11.1	0.0	0.2	0.2	7.5	2.0	1.9	0.0	5.4	7.1	0.1
YEAR BUILT	U	65	35	36	36	37	U	U	U	63	U	63	U	76	76	71	U	71	59	U
YEAR IMPROVED	R	65	36	36	61	62	R	N	N	63	R	63	R	76	76	71	R	71	59	R
SURFACE WIDTH	B	32	20	22	20	20	B	0 C	0 C	32	B	32	B	32	32	32	B	32	32	B
ROADWAY WIDTH	A	32	24	25	25	24	A	E O	E O	32	A	32	A	32	32	32	A	32	32	A
SURFACE TYPE	N	PMS	BST	BST	RMS	RMS	N	R N	R N	PMS	N	PMS	N	PMS	PMS	PMS	N	PMS	PMS	N
AOT		644	405	361	387	921		S	S	1097		1050		1169	1360	1363		1040	1095	
OHV		83	52	46	50	119		T	T	142		136		151	176	177		135	142	
SERVICE VOLUME		560	184	197	364	364		R	R	560		896		480	560	432		520	409	
FOUNDATION - 10		5	0	0	0	0		U	U	3		7		7	6	6		7	0	
SURFACE - 30		17	12	17	14	13		C	C	14		21		26	26	22		22	13	
DRAINAGE - 10		10	8	8	9	9		T	T	10		10		10	10	10		10	10	
SAFETY - 20		20	1	1	3	4		1	1	16		20		20	20	20		20	20	
CAPACITY - 30		28	26	26	28	25		0	0	26		28		25	25	24		26	25	
SUFFICIENCY RATING		80	47	52	54	51		N	N	69		86		88	87	82		85	68	

FAP ROUTE NO 22
SHEET 1 OF 1



BEGINNING MILE POST		0.0	2.1	2.1	5.4	14.6	27.8	33.1	44.1	47.8	BEGINNING MILE POST
LENGTH	1.7	0.0	3.2	9.1	13.1	5.3	10.9	3.7	2.7		LENGTH
YEAR BUILT	U	20	20	36	62	77	31	32	52		YEAR BUILT
YEAR IMPROVED	R	36	36	36	76	77	60	60	52		YEAR IMPROVED
SURFACE WIDTH	B	25	25	22	28	34	18	18	22		SURFACE WIDTH
ROADWAY WIDTH	A	25	25	25	28	34	24	24	28		ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	RMS	PMS	PMS	RMS	RMS	PMS		SURFACE TYPE
ADT		5084	1865	755	550	536	505	477	465		ADT
DHV		660	242	105	77	75	70	66	65		DHV
SERVICE VOLUME		280	292	252	517	592	499	355	165		SERVICE VOLUME
FOUNDATION - 10		0	0	0	7	8	0	0	0		FOUNDATION - 10
SURFACE - 30		15	14	14	26	25	7	8	11		SURFACE - 30
DRAINAGE - 10		8	8	7	10	10	4	4	10		DRAINAGE - 10
SAFETY - 20		20	1	1	10	18	6	2	4		SAFETY - 20
CAPACITY - 30		0	18	24	28	28	28	27	24		CAPACITY - 30
SUFFICIENCY RATING		43	41	46	81	89	45	41	49		SUFFICIENCY RATING

FAP ROUTE NO 23
SHEET 1 OF 2

BEGINNING MILE POST	50.5	55.7	64.6	72.9	76.3	77.8	79.1	79.9	83.0	85.5	95.5	101.5	108.4	119.4	130.3	BEGINNING MILE POST
LENGTH	5.1	8.7	8.3	3.3	1.5	1.3	0.8	3.1	2.4	10.0	6.0	6.8	11.0	10.8	9.5	LENGTH
YEAR BUILT	52	49	29	28	69	28	U	40	31	53	54	54	55	55	65	YEAR BUILT
YEAR IMPROVED	60	55	41	41	69	36	R	40	56	53	54	54	73	78	78	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	28	20	B	24	20	24	24	24	28	26	34	SURFACE WIDTH
ROADWAY WIDTH	28	24	24	24	28	22	A	24	24	28	28	28	28	26	34	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	BST	BST	PMS	BST	N	RMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	SURFACE TYPE
ADT	421	418	498	554	1440	1446		1362	970	902	756	756	734	776	825	ADT
DHV	58	58	69	77	187	187		190	135	126	105	105	102	108	115	DHV
SERVICE VOLUME	738	441	248	248	165	250		246	168	220	732	420	450	456	520	SERVICE VOLUME
FOUNDATION - 10	0	0	0	2	7	0		0	0	0	0	2	0	7	8	FOUNDATION - 10
SURFACE - 30	10	8	11	12	24	11		13	12	11	9	11	12	27	28	SURFACE - 30
DRAINAGE - 10	10	9	10	8	10	4		9	7	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	8	1	4	2	20	1		10	2	5	20	20	20	20	17	SAFETY - 20
CAPACITY - 30	29	28	26	25	13	19		18	18	21	28	26	27	26	27	CAPACITY - 30
SUFFICIENCY RATING	57	46	51	49	74	35		50	39	47	67	69	69	90	90	SUFFICIENCY RATING

FAP ROUTE NO 23
SHEET 2 OF 2

BEGINNING MILE POST	0.0	0.9	1.8	4.9	7.5	12.2	16.0	22.6	26.7	31.8	35.6	43.1	55.6	BEGINNING MILE POST
LENGTH	0.9	0.8	4.0	2.6	4.6	3.8	6.5	4.0	5.1	3.8	7.4	12.5	9.8	LENGTH
YEAR BUILT	74	74	36	68	40	41	68	41	49	54	61	61	61	YEAR BUILT
YEAR IMPROVED	74	74	37	68	42	63	68	59	49	54	61	61	61	YEAR IMPROVED
SURFACE WIDTH	44	44	30	40	20	24	40	25	25	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	44	44	30	40	24	24	40	28	25	30	26	26	26	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	PMS	RMS	RMS	PMS	RMS	BST	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	6330	4054	2651	2301	2128	1927	1734	1620	1523	1260	1361	1488	1335	ADT
DHV	822	527	408	356	329	298	268	251	236	195	210	230	206	DHV
SERVICE VOLUME	361	516	299	448	124	148	392	126	345	550	264	294	147	SERVICE VOLUME
FOUNDATION - 10	7	10	3	2	0	2	9	2	0	0	4	4	3	FOUNDATION - 10
SURFACE - 30	22	28	13	11	14	15	30	14	12	12	15	15	14	SURFACE - 30
DRAINAGE - 10	10	10	4	10	5	6	10	7	8	10	10	10	10	DRAINAGE - 10
SAFETY - 20	2	2	1	4	2	2	12	3	5	7	5	15	2	SAFETY - 20
CAPACITY - 30	0	15	10	18	0	0	20	0	20	25	18	18	9	CAPACITY - 30
SUFFICIENCY RATING	41	65	31	45	21	25	81	26	45	54	52	62	38	SUFFICIENCY RATING

FAP ROUTE NO 24
SHEET 1 OF 2

BEGINNING MILE POST	65.4	72.2	75.7	82.0	83.1	86.1	91.2	97.0	100.4	109.0	116.8	127.4	133.2	138.4	BEGINNING MILE POST
LENGTH	6.7	3.5	6.2	1.1	2.9	5.0	5.8	3.4	8.6	7.7	10.6	5.7	5.2	1.0	LENGTH
YEAR BUILT	60	60	60	57	57	57	48	48	U	52	52	59	64	36	YEAR BUILT
YEAR IMPROVED	60	60	81	81	64	64	63	63	N	52	52	59	64	82	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	28	28	25	25	O C	24	24	32	32	28	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	30	30	25	25	E O	26	26	32	32	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	R N	RMS	RMS	PMS	PMS	RMS	SURFACE TYPE
ADT	1479	1506	1410	1313	1160	1165	1176	1185	S	995	1030	1799	2009	2110	ADT
DHV	229	233	218	203	179	180	182	183	T	154	159	278	311	327	DHV
SERVICE VOLUME	299	424	221	371	264	211	240	196	R	237	237	487	390	360	SERVICE VOLUME
FOUNDATION - 10	4	3	10	10	4	6	0	0	U	0	0	6	3	9	FOUNDATION - 10
SURFACE - 30	16	15	30	30	13	18	14	11	C	11	12	19	17	30	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	8	8	T	8	7	10	10	10	DRAINAGE - 10
SAFETY - 20	3	14	2	11	3	1	2	4	I	2	3	11	7	2	SAFETY - 20
CAPACITY - 30	19	22	15	22	20	17	19	16	O	20	20	21	18	16	CAPACITY - 30
SUFFICIENCY RATING	52	64	67	83	50	52	43	39	N	41	42	67	55	67	SUFFICIENCY RATING

FAP ROUTE NO 24
SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.0	7.7	20.9	28.1	35.5	44.7	46.4	47.0	52.3
LENGTH	0.0	7.6	13.1	7.2	7.4	9.2	1.7	0.5	5.3	0.7
YEAR BUILT	U	36	36	35	40	37	37	37	78	U
YEAR IMPROVED	R	56	56	40	40	37	37	37	78	R
SURFACE WIDTH	B	20	20	20	20	20	20	20	40	B
ROADWAY WIDTH	A	24	25	24	24	25	25	25	40	A
SURFACE TYPE	N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	N
ADT		610	496	465	457	629	865	987	1092	
DHV		79	64	60	59	81	112	128	141	
SERVICE VOLUME		136	136	228	182	159	136	114	520	
FOUNDATION - 10		0	0	0	0	0	0	0	8	
SURFACE - 30		9	12	10	14	12	12	12	27	
DRAINAGE - 10		8	6	7	7	6	6	10	10	
SAFETY - 20		1	1	2	2	4	1	1	4	
CAPACITY - 30		21	23	26	25	22	18	13	26	
SUFFICIENCY RATING		39	42	45	48	44	37	36	75	



BEGINNING MILE POST	0.0	0.7
LENGTH	0.7	6.7
YEAR BUILT	36	33
YEAR IMPROVED	83	36
SURFACE WIDTH	24	20
ROADWAY WIDTH	24	24
SURFACE TYPE	PMS	BST
ADT	2523	1442
DHV	327	187
SERVICE VOLUME	429	422
FOUNDATION - 10	6	0
SURFACE - 30	30	7
DRAINAGE - 10	10	5
SAFETY - 20	1	2
CAPACITY - 30	19	23
SUFFICIENCY RATING	66	37

FAP ROUTE NO 25 & 26
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.3	7.2	12.0	22.5	29.1	34.6	35.7	44.4	54.7	66.0	71.3	73.3	79.1	BEGINNING MILE POST
LENGTH	0.3	6.9	4.8	10.4	6.6	5.5	1.1	8.6	10.2	11.2	5.3	2.0	5.7	1.8	LENGTH
YEAR BUILT	U	50	50	50	48	48	U	57	58	65	65	65	65	U	YEAR BUILT
YEAR IMPROVED	R	50	50	50	48	48	R	60	78	65	65	65	65	R	YEAR IMPROVED
SURFACE WIDTH	B	22	22	22	25	25	B	28	28	28	28	28	28	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	24	24	25	25	A	28	28	28	28	28	28	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	BST	BST	N	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT		344	284	260	280	690		768	443	338	400	646	738		ADT
DHV		51	42	39	42	103		115	66	50	60	96	110		DHV
SERVICE VOLUME		597	387	182	196	172		416	338	517	483	249	448		SERVICE VOLUME
FOUNDATION - 10		0	0	0	0	0		6	8	6	6	8	7		FOUNDATION - 10
SURFACE - 30		9	10	11	11	11		30	26	21	21	22	23		SURFACE - 30
DRAINAGE - 10		10	10	10	9	9		10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20		20	5	2	1	1		20	16	4	4	3	7		SAFETY - 20
CAPACITY - 30		29	28	27	27	21		26	27	29	28	24	26		CAPACITY - 30
SUFFICIENCY RATING		68	53	50	48	42		92	87	70	69	67	73		SUFFICIENCY RATING

FAP ROUTE NO 27
SHEET 1 OF 1



BEGINNING MILE POST	0.0	8.7	45.0	47.3	53.7	60.0	64.2	68.3	68.5	68.6	70.3	82.0	90.9	95.3	96.6	101.1	BEGINNING MILE POST
LENGTH	8.7	0.0	2.3	6.4	6.2	4.2	4.1	0.2	0.0	1.5	11.7	8.9	4.4	1.0	4.6	0.5	LENGTH
YEAR BUILT	36	0	65	65	65	69	80	U	80	U	28	U	46	U	T4	68	YEAR BUILT
YEAR IMPROVED	72	U	65	65	65	69	80	R	80	R	54	N	47	R	T4	68	YEAR IMPROVED
SURFACE WIDTH	22	T	28	28	28	34	40	B	48	B	22	C C	40	B	44	40	SURFACE WIDTH
ROADWAY WIDTH	22		28	28	28	34	40	A	48	A	24	E O	40	A	44	40	ROADWAY WIDTH
SURFACE TYPE	BST	O	PMS	PMS	PMS	PMS	PMS	N	PMS	N	RMS	R N	PMS	N	PMS	PMS	SURFACE TYPE
ADT	300	F	303	317	336	353	840		2T30		1875	S	1799		1986	2052	ADT
DHV	60		60	63	67	70	168		436		281	T	269		297	307	DHV
SERVICE VOLUME	253	S	890	394	591	448	622		929		844	R	602		688	602	SERVICE VOLUME
FOUNDATION - 10	4	Y	5	4	6	T	10		10		6	U	8		6	4	FOUNDATION - 10
SURFACE - 30	16	A	16	14	16	20	30		30		30	C	2T		24	16	SURFACE - 30
DRAINAGE - 10	6	T	10	10	10	10	10		10		10	T	10		10	10	DRAINAGE - 10
SAFETY - 20	0	E	4	0	1	20	14		20		8	I	11		4	20	SAFETY - 20
CAPACITY - 30	26		29	28	28	28	26		23		25	O	23		24	22	CAPACITY - 30
SUFFICIENCY RATING	52		64	56	61	85	90		93		79	N	79		68	T2	SUFFICIENCY RATING

FAP ROUTE NO 28
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.2	5.6	10.7	13.0	14.8	19.9	25.1	33.0	34.1	42.2	43.2	49.9	57.2	58.3	59.8	66.0	67.9	68.8	75.0	77.8	80.1	83.4	BEGINNING MILE POST
LENGTH	0.2	5.4	5.0	2.3	1.7	5.1	5.2	7.9	1.1	8.0	1.0	6.6	7.3	1.1	1.4	5.7	2.0	0.8	6.1	2.8	2.3	3.2	7.1	LENGTH
YEAR BUILT	U	50	51	56	U	45	42	40	U	39	U	39	36	36	36	36	31	51	31	34	28	28	U	YEAR BUILT
YEAR IMPROVED	R	82	51	82	R	82	42	40	R	39	R	39	63	63	63	36	40	51	58	62	71	71	R	YEAR IMPROVED
SURFACE WIDTH	B	24	28	26	B	24	20	20	B	22	B	20	22	22	22	22	24	34	22	24	24	24	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	32	26	A	24	24	24	A	24	A	24	24	24	24	24	31	34	26	30	30	30	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	RMS	PMS	N	PMS	RMS	RMS	N	RMS	N	RMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
AOT		683	607	556		810	762	891		913		1143	1126	310	310	312	443	463	494	582	732	1170		AOT
OHV		122	109	100		145	137	160		164		205	202	55	55	56	79	83	88	104	131	210		OHV
SERVICE VOLUME		338	193	240		416	655	364		762		390	428	126	428	449	194	114	193	199	414	259		SERVICE VOLUME
FOUNDATION - 10		10	4	9		6	0	0		0		0	0	0	0	0	0	0	0	0	0	2		FOUNDATION - 10
SURFACE - 30		30	15	30		30	10	10		14		13	12	11	12	9	11	10	10	12	12	14		SURFACE - 30
DRAINAGE - 10		9	8	10		10	8	8		8		5	6	4	5	5	10	10	7	7	7	8		DRAINAGE - 10
SAFETY - 20		2	6	20		17	5	8		11		6	1	0	1	1	2	2	2	0	2	1		SAFETY - 20
CAPACITY - 30		25	22	24		25	27	23		27		22	23	23	28	28	24	19	23	22	25	18		CAPACITY - 30
SUFFICIENCY RATING		76	55	93		88	50	49		60		46	42	38	46	43	47	41	42	41	46	43		SUFFICIENCY RATING

FAP ROUTE NO 29

SHEET 1 OF 1



BEGINNING MILE POST	0.0	10.1	20.6	23.3
LENGTH	10.1	10.4	2.7	0.8
YEAR BUILT	38	40	40	U
YEAR IMPROVED	40	40	40	R
SURFACE WIDTH	20	20	20	B
ROADWAY WIDTH	24	24	24	A
SURFACE TYPE	RMS	RMS	RMS	N
ADT	382	326	480	
DHV	57	48	72	
SERVICE VOLUME	211	211	237	
FOUNDATION - 10	0	0	0	
SURFACE - 30	13	12	12	
DRAINAGE - 10	7	8	8	
SAFETY - 20	3	1	1	
CAPACITY - 30	26	27	25	
SUFFICIENCY RATING	49	48	46	

FAP ROUTE NO 30
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.4	2.0	16.9	25.6	32.4	39.3	50.3	50.8	BEGINNING MILE POST
LENGTH	1.4	0.6	14.8	8.6	6.8	6.8	11.0	0.4	10.0	LENGTH
YEAR BUILT	62	62	65	64	U	54	52	U	57	YEAR BUILT
YEAR IMPROVED	62	62	65	64	N	54	71	R	66	YEAR IMPROVED
SURFACE WIDTH	28	32	32	30	D C	24	24	B	28	SURFACE WIDTH
ROADWAY WIDTH	28	32	32	30	E D	24	24	A	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	R N	PMS	RMS	N	PMS	SURFACE TYPE
ADT	550	650	453	237	S	210	204		62	ADT
DHV	77	91	72	37	T	33	32		11	DHV
SERVICE VOLUME	354	560	560	366	R	249	218		354	SERVICE VOLUME
FOUNDATION - 10	4	6	5	4	U	4	7		6	FOUNDATION - 10
SURFACE - 30	17	19	18	20	C	17	22		17	SURFACE - 30
DRAINAGE - 10	9	10	10	10	T	10	10		8	DRAINAGE - 10
SAFETY - 20	1	20	17	9	I	10	1		9	SAFETY - 20
CAPACITY - 30	27	28	28	28	O	28	28		30	CAPACITY - 30
SUFFICIENCY RATING	58	83	78	71	N	69	68		70	SUFFICIENCY RATING

FAP ROUTE NO 31

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.7	6.2	14.1	23.4	28.1	35.2	39.8	44.4	48.1	50.7	51.7	60.9	BEGINNING MILE POST
LENGTH	3.7	2.5	7.8	9.2	4.7	7.0	4.6	4.5	3.7	2.5	0.9	9.1	4.8	LENGTH
YEAR BUILT	79	79	33	33	33	33	33	33	33	33	U	58	45	YEAR BUILT
YEAR IMPROVED	79	79	79	79	79	45	45	45	45	45	P	68	68	YEAR IMPROVED
SURFACE WIDTH	32	32	24	24	24	20	20	20	20	20	E	24	24	SURFACE WIDTH
ROADWAY WIDTH	32	32	24	24	24	24	24	24	24	24	A	26	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	PMS	RMS	SURFACE TYPE
ADT	370	414	526	340	260	272	292	318	484	1140		161	62	ADT
DHV	51	57	73	47	36	38	40	44	67	159		22	8	DHV
SERVICE VOLUME	487	555	248	220	248	182	159	182	390	182		422	329	SERVICE VOLUME
FOUNDATION - 10	9	9	0	0	0	0	0	0	0	0		7	4	FOUNDATION - 10
SURFACE - 30	28	29	13	15	13	11	13	14	13	13		20	16	SURFACE - 30
DRAINAGE - 10	10	10	7	7	8	7	8	5	8	8		10	10	DRAINAGE - 10
SAFETY - 20	2	20	1	1	1	1	2	1	6	1		3	2	SAFETY - 20
CAPACITY - 30	28	28	26	27	28	27	26	26	27	17		29	30	CAPACITY - 30
SUFFICIENCY RATING	77	96	47	50	50	46	49	46	54	39		69	62	SUFFICIENCY RATING

FAP ROUTE NO 32
SHEET 1 OF 1

BEGINNING MILE POST		0.0	0.6	1.2	9.5	14.0	17.6	30.0	42.8	53.8	54.5	64.9
LENGTH		0.6	0.5	8.3	4.4	3.6	12.3	12.7	11.1	0.6	10.3	1.9
YEAR BUILT		U	59	42	67	74	74	74	74	71	71	40
YEAR IMPROVED		R	59	50	67	74	74	74	74	71	71	79
SURFACE WIDTH		B	26	28	34	34	34	34	34	34	34	24
ROADWAY WIDTH		A	37	28	34	34	34	34	34	34	34	26
SURFACE TYPE		N	BST	BST	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS
ADT			3821	1150	524	294	274	243	213	400	525	948
DHV			573	172	78	44	41	36	31	60	78	142
SERVICE VOLUME			352	247	520	182	159	182	159	114	268	235
FOUNDATION - 10			5	3	8	8	8	8	8	8	7	0
SURFACE - 30			15	15	25	24	27	27	25	25	23	11
DRAINAGE - 10			10	8	10	10	10	10	10	10	10	8
SAFETY - 20			1	3	3	2	2	2	1	1	1	1
CAPACITY - 30			6	20	28	26	26	27	27	22	26	21
SUFFICIENCY RATING			37	49	74	70	73	74	71	66	67	41



BEGINNING MILE POST		0.0	0.1	6.9
LENGTH		0.1	6.7	8.7
YEAR BUILT		U	51	51
YEAR IMPROVED		R	60	60
SURFACE WIDTH		B	24	24
ROADWAY WIDTH		A	24	24
SURFACE TYPE		N	PMS	PMS
ADT			630	394
DHV			88	55
SERVICE VOLUME			278	278
FOUNDATION - 10			5	4
SURFACE - 30			15	14
DRAINAGE - 10			9	8
SAFETY - 20			3	1
CAPACITY - 30			25	27
SUFFICIENCY RATING			57	54

FAP ROUTE NO 33 & 34
SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.3	7.6	11.4	12.9	16.0
LENGTH	3.3	4.2	3.8	1.4	3.1	5.3
YEAR BUILT	60	72	65	63	65	68
YEAR IMPROVED	60	72	69	69	69	69
SURFACE WIDTH	24	30	30	30	30	30
ROADWAY WIDTH	24	30	30	30	30	30
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS
ADT	806	658	600	600	591	584
DHV	120	98	90	90	88	87
SERVICE VOLUME	299	378	324	351	550	324
FOUNDATION - 10	3	7	7	9	8	9
SURFACE - 30	15	23	24	27	25	26
DRAINAGE - 10	7	10	10	10	10	10
SAFETY - 20	3	6	3	3	2	18
CAPACITY - 30	24	26	26	26	28	26
SUFFICIENCY RATING	52	72	70	75	73	89

FAP ROUTE NO 35
SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.6	7.4	13.8	16.2	18.9	26.1	31.1	31.6	36.1	40.1	BEGINNING MILE POST
LENGTH	3.6	3.8	6.4	2.3	2.7	7.1	4.9	0.5	4.4	4.1	6.5	LENGTH
YEAR BUILT	44	41	34	41	63	63	40	40	40	37	37	YEAR BUILT
YEAR IMPROVED	47	47	47	41	63	63	40	40	51	61	65	YEAR IMPROVED
SURFACE WIDTH	20	20	20	20	28	28	20	20	20	24	24	SURFACE WIDTH
ROADWAY WIDTH	28	25	24	26	28	28	25	25	26	26	26	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	BST	PMS	PMS	BST	BST	RMS	RMS	RMS	SURFACE TYPE
ADT	565	555	535	515	808	617	590	595	613	638	650	ADT
DHV	84	83	80	77	121	92	88	89	91	95	97	DHV
SERVICE VOLUME	283	206	115	267	555	592	536	308	515	889	643	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	2	3	0	0	0	0	8	FOUNDATION - 10
SURFACE - 30	8	14	13	10	12	12	7	11	11	11	10	SURFACE - 30
DRAINAGE - 10	7	6	6	6	10	10	7	7	6	7	7	DRAINAGE - 10
SAFETY - 20	3	3	1	4	14	11	14	10	4	20	20	SAFETY - 20
CAPACITY - 30	26	24	20	26	27	28	28	26	27	28	28	CAPACITY - 30
SUFFICIENCY RATING	44	47	40	46	69	64	56	54	48	66	73	SUFFICIENCY RATING

FAP ROUTE NO 36
SHEET 1 OF 1



BEGINNING MILE POST		0.0	8.6	17.2	24.4	27.2	33.0	38.6	39.5	40.7	41.2	42.0	46.5	53.6	62.3	64.3	69.6	79.2	82.4	84.7	95.7	BEGINNING MILE POST
LENGTH		8.6	8.5	7.2	2.7	5.8	5.6	0.8	1.1	0.5	0.8	4.4	7.1	8.6	1.9	5.3	9.6	3.1	2.2	10.9	7.9	LENGTH
YEAR BUILT	U		54	54	54	76	74	75	75	75	75	54	54	54	57	57	67	67	67	58	60	YEAR BUILT
YEAR IMPROVED	N		54	54	54	76	74	75	75	75	75	54	54	54	57	57	67	67	67	69	69	YEAR IMPROVED
SURFACE WIDTH	O C		24	24	24	40	40	40	48	56	48	24	24	24	24	24	28	28	28	28	28	SURFACE WIDTH
ROADWAY WIDTH	E D		24	24	24	40	40	40	48	56	48	24	24	24	28	28	28	28	28	28	28	ROADWAY WIDTH
SURFACE TYPE	R N		PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	S		1300	1345	1362	1360	1408	1900	1900	1900	1905	1518	1488	1444	802	723	664	612	600	621	662	ADT
OHV	T		182	188	190	190	197	266	266	266	266	212	208	202	128	115	106	97	96	99	105	OHV
SERVICE VOLUME	R		530	187	396	640	340	378	544	1088	544	249	136	280	390	248	390	204	248	390	299	SERVICE VOLUME
FOUNDATION - 10	U		0	0	0	5	7	8	8	8	9	2	5	3	3	0	2	4	2	5	6	FOUNDATION - 10
SURFACE - 30	C		9	10	12	24	23	26	27	26	26	12	17	14	14	14	12	14	13	17	23	SURFACE - 30
DRAINAGE - 10	T		8	8	10	10	10	10	10	10	10	9	8	9	10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	I		8	20	3	20	16	17	20	10	20	18	1	4	6	12	7	9	15	17	5	SAFETY - 20
CAPACITY - 30	O		25	15	23	26	21	19	23	26	23	17	7	19	25	23	26	23	24	26	25	CAPACITY - 30
SUFFICIENCY RATING	N		50	53	48	85	77	80	88	80	88	58	38	49	58	59	57	60	64	75	69	SUFFICIENCY RATING

FAP ROUTE NO 37
SHEET 1 OF 1



BEGINNING MILE POST	0.0	4.3
LENGTH	4.3	0.1
YEAR BUILT	75	39
YEAR IMPROVED	75	53
SURFACE WIDTH	44	24
ROADWAY WIDTH	44	24
SURFACE TYPE	PMS	RMS
AOT	3428	3533
OHV	514	529
SERVICE VOLUME	340	759
FOUNDATION - 10	8	0
SURFACE - 30	26	8
DRAINAGE - 10	10	8
SAFETY - 20	12	20
CAPACITY - 30	7	20
SUFFICIENCY RATING	63	56



BEGINNING MILE POST	0.0	4.2	13.2	13.9	21.4	27.1	38.0	44.4	BEGINNING MILE POST
LENGTH	4.2	9.0	0.6	7.4	5.7	10.9	6.3	6.7	LENGTH
YEAR BUILT	64	64	58	58	81	83	83	79	YEAR BUILT
YEAR IMPROVED	64	78	78	77	81	83	83	79	YEAR IMPROVED
SURFACE WIDTH	24	26	26	26	36	36	24	36	SURFACE WIDTH
ROADWAY WIDTH	24	26	26	26	36	36	36	36	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
AOT	1196	646	560	658	2189	1892	1710	1710	AOT
OHV	253	136	118	139	464	401	362	362	OHV
SERVICE VOLUME	381	294	235	264	448	568	568	592	SERVICE VOLUME
FOUNDATION - 10	2	7	9	8	10	6	6	9	FOUNDATION - 10
SURFACE - 30	16	26	28	27	30	30	30	27	SURFACE - 30
DRAINAGE - 10	7	10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	0	4	1	11	7	8	16	20	SAFETY - 20
CAPACITY - 30	20	23	22	22	14	19	20	21	CAPACITY - 30
SUFFICIENCY RATING	45	70	70	78	71	73	82	87	SUFFICIENCY RATING

FAP ROUTE NO 38 & 39
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.1
LENGTH	0.1	0.2
YEAR BUILT	72	U
YEAR IMPROVED	72	R
SURFACE WIDTH	40	8
ROADWAY WIDTH	40	A
SURFACE TYPE	PMS	N
ADT	1060	
DHV	159	
SERVICE VOLUME	289	
FOUNDATION - 10	9	
SURFACE - 30	27	
DRAINAGE - 10	10	
SAFETY - 20	20	
CAPACITY - 30	22	
SUFFICIENCY RATING	88	

BEGINNING MILE POST	0.0	6.3	11.7	16.8	19.8	27.4
LENGTH	6.3	5.4	5.1	2.9	7.6	5.0
YEAR BUILT	61	62	77	70	65	57
YEAR IMPROVED	61	62	77	70	79	72
SURFACE WIDTH	28	28	28	30	30	24
ROADWAY WIDTH	28	28	28	30	30	24
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS
ADT	360	350	350	350	350	420
DHV	57	56	56	56	56	67
SERVICE VOLUME	660	660	247	219	256	249
FOUNDATION - 10	0	0	6	2	6	5
SURFACE - 30	7	7	24	13	25	17
DRAINAGE - 10	10	10	10	10	10	10
SAFETY - 20	4	7	2	2	4	6
CAPACITY - 30	29	29	27	26	27	26
SUFFICIENCY RATING	50	53	69	53	72	64

FAP ROUTE NO 40 & 41
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.9	8.2	19.7	31.7	37.2	46.0	52.2	56.2	58.5	59.1	70.5	73.2	75.4
LENGTH	1.9	6.3	11.4	12.0	5.4	8.7	6.1	4.0	2.2	0.6	11.3	2.7	2.1	0.7
YEAR BUILT	60	60	63	62	56	57	57	36	36	36	34	34	34	U
YEAR IMPROVED	64	64	64	71	74	64	64	66	66	66	34	34	58	R
SURFACE WIDTH	24	24	24	30	24	24	24	28	30	30	22	22	22	B
ROADWAY WIDTH	40	40	42	30	34	32	32	28	36	36	26	26	26	A
SURFACE TYPE	BST	BST	BST	PMS	BST	BST	BST	RMS	RMS	RMS	RMS	RMS	RMS	N
ADT	140	126	128	140	150	156	143	140	155	540	650	1107	1450	
OHV	28	25	25	28	30	31	28	28	31	97	117	199	232	
SERVICE VOLUME	602	340	426	372	426	426	724	396	688	645	268	795	367	
FOUNDATION - 10	0	0	0	1	0	0	0	6	8	8	0	0	0	
SURFACE - 30	11	10	11	16	14	14	12	22	26	26	12	10	12	
DRAINAGE - 10	10	10	10	10	10	10	10	10	10	10	7	9	9	
SAFETY - 20	20	5	10	20	20	20	20	3	1	20	1	6	2	
CAPACITY - 30	29	29	29	29	29	29	29	29	29	28	23	26	21	
SUFFICIENCY RATING	70	54	60	76	73	73	71	70	74	92	43	51	44	

FAP ROUTE NO 42
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.6	1.3	3.0	9.4	14.8	25.2	29.0	35.2	BEGINNING MILE POST
LENGTH	0.6	0.7	1.6	6.4	5.3	10.4	3.7	6.2	7.5	LENGTH
YEAR BUILT	U	77	77	50	50	63	63	63	62	YEAR BUILT
YEAR IMPROVED	R	77	77	79	79	63	63	63	62	YEAR IMPROVED
SURFACE WIDTH	B	48	44	25	25	28	28	28	30	SURFACE WIDTH
ROADWAY WIDTH	A	48	44	28	28	30	30	30	30	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT		2140	2041	1302	659	322	312	310	265	ADT
DHV		256	244	156	79	38	37	37	31	DHV
SERVICE VOLUME		1512	340	318	283	366	396	546	546	SERVICE VOLUME
FOUNDATION - 10		8	9	9	9	3	4	5	2	FOUNDATION - 10
SURFACE - 30		27	28	30	28	16	16	17	15	SURFACE - 30
DRAINAGE - 10		10	10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20		15	3	5	8	7	20	20	20	SAFETY - 20
CAPACITY - 30		27	19	23	26	28	29	29	29	CAPACITY - 30
SUFFICIENCY RATING		87	69	77	81	64	79	81	76	SUFFICIENCY RATING

FAP ROUTE NO 43
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.7	13.1	14.2	21.9	27.8
LENGTH	2.7	10.4	1.1	7.6	5.9	0.5
YEAR BUILT	54	54	U	48	48	72
YEAR IMPROVED	54	54	R	48	48	72
SURFACE WIDTH	24	24	B	20	20	34
ROADWAY WIDTH	24	24	A	20	20	34
SURFACE TYPE	RMS	RMS	N	RMS	RMS	PMS
ADT	405	447		745	676	500
DHV	64	71		119	108	80
SERVICE VOLUME	495	530		585	163	432
FOUNDATION - 10	2	0		0	0	8
SURFACE - 30	13	12		8	12	27
DRAINAGE - 10	7	7		6	6	10
SAFETY - 20	20	1		5	1	10
CAPACITY - 30	28	28		27	20	27
SUFFICIENCY RATING	70	48		46	39	82

FAP ROUTE NO 44
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.5	7.3	8.0	15.7	22.7	23.8	28.2	33.3	37.8	43.8	BEGINNING MILE POST
LENGTH	0.5	6.7	0.6	7.7	7.0	1.0	4.4	5.0	4.5	5.9	0.0	LENGTH
YEAR BUILT	U	35	69	42	48	69	46	46	35	70	U	YEAR BUILT
YEAR IMPROVED	R	56	69	42	78	69	78	55	39	70	R	YEAR IMPROVED
SURFACE WIDTH	8	22	30	20	24	30	24	24	20	32	8	SURFACE WIDTH
ROADWAY WIDTH	A	24	30	24	24	30	24	26	24	32	A	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	RMS	PMS	RMS	PMS	RMS	RMS	PMS	N	SURFACE TYPE
ADT		815	689	608	394	300	300	366	448	450		ADT
DHV		114	96	85	55	42	42	51	62	63		DHV
SERVICE VOLUME		159	392	351	246	147	221	514	561	455		SERVICE VOLUME
FOUNDATION - 10		0	6	0	5	8	4	0	0	4		FOUNDATION - 10
SURFACE - 30		10	21	11	22	23	21	9	10	14		SURFACE - 30
DRAINAGE - 10		5	10	4	10	10	10	10	7	10		DRAINAGE - 10
SAFETY - 20		1	7	1	1	4	2	6	4	20		SAFETY - 20
CAPACITY - 30		19	26	26	27	26	27	29	28	28		CAPACITY - 30
SUFFICIENCY RATING		35	70	42	65	71	64	54	49	76		SUFFICIENCY RATING

FAP ROUTE NO 45
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.1	1.1	4.1	7.7	16.9	26.3	31.6	36.8	41.8	51.3	51.3	56.9	58.0	58.8	64.9	65.2	73.6	75.0	76.4	77.1
LENGTH	0.1	0.0	2.9	3.6	9.3	9.2	5.2	5.2	4.9	9.3	0.0	5.5	1.0	0.8	6.0	0.3	8.2	1.3	1.4	0.4	0.7
YEAR BUILT	60	0	60	60	60	62	65	65	65	61	61	61	61	61	61	70	61	68	68	34	76
YEAR IMPROVED	63	U	63	63	63	62	65	65	65	61	61	61	61	61	61	70	61	68	68	76	76
SURFACE WIDTH	28	T	28	28	28	30	28	26	26	26	26	26	26	30	26	44	26	34	34	32	34
ROADWAY WIDTH	28		28	28	28	30	28	26	26	28	28	28	28	33	28	44	28	34	34	32	34
SURFACE TYPE	PMS	0	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS
AOT	240	F	240	240	242	311	264	260	260	260	260	285	320	360	368	376	386	398	435	483	544
DHV	43		43	43	43	55	47	43	46	46	46	51	57	64	66	67	69	71	78	86	97
SERVICE VOLUME	498	S	387	472	354	546	518	560	357	354	472	413	299	400	248	415	249	336	350	542	249
FOUNDATION - 10	9	T	5	5	6	5	3	3	2	1	7	0	0	3	0	8	0	5	8	4	10
SURFACE - 30	25	A	17	20	16	16	12	12	11	11	18	11	11	12	12	17	11	20	25	14	30
DRAINAGE - 10	10	T	10	10	10	10	10	10	10	9	10	10	10	10	8	10	6	10	10	10	10
SAFETY - 20	0	E	15	20	7	12	4	10	20	2	20	2	2	20	3	1	1	9	2	20	20
CAPACITY - 30	29		28	29	28	28	29	29	28	28	29	28	27	28	26	28	26	27	27	28	24
SUFFICIENCY RATING	73		75	84	67	71	58	64	71	51	84	51	50	73	49	64	44	71	72	76	94



BEGINNING MILE POST	0.0	5.9	6.7
LENGTH	5.9	0.8	3.0
YEAR BUILT	49	31	78
YEAR IMPROVED	49	42	78
SURFACE WIDTH	20	24	48
ROADWAY WIDTH	26	30	48
SURFACE TYPE	PMS	PMS	PMS
AOT	1164	1179	530
DHV	151	153	68
SERVICE VOLUME	504	298	258
FOUNDATION - 10	0	5	10
SURFACE - 30	11	15	30
DRAINAGE - 10	8	8	10
SAFETY - 20	12	20	20
CAPACITY - 30	26	22	26
SUFFICIENCY RATING	57	70	96

FAP ROUTE NO 46 & 47

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.2	1.1	1.9	2.4	2.5	1.0	1.3	6.7	11.6	18.3	22.7	26.4	29.5
LENGTH	0.2	0.8	0.7	0.5	0.0	0.1	0.2	5.4	4.8	6.6	4.3	3.6	3.1	0.3
YEAR BUILT	71	76	U	76	U	70	70	41	45	54	63	63	63	74
YEAR IMPROVED	71	76	R	76	R	70	70	63	45	54	63	63	63	74
SURFACE WIDTH	40	44	B	48	B	40	40	21	20	24	28	28	28	34
ROADWAY WIDTH	40	44	A	48	A	40	40	24	24	24	28	28	28	34
SURFACE TYPE	PMS	PMS	N	PMS	N	PMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	PMS
ADT	2109	2899		1980		4332	1282	926	444	266	200	205	234	248
DHV	274	376		217		519	153	126	62	37	28	28	32	34
SERVICE VOLUME	464	740		828		340	268	390	338	457	249	218	483	222
FOUNDATION - 10	8	7		7		7	7	2	2	4	8	7	8	9
SURFACE - 30	27	27		26		23	23	14	14	17	25	24	25	28
DRAINAGE - 10	10	10		10		10	10	8	9	10	10	10	10	10
SAFETY - 20	3	20		1		4	1	6	9	4	4	20	20	20
CAPACITY - 30	21	22		26		7	21	25	27	29	28	28	29	28
SUFFICIENCY RATING	69	86		70		51	62	55	61	64	75	89	92	95

BEGINNING MILE POST	0.0	0.1	0.2	3.0	8.8	13.6	16.1	26.8
LENGTH	0.1	0.1	2.4	5.8	4.8	2.4	10.6	0.7
YEAR BUILT	46	U	46	59	U	U	53	U
YEAR IMPROVED	74	R	62	59	N	N	79	R
SURFACE WIDTH	40	B	24	24	D C	D C	26	B
ROADWAY WIDTH	40	A	26	24	E O	E O	26	A
SURFACE TYPE	RMS	N	RMS	PMS	R N	R N	PMS	N
ADT	2470		1812	1410	S	S	1097	
DHV	321		235	183	T	T	142	
SERVICE VOLUME	896		420	218	R	R	490	
FOUNDATION - 10	4		2	0	U	U	7	
SURFACE - 30	17		13	12	C	C	27	
DRAINAGE - 10	6		7	8	T	T	10	
SAFETY - 20	20		20	1	1	1	10	
CAPACITY - 30	25		22	17	0	0	26	
SUFFICIENCY RATING	72		64	38	N	N	80	

FAP ROUTE NO 48 & 49

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.5	7.3	8.3	8.5	10.4	16.6	31.1	40.1	47.9	60.8	70.1	76.4	81.9	87.0	BEGINNING MILE POST
LENGTH	0.5	7.1	1.0	0.1	1.9	6.0	14.5	8.9	7.8	12.9	9.3	6.2	5.4	5.2	3.5	LENGTH
YEAR BUILT	U	68	64	64	62	63	63	60	60	55	67	58	64	60	U	YEAR BUILT
YEAR IMPROVED	R	68	64	64	72	63	63	60	60	55	67	60	64	60	R	YEAR IMPROVED
SURFACE WIDTH	B	40	34	52	32	32	32	28	28	28	28	32	32	36	B	SURFACE WIDTH
ROADWAY WIDTH	A	40	34	52	32	32	32	28	28	28	28	32	32	36	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT		1615	1530	1690	1690	1700	1741	1911	2175	1567	1617	2704	4019	6930		ADT
DHV		314	298	329	329	331	339	372	424	235	242	405	602	831		DHV
SERVICE VOLUME		518	592	592	182	420	518	364	364	283	206	600	600	520		SERVICE VOLUME
FOUNDATION - 10		6	3	8	6	5	4	5	5	4	7	7	7	8		FOUNDATION - 10
SURFACE - 30		17	12	23	19	14	16	18	18	18	26	23	24	26		SURFACE - 30
DRAINAGE - 10		10	10	10	10	10	10	10	10	9	10	10	10	10		DRAINAGE - 10
SAFETY - 20		20	20	20	1	20	13	5	12	2	1	8	10	9		SAFETY - 20
CAPACITY - 30		21	22	22	3	18	20	15	13	18	12	20	15	6		CAPACITY - 30
SUFFICIENCY RATING		74	67	83	39	67	63	53	58	51	56	68	66	59		SUFFICIENCY RATING

FAP ROUTE NO 50

SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.3	8.3	9.0	18.7	27.2	27.5	32.5	38.4	49.2	59.9	BEGINNING MILE POST
LENGTH	3.3	5.0	0.7	9.6	8.4	0.3	5.0	5.8	10.7	10.6	11.1	LENGTH
YEAR BUILT	60	60	60	59	59	U	58	58	57	56	55	YEAR BUILT
YEAR IMPROVED	61	61	61	59	59	R	77	77	77	77	77	YEAR IMPROVED
SURFACE WIDTH	30	30	30	28	28	8	24	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	30	30	30	28	28	A	32	32	28	28	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	396	311	258	233	238		301	273	284	565	894	ADT
DHV	55	43	36	32	33		42	38	39	79	125	DHV
SERVICE VOLUME	546	366	624	318	283		520	378	444	413	354	SERVICE VOLUME
FOUNDATION - 10	3	2	5	0	0		6	6	7	6	8	FOUNDATION - 10
SURFACE - 30	16	14	17	11	12		26	27	27	27	28	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10		10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	7	20	20	10	20		20	9	13	18	14	SAFETY - 20
CAPACITY - 30	28	28	29	28	28		29	28	29	27	25	CAPACITY - 30
SUFFICIENCY RATING	64	74	81	59	70		91	80	86	88	85	SUFFICIENCY RATING

FAP ROUTE NO 51
SHEET 1 OF 1



BEGINNING MILE POST	0.0	7.1	10.3	18.0	23.6	26.2	28.2	30.2	32.2	33.5	33.9	41.5	45.5	49.9	50.7	BEGINNING MILE POST
LENGTH	7.1	3.2	7.6	5.5	2.6	1.9	2.0	1.9	1.3	0.3	7.6	3.9	4.2	0.7	0.3	LENGTH
YEAR BUILT	40	47	48	37	36	36	36	56	22	22	22	22	40	67	U	YEAR BUILT
YEAR IMPROVED	62	50	64	61	60	60	60	56	49	49	49	45	64	67	R	YEAR IMPROVED
SURFACE WIDTH	22	24	24	24	24	24	24	24	24	24	24	24	30	44	B	SURFACE WIDTH
ROADWAY WIDTH	26	24	26	24	25	24	24	28	24	24	24	24	30	44	A	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RPS	RMS	RMS	PMS	N	SURFACE TYPE
AOT	2135	1595	1439	1720	2238	2463	2560	3755	4009	4147	1978	2184	4770	7485		AOT
DHV	384	287	259	309	402	443	460	675	641	746	356	393	620	823		DHV
SERVICE VOLUME	210	187	495	249	431	174	187	177	374	156	431	429	289	361		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	13	13	14	13	12	12	12	12	13	13	14	14	12	11		SURFACE - 30
DRAINAGE - 10	7	6	8	7	6	5	5	10	6	5	4	4	6	8		DRAINAGE - 10
SAFETY - 20	1	1	6	1	8	5	2	6	2	0	1	3	9	1		SAFETY - 20
CAPACITY - 30	3	7	22	11	16	0	0	0	4	0	18	16	0	0		CAPACITY - 30
SUFFICIENCY RATING	24	27	50	32	42	22	19	28	25	18	37	37	27	20		SUFFICIENCY RATING

FAP ROUTE NO 52
SHEET 1 OF 1

BEGINNING MILE POST	0.0	4.3	6.3	15.9	23.1	31.5	32.0	34.2	40.5	45.3	46.2	BEGINNING MILE POST
LENGTH	4.6	2.0	9.5	7.2	8.4	0.4	2.1	6.2	4.8	0.8	0.4	LENGTH
YEAR BUILT	U	63	48	48	48	U	48	48	56	U	56	YEAR BUILT
YEAR IMPROVED	R	63	48	48	48	R	48	57	56	R	56	YEAR IMPROVED
SURFACE WIDTH	B	32	20	20	20	B	20	22	30	B	30	SURFACE WIDTH
ROADWAY WIDTH	A	32	24	24	24	A	24	28	30	A	30	ROADWAY WIDTH
SURFACE TYPE	N	PMS	RMS	RMS	RMS	N	RMS	RMS	BST	N	BST	SURFACE TYPE
AOT		3434	1605	1258	1245		1070	952	1263		1370	AOT
OHV		446	208	163	161		139	123	164		178	OHV
SERVICE VOLUME		487	147	584	561		189	438	573		504	SERVICE VOLUME
FOUNDATION - 10		8	0	0	0		0	0	0		2	FOUNDATION - 10
SURFACE - 30		24	14	9	10		12	10	10		13	SURFACE - 30
DRAINAGE - 10		10	8	9	7		7	8	10		10	DRAINAGE - 10
SAFETY - 20		20	1	20	4		1	3	7		8	SAFETY - 20
CAPACITY - 30		16	9	26	26		19	26	26		25	CAPACITY - 30
SUFFICIENCY RATING		78	32	64	47		39	47	53		58	SUFFICIENCY RATING

FAP ROUTE NO 53
SHEET 1 OF 1

BEGINNING MILE POST	0.0	9.1	17.6	23.7
LENGTH	9.1	8.7	5.9	5.5
YEAR BUILT	59	68	74	76
YEAR IMPROVED	66	68	75	76
SURFACE WIDTH	24	30	30	30
ROADWAY WIDTH	24	32	30	30
SURFACE TYPE	BST	PMS	PMS	PMS
ADT	314	357	381	400
DHV	47	53	57	60
SERVICE VOLUME	556	441	457	427
FOUNDATION - 10	0	6	8	8
SURFACE - 30	10	21	27	27
DRAINAGE - 10	10	10	10	10
SAFETY - 20	8	20	20	20
CAPACITY - 30	29	28	28	28
SUFFICIENCY RATING	57	85	93	93

FAP ROUTE NO 54
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.1	2.4	12.1	12.9
LENGTH	2.1	0.2	9.7	0.8	0.0
YEAR BUILT	53	53	53	U	66
YEAR IMPROVED	53	53	53	R	66
SURFACE WIDTH	24	24	24	8	32
ROADWAY WIDTH	24	24	24	A	32
SURFACE TYPE	PMS	PMS	PMS	N	PMS
ADT	900	900	1334		1985
DHV	135	135	200		297
SERVICE VOLUME	299	368	248		368
FOUNDATION - 10	5	7	5		8
SURFACE - 30	15	20	16		25
DRAINAGE - 10	8	8	8		10
SAFETY - 20	3	3	9		20
CAPACITY - 30	23	24	18		18
SUFFICIENCY RATING	54	62	56		81



BEGINNING MILE POST	0.0	8.1	16.5	22.0	27.8
LENGTH	8.1	8.3	5.4	5.8	6.7
YEAR BUILT	57	63	63	60	56
YEAR IMPROVED	57	63	63	60	56
SURFACE WIDTH	24	28	28	24	24
ROADWAY WIDTH	24	28	28	24	24
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS
ADT	574	540	602	735	901
DHV	91	86	96	117	136
SERVICE VOLUME	280	318	212	280	249
FOUNDATION - 10	4	5	5	4	5
SURFACE - 30	16	14	16	15	16
DRAINAGE - 10	8	8	8	7	9
SAFETY - 20	2	2	2	2	2
CAPACITY - 30	25	26	23	24	22
SUFFICIENCY RATING	55	55	54	52	54

FAP ROUTE NO 55 & 56
SHEET 1 OF 1



BEGINNING MILE POST	0.0	5.3	7.0	10.4	17.9	21.7	34.4	36.6	41.8	54.3	56.6	57.8	BEGINNING MILE POST
LENGTH	5.4	1.7	3.3	7.5	3.8	12.6	2.2	5.1	12.4	2.3	1.1	6.5	LENGTH
YEAR BUILT	60	61	61	64	64	83	83	37	36	33	55	71	YEAR BUILT
YEAR IMPROVED	60	61	61	64	64	83	83	37	56	71	55	71	YEAR IMPROVED
SURFACE WIDTH	32	32	32	32	32	24	24	24	22	22	24	32	SURFACE WIDTH
ROADWAY WIDTH	32	32	32	32	32	25	25	30	24	24	32	32	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	SURFACE TYPE
ADT	1615	1635	1609	1506	1481	1581	1737	1697	1452	1440	1440	1643	ADT
DHV	193	196	193	180	177	189	208	203	174	172	172	197	DHV
SERVICE VOLUME	336	364	364	302	481	488	713	518	683	302	444	592	SERVICE VOLUME
FOUNDATION - 10	3	4	2	5	6	10	0	0	0	2	3	7	FOUNDATION - 10
SURFACE - 30	15	16	14	15	17	30	9	10	15	13	13	23	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	9	9	6	7	10	10	DRAINAGE - 10
SAFETY - 20	1	20	2	9	15	20	20	20	7	1	20	16	SAFETY - 20
CAPACITY - 30	21	22	22	21	24	24	26	24	26	21	24	25	CAPACITY - 30
SUFFICIENCY RATING	50	72	50	60	72	94	64	63	54	44	70	81	SUFFICIENCY RATING

FAP ROUTE NO 57
SHEET 1 OF 4

BEGINNING MILE POST	64.4	64.9	66.9	73.5	76.9	79.2	80.8	83.1	88.2	94.3	103.2	112.9	121.7	123.1	131.0	135.8	136.1	137.6	148.6	156.7	BEGINNING MILE POST
LENGTH	0.5	2.0	6.5	3.3	2.3	1.7	2.1	5.0	6.0	8.9	9.6	8.7	1.4	7.7	4.8	0.2	1.5	11.0	7.9	1.6	LENGTH
YEAR BUILT	71	71	47	47	47	47	U	42	37	37	U	51	U	U	79	U	79	54	51	73	YEAR BUILT
YEAR IMPROVED	71	71	54	54	54	54	R	81	56	57	N	78	N	N	79	R	79	54	51	73	YEAR IMPROVED
SURFACE WIDTH	32	32	24	24	24	24	B	26	24	24	O C	24	O C	O C	30	B	30	24	24	30	SURFACE WIDTH
ROADWAY WIDTH	32	32	31	31	31	31	A	26	30	30	E O	24	E O	E O	30	A	30	24	24	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	N	PMS	RMS	RMS	R N	PMS	R N	R N	PMS	h	PMS	RMS	BST	PMS	SURFACE TYPE
ADT	1639	1565	1611	1702	2017	1850		1362	1104	1046	S	485	S	S	330		485	445	384	355	ADT
DHV	196	185	193	204	242	222		177	143	135	T	62	T	T	49		72	66	57	53	DHV
SERVICE VOLUME	518	560	507	329	507	733		294	333	324	R	396	R	R	576		576	396	299	576	SERVICE VOLUME
FOUNDATION - 10	8	8	6	5	7	7		10	0	2	U	8	U	U	10		10	0	0	7	FOUNDATION - 10
SURFACE - 30	27	25	18	18	20	17		30	13	16	C	30	C	C	30		30	11	12	26	SURFACE - 30
DRAINAGE - 10	10	10	9	9	9	9		10	8	9	T	9	T	T	10		10	10	8	10	DRAINAGE - 10
SAFETY - 20	20	20	15	5	5	3		13	2	2	I	1	I	I	20		20	20	1	16	SAFETY - 20
CAPACITY - 30	24	25	24	21	23	25		21	24	24	O	28	O	O	29		28	28	27	29	CAPACITY - 30
SUFFICIENCY RATING	89	88	72	58	64	61		84	67	53	N	76	N	N	99		98	69	48	88	SUFFICIENCY RATING

FAP ROUTE NO 57
SHEET 2 OF 4



BEGINNING MILE POST	158.3	161.5	171.2	180.2	192.2	199.0	206.8	212.1	212.4	213.0	218.0	226.7	238.9	241.4	242.4	BEGINNING MILE POST
LENGTH	3.2	9.5	8.1	11.8	6.8	7.6	5.3	0.2	0.6	4.9	8.6	12.2	2.5	1.0	6.0	LENGTH
YEAR BUILT	73	68	48	73	36	36	36	37	U	37	36	37	38	68	38	YEAR BUILT
YEAR IMPROVED	73	68	52	73	53	53	57	47	R	52	49	54	54	68	54	YEAR IMPROVED
SURFACE WIDTH	30	36	22	32	24	24	22	22	B	24	24	24	24	36	24	SURFACE WIDTH
ROADWAY WIDTH	30	36	24	32	24	24	26	24	A	26	25	24	24	36	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	PMS	RMS	RMS	RMS	RMS	N	RMS	BST	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	360	360	360	360	360	360	360	1050		364	313	319	330	330	329	ADT
DHV	54	54	54	54	54	54	54	157		54	46	47	49	49	49	DHV
SERVICE VOLUME	576	448	449	364	441	441	396	235		793	469	441	276	420	193	SERVICE VOLUME
FOUNDATION - 10	7	4	0	5	0	0	0	0		0	0	0	0	6	0	FOUNDATION - 10
SURFACE - 30	25	16	8	19	8	13	8	12		10	8	11	13	20	13	SURFACE - 30
DRAINAGE - 10	10	10	7	10	9	9	7	8		8	8	8	9	10	9	DRAINAGE - 10
SAFETY - 20	6	20	1	20	1	1	1	5		2	1	2	1	20	1	SAFETY - 20
CAPACITY - 30	29	28	28	28	28	28	28	20		29	29	28	27	28	26	CAPACITY - 30
SUFFICIENCY RATING	77	78	44	82	46	51	44	45		49	46	49	50	84	49	SUFFICIENCY RATING

FAP ROUTE NO 57
SHEET 3 OF 4

BEGINNING MILE POST	248.6	256.5	262.3	267.4	278.3	279.7	280.7	287.7	289.8	296.8	306.4	316.7	324.6	330.7	330.5	330.1	329.3	BEGINNING MILE POST
LENGTH	8.0	5.8	5.1	10.9	1.3	1.0	6.9	2.1	7.0	9.6	10.2	8.0	4.6	0.4	0.2	0.3	0.8	LENGTH
YEAR BUILT	40	40	47	41	U	66	66	64	64	76	67	61	U	69	48	60	U	YEAR BUILT
YEAR IMPROVED	54	54	47	56	R	66	66	64	64	76	67	61	R	69	50	60	R	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	B	32	32	32	32	32	40	32	B	24	24	72	B	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	25	A	32	32	32	32	32	40	32	A	24	34	88	A	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	BST	RMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	N	SURFACE TYPE
ADT	312	403	475	476		1569	715	670	655	681	783	1175		1770	2375	2939		ADT
DHV	46	60	71	71		235	107	100	98	102	117	173		177	237	293		DHV
SERVICE VOLUME	441	469	492	515		520	518	302	364	592	592	592		678	258	1216		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0		6	5	4	5	7	6	4		6	6	6		FOUNDATION - 10
SURFACE - 30	9	9	8	8		22	20	17	19	26	21	19		21	18	20		SURFACE - 30
DRAINAGE - 10	9	9	8	10		10	10	10	10	10	10	10		10	8	10		DRAINAGE - 10
SAFETY - 20	1	2	3	10		20	20	20	9	20	7	20		20	20	20		SAFETY - 20
CAPACITY - 30	28	28	28	28		23	27	25	26	27	27	26		26	16	26		CAPACITY - 30
SUFFICIENCY RATING	47	48	47	56		81	82	76	69	90	71	79		83	68	82		SUFFICIENCY RATING

FAP ROUTE NO 57
SHEET 4 OF 4



BEGINNING MILE POST	0.0	3.3	9.7	12.0	17.3	25.5	31.5	35.8	39.8	43.6	44.4
LENGTH	3.3	6.3	2.2	5.2	8.2	6.0	4.2	4.0	3.7	0.8	5.8
YEAR BUILT	35	35	29	28	28	58	64	56	56	61	56
YEAR IMPROVED	51	51	35	40	40	64	64	64	56	61	56
SURFACE WIDTH	22	22	20	20	20	44	32	32	24	28	22
ROADWAY WIDTH	24	24	24	24	24	44	32	32	28	28	22
SURFACE TYPE	RMS	RMS	PMS	RMS	RMS	PMS	PMS	PMS	RMS	RMS	RMS
ADT	1232	862	535	639	664	713	1260	1202	737	553	508
DHV	271	189	117	140	146	156	277	264	162	121	111
SERVICE VOLUME	819	452	556	302	302	455	448	498	462	415	377
FOUNDATION - 10	0	0	0	0	0	5	6	6	3	5	2
SURFACE - 30	7	8	7	10	9	15	18	18	16	18	12
DRAINAGE - 10	8	8	8	4	4	10	10	10	9	10	10
SAFETY - 20	20	2	1	0	0	2	5	3	3	20	20
CAPACITY - 30	25	24	27	23	23	25	21	22	25	26	26
SUFFICIENCY RATING	60	42	43	37	36	57	60	59	56	79	70

FAP ROUTE NO 58
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.2	4.5	14.2	14.9	15.3	15.3	15.3	20.4	24.8	29.6	38.0	40.7	45.3	49.4
LENGTH	1.7	2.2	9.6	0.6	0.4	0.0	0.0	5.0	4.2	4.7	8.3	2.7	4.6	4.1	8.0
YEAR BUILT	55	41	41	80	U	80	U	80	73	73	73	42	36	36	36
YEAR IMPROVED	55	41	41	80	R	80	R	80	73	73	73	52	47	47	63
SURFACE WIDTH	24	20	20	40	B	40	B	40	32	32	32	24	24	24	22
ROADWAY WIDTH	36	24	24	40	A	40	A	40	32	32	32	24	24	24	24
SURFACE TYPE	RMS	RMS	RMS	PMS	N	PMS	N	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS
AOT	1232	1192	1076	976		720		733	727	419	389	375	391	410	490
OHV	184	178	161	146		108		109	109	62	58	56	58	61	73
SERVICE VOLUME	481	390	364	592		828		555	555	592	555	774	515	744	627
FOUNDATION - 10	5	3	10	10		10		10	6	4	8	0	0	0	0
SURFACE - 30	15	15	30	30		30		30	21	17	24	8	8	9	9
DRAINAGE - 10	10	9	10	10		10		10	10	10	10	8	6	8	8
SAFETY - 20	20	11	4	13		20		17	20	20	20	20	3	3	2
CAPACITY - 30	24	23	23	26		28		27	27	28	28	29	28	29	28
SUFFICIENCY RATING	74	61	77	89		98		94	84	79	90	65	45	49	47

FAP ROUTE NO 59
SHEET 1 OF 1

BEGINNING MILE POST	0.0	9.7	17.0	25.3	28.7	35.8	38.9	49.4	53.6	60.3	62.1	71.0	74.5	81.4	87.3	88.3	90.3	BEGINNING MILE POST
LENGTH	9.5	7.3	8.3	3.3	7.2	3.1	10.5	4.2	6.6	1.9	9.1	3.6	6.9	5.8	0.9	2.0	5.3	LENGTH
YEAR BUILT	55	59	59	59	59	U	52	52	40	69	69	55	52	42	39	39	U	YEAR BUILT
YEAR IMPROVED	69	63	63	63	63	R	52	52	40	69	69	55	55	52	71	71	R	YEAR IMPROVED
SURFACE WIDTH	28	26	26	26	26	8	22	22	26	48	40	40	24	26	32	32	8	SURFACE WIDTH
ROADWAY WIDTH	28	26	26	26	26	A	26	26	26	48	40	40	32	31	32	32	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	BST	PMS	PMS	RMS	PMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	427	391	374	363	390		508	536	551	518	495	2090	2712	2717	4491	4497		ADT
DHV	64	58	56	54	58		76	80	82	77	74	271	352	353	583	584		DHV
SERVICE VOLUME	413	330	330	488	260		355	355	448	520	409	302	336	291	226	302		SERVICE VOLUME
FOUNDATION - 10	6	5	6	3	5		4	5	0	8	7	0	0	0	4	4		FOUNDATION - 10
SURFACE - 30	16	17	18	15	16		13	15	12	26	25	12	11	12	18	18		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10		8	8	9	10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	4	3	20	1	1		3	4	4	2	11	3	20	3	2	20		SAFETY - 20
CAPACITY - 30	28	27	27	28	27		27	27	27	28	27	17	14	12	0	1		CAPACITY - 30
SUFFICIENCY RATING	64	62	81	57	59		55	59	52	74	80	42	55	37	34	53		SUFFICIENCY RATING

FAP ROUTE NO 60
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.0	7.0	13.0	21.8	26.6	27.7	33.8	38.6	43.5	45.1	54.8	66.6	70.4	83.4	BEGINNING MILE POST
LENGTH	0.6	5.9	6.0	8.8	4.7	1.1	6.0	4.8	4.8	1.5	9.6	11.8	3.8	12.9	4.5	LENGTH
YEAR BUILT	U	50	77	35	63	63	65	52	41	62	62	61	62	59	60	YEAR BUILT
YEAR IMPROVED	R	54	77	66	63	63	65	52	67	62	62	61	62	63	60	YEAR IMPROVED
SURFACE WIDTH	B	24	40	22	30	30	30	24	24	32	30	30	30	28	28	SURFACE WIDTH
ROADWAY WIDTH	A	30	40	24	30	30	30	28	30	32	30	30	30	28	28	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	RMS	PMS	PMS	PMS	RMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT		1114	1046	968	850	851	859	873	879	927	413	398	465	445	425	ADT
DHV		167	156	145	127	127	128	130	131	157	70	67	79	75	72	DHV
SERVICE VOLUME		291	448	449	504	324	351	338	324	518	504	540	324	910	660	SERVICE VOLUME
FOUNDATION - 10		0	8	0	5	5	5	2	2	5	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30		11	27	10	17	17	17	12	17	18	15	11	12	9	10	SURFACE - 30
DRAINAGE - 10		10	10	5	10	10	10	10	9	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20		5	20	4	20	1	8	20	2	8	4	11	13	10	8	SAFETY - 20
CAPACITY - 30		21	25	25	26	24	25	24	24	25	28	28	26	29	28	CAPACITY - 30
SUFFICIENCY RATING		47	90	44	78	57	65	68	54	66	57	60	61	58	56	SUFFICIENCY RATING

FAP ROUTE NO 61
SHEET 1 OF 2



BEGINNING MILE POST	88.0	93.5	102.3	110.3	118.1	124.4	130.3	136.7	142.0	147.3	155.5	156.9	BEGINNING MILE POST
LENGTH	5.5	8.7	8.0	7.8	6.2	5.9	6.3	5.2	5.2	8.1	1.3	0.6	LENGTH
YEAR BUILT	60	60	57	57	49	47	42	42	42	38	38	U	YEAR BUILT
YEAR IMPROVED	60	60	59	59	49	47	42	42	42	42	42	R	YEAR IMPROVED
SURFACE WIDTH	28	28	24	24	22	25	20	20	20	24	24	B	SURFACE WIDTH
ROADWAY WIDTH	28	28	29	29	22	25	24	24	24	26	26	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	BST	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	420	419	320	320	322	327	341	359	375	397	2240		ADT
DHV	71	71	54	54	54	55	57	61	63	67	291		DHV
SERVICE VOLUME	660	841	518	354	237	312	392	420	211	357	231		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	8	10	11	11	12	12	13	12	14	11	12		SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	8	8	8	9	8	8		DRAINAGE - 10
SAFETY - 20	20	20	20	10	2	3	18	4	2	20	14		SAFETY - 20
CAPACITY - 30	28	29	28	28	27	27	28	28	26	27	11		CAPACITY - 30
SUFFICIENCY RATING	66	69	69	59	48	50	67	52	51	66	45		SUFFICIENCY RATING

FAP ROUTE NO 61
SHEET 2 OF 2



BEGINNING MILE POST	0.0	1.5	2.0	3.9	8.8	12.1	20.2	24.9	29.7	33.3	35.4
LENGTH	0.8	0.4	1.8	4.8	3.3	8.0	4.6	4.7	3.6	2.1	2.5
YEAR BUILT	U	61	78	78	70	40	40	40	38	37	U
YEAR IMPROVED	R	61	78	78	70	49	49	83	83	83	R
SURFACE WIDTH	B	36	40	40	34	24	24	22	22	22	B
ROADWAY WIDTH	A	36	40	40	34	26	26	22	22	22	A
SURFACE TYPE	N	PMS	PMS	PMS	PMS	RMS	RMS	PMS	PMS	PMS	N
AOT		1114	899	745	771	817	891	1088	1243	1350	
DHV		155	125	104	107	114	124	152	174	189	
SERVICE VOLUME		560	270	375	270	211	448	189	270	189	
FOUNDATION - 10		6	8	6	5	0	4	4	4	4	
SURFACE - 30		17	27	25	19	12	30	30	30	30	
DRAINAGE - 10		10	10	10	10	8	10	10	10	10	
SAFETY - 20		1	1	7	13	2	12	4	5	3	
CAPACITY - 30		26	23	26	24	22	26	18	20	15	
SUFFICIENCY RATING		60	69	74	71	44	82	66	69	62	

FAP ROUTE NO 62
SHEET 1 OF 1



BEGINNING MILE POST	0.0	4.0	10.4	17.8	18.4	19.2	22.2	22.8	24.8	25.4	26.6	33.4	35.4	36.3
LENGTH	3.7	6.3	7.3	0.6	0.7	3.0	0.6	1.9	0.5	1.2	6.8	2.0	0.8	3.2
YEAR BUILT	49	49	U	U	49	47	47	47	47	47	41	41	46	46
YEAR IMPROVED	83	83	N	R	54	73	73	62	62	57	70	70	59	60
SURFACE WIDTH	24	24	O C	B	24	24	24	24	24	24	24	24	24	24
ROADWAY WIDTH	28	28	E O	A	24	24	24	24	24	24	24	24	24	24
SURFACE TYPE	PMS	PMS	R N	N	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS
ADT	1106	1076	S		1140	1140	1140	1125	1110	1110	1110	1165	1245	1270
DHV	143	139	T		148	148	148	146	144	144	144	151	161	165
SERVICE VOLUME	280	483	R		248	396	488	457	366	220	276	366	488	276
FOUNDATION - 10	4	4	U		10	0	3	0	0	2	5	3	0	0
SURFACE - 30	30	30	C		30	15	15	15	15	14	15	12	12	13
DRAINAGE - 10	10	10	T		10	10	10	10	10	9	10	10	8	9
SAFETY - 20	2	16	I		1	4	20	8	1	20	2	10	20	2
CAPACITY - 30	22	26	O		21	24	25	25	24	20	22	24	25	21
SUFFICIENCY RATING	68	86	N		72	53	73	58	50	65	54	59	65	65



BEGINNING MILE POST	0.0	3.0	7.1
LENGTH	3.0	4.1	2.4
YEAR BUILT	72	73	73
YEAR IMPROVED	77	73	73
SURFACE WIDTH	30	24	24
ROADWAY WIDTH	30	24	24
SURFACE TYPE	PMS	GRV	GRV
ADT	944	760	760
DHV	236	190	190
SERVICE VOLUME	331	633	633
FOUNDATION - 10	7	10	10
SURFACE - 30	25	30	30
DRAINAGE - 10	10	10	10
SAFETY - 20	2	1	1
CAPACITY - 30	19	25	25
SUFFICIENCY RATING	63	76	76

FAP ROUTE NO 63 & 64
SHEET 1 OF 1



BEGINNING MILE POST	0.0
LENGTH	0.3
YEAR BUILT	38
YEAR IMPROVED	38
SURFACE WIDTH	40
ROADWAY WIDTH	40
SURFACE TYPE	RMS
ADT	1870
DHV	523
SERVICE VOLUME	614
FOUNDATION - 10	5
SURFACE - 30	13
DRAINAGE - 10	7
SAFETY - 20	1
CAPACITY - 30	17
SUFFICIENCY RATING	43



BEGINNING MILE POST	0.0	10.6	23.2	37.3
LENGTH	10.6	12.6	14.0	12.7
YEAR BUILT	61	59	59	59
YEAR IMPROVED	61	59	59	59
SURFACE WIDTH	28	28	28	28
ROADWAY WIDTH	28	28	28	28
SURFACE TYPE	PMS	PMS	PMS	PMS
ADT	230	356	325	511
DHV	32	49	45	71
SERVICE VOLUME	690	354	354	383
FOUNDATION - 10	0	0	2	2
SURFACE - 30	10	15	16	16
DRAINAGE - 10	10	9	10	10
SAFETY - 20	6	13	20	17
CAPACITY - 30	29	28	28	27
SUFFICIENCY RATING	55	65	76	72

FAP ROUTE NO 65 & 66
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.7
LENGTH	0.7	1.0
YEAR BUILT	U	28
YEAR IMPROVED	R	52
SURFACE WIDTH	B	20
ROADWAY WIDTH	A	24
SURFACE TYPE	N	RMS
AOT		1320
OHV		198
SERVICE VOLUME		380
FOUNDATION - 10		0
SURFACE - 30		11
DRAINAGE - 10		7
SAFETY - 20		1
CAPACITY - 30		22
SUFFICIENCY RATING		41



BEGINNING MILE POST	0.0	0.1	1.2
LENGTH	0.1	1.0	0.2
YEAR BUILT	33	U	63
YEAR IMPROVED	53	R	63
SURFACE WIDTH	24	B	30
ROADWAY WIDTH	28	A	30
SURFACE TYPE	RMS	N	PMS
AOT	540		800
OHV	81		120
SERVICE VOLUME	368		317
FOUNDATION - 10	0		7
SURFACE - 30	10		22
DRAINAGE - 10	8		10
SAFETY - 20	0		20
CAPACITY - 30	27		24
SUFFICIENCY RATING	45		83



BEGINNING MILE POST	0.0	0.6	2.9	5.0	6.1	10.0	13.6	22.1	28.1	31.0	37.0	38.0
LENGTH	0.6	2.3	2.0	1.0	3.9	3.6	8.4	6.0	2.8	6.0	1.0	0.3
YEAR BUILT	U	33	68	68	70	64	61	57	57	59	U	73
YEAR IMPROVED	R	55	68	68	70	64	61	71	57	59	R	73
SURFACE WIDTH	B	32	30	30	32	28	26	24	24	24	B	40
ROADWAY WIDTH	A	32	30	30	32	28	26	24	24	24	A	40
SURFACE TYPE	N	RMS	PMS	PMS	PMS	PMS	PMS	PMS	BST	BST	N	PMS
AOT		1626	1336	1129	802	767	711	645	686	873		1840
OHV		260	207	170	120	115	106	96	102	130		294
SERVICE VOLUME		640	366	546	325	193	184	371	196	246		560
FOUNDATION - 10		2	4	0	0	0	3	7	4	4		9
SURFACE - 30		13	22	14	14	14	15	22	15	15		29
DRAINAGE - 10		10	10	8	10	10	9	10	7	7		10
SAFETY - 20		3	2	20	20	3	1	5	4	3		6
CAPACITY - 30		24	22	25	24	21	21	26	22	22		22
SUFFICIENCY RATING		52	60	67	68	48	49	70	52	51		76

FAP ROUTE NO 67, 68 & 69

SHEET 1 OF 1



BEGINNING MILE POST		0.0	0.2	1.2	1.5	1.5
LENGTH		0.2	1.0	0.2	0.0	1.2
YEAR BUILT	N		31	U	31	U
YEAR IMPROVED	O		52	R	52	R
SURFACE WIDTH	N		22	B	22	B
ROADWAY WIDTH		E	24	A	24	A
SURFACE TYPE		X	RMS	N	RMS	N
AOT		1	191		330	
OHV		S	34		59	
SERVICE VOLUME		T	544		716	
FOUNDATION - 10		E	0		0	
SURFACE - 30		N	4		4	
DRAINAGE - 10		T	5		5	
SAFETY - 20			20		20	
CAPACITY - 30			29		29	
SUFFICIENCY RATING			58		58	



BEGINNING MILE POST	0.0	5.1	5.6	10.3	11.7	14.5
LENGTH	5.1	0.4	4.8	1.1	2.8	6.9
YEAR BUILT	61	70	61	49	49	48
YEAR IMPROVED	61	70	61	49	49	48
SURFACE WIDTH	30	30	30	24	20	24
ROADWAY WIDTH	30	30	30	24	24	24
SURFACE TYPE	PMS	PMS	PMS	BST	RMS	RMS
AOT	799	852	903	1086	1107	1161
OHV	127	136	144	173	177	185
SERVICE VOLUME	366	402	329	673	392	396
FOUNDATION - 10	0	6	2	2	2	2
SURFACE - 30	15	20	15	13	18	14
DRAINAGE - 10	8	10	7	5	4	6
SAFETY - 20	13	3	6	1	19	2
CAPACITY - 30	25	25	23	26	23	23
SUFFICIENCY RATING	61	64	53	47	66	47

FAP ROUTE NO 70 & 72
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.6
LENGTH	1.6	1.2
YEAR BUILT	49	U
YEAR IMPROVED	81	R
SURFACE WIDTH	24	B
ROADWAY WIDTH	28	A
SURFACE TYPE	PMS	N
ADT	1100	
DHV	132	
SERVICE VOLUME	220	
FOUNDATION - 10	10	
SURFACE - 30	30	
DRAINAGE - 10	10	
SAFETY - 20	3	
CAPACITY - 30	21	
SUFFICIENCY RATING	74	

BEGINNING MILE POST	0.0	1.7
LENGTH	1.7	0.2
YEAR BUILT	41	U
YEAR IMPROVED	41	R
SURFACE WIDTH	20	B
ROADWAY WIDTH	26	A
SURFACE TYPE	BST	N
ADT	930	
DHV	186	
SERVICE VOLUME	749	
FOUNDATION - 10	0	
SURFACE - 30	10	
DRAINAGE - 10	6	
SAFETY - 20	17	
CAPACITY - 30	26	
SUFFICIENCY RATING	59	

FAP ROUTE NO 75 & 77
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.4	6.0	13.3	19.6	23.9	24.3	25.1	27.4	29.9	45.8	46.4	47.2
LENGTH	0.4	5.5	7.2	6.3	4.2	0.3	0.7	2.3	2.5	15.8	0.5	0.8	0.4
YEAR BUILT	U	52	53	57	60	60	60	60	35	35	57	U	72
YEAR IMPROVED	R	52	53	57	60	60	60	60	35	45	57	R	72
SURFACE WIDTH	B	24	24	24	24	24	24	24	20	20	28	B	44
ROADWAY WIDTH	A	24	24	24	24	24	24	24	20	24	28	A	44
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS
ADT		676	327	280	295	310	310	314	324	1222	1543		1430
DHV		108	52	44	47	49	49	50	51	195	246		228
SERVICE VOLUME		556	278	591	348	278	464	348	391	450	425		795
FOUNDATION - 10		3	4	0	6	8	8	7	0	0	8		5
SURFACE - 30		16	16	13	24	25	26	25	12	10	24		20
DRAINAGE - 10		7	6	6	9	10	10	9	6	5	10		10
SAFETY - 20		1	1	2	5	20	3	1	1	1	0		20
CAPACITY - 30		27	27	29	28	27	28	28	28	24	21		26
SUFFICIENCY RATING		54	54	50	72	90	75	70	47	40	63		81

BEGINNING MILE POST	0.0	2.2
LENGTH	1.9	0.5
YEAR BUILT	64	U
YEAR IMPROVED	64	R
SURFACE WIDTH	30	B
ROADWAY WIDTH	30	A
SURFACE TYPE	PMS	N
ADT	400	
DHV	56	
SERVICE VOLUME	585	
FOUNDATION - 10	4	
SURFACE - 30	17	
DRAINAGE - 10	10	
SAFETY - 20	3	
CAPACITY - 30	29	
SUFFICIENCY RATING	63	

FAP ROUTE NO 78 & 79
SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.5	2.3	4.0	5.1	14.6	24.2	28.1	29.1	34.4	39.5	45.6	46.1	49.8	50.8	59.3	66.0	67.0
LENGTH	1.5	0.7	1.6	1.1	9.5	9.5	3.9	0.9	5.3	5.0	6.0	0.4	3.7	1.0	8.4	6.7	0.9	0.1
YEAR BUILT	53	U	62	56	56	62	64	U	64	65	64	62	62	53	53	53	U	27
YEAR IMPROVED	53	R	62	56	78	62	64	R	64	65	64	62	62	53	53	53	R	27
SURFACE WIDTH	24	B	30	25	24	30	30	B	28	28	28	24	24	24	24	24	B	24
ROADWAY WIDTH	24	A	30	25	24	30	30	A	28	28	28	24	24	24	24	24	A	26
SURFACE TYPE	RMS	N	RMS	BST	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	N	BST
ADT	650		759	685	556	482	493		256	191	160	160	160	200	266	393		1250
DHV	104		121	109	88	77	78		40	30	25	25	25	32	42	62		150
SERVICE VOLUME	172		294	229	221	294	409		450	480	299	699	246	397	371	371		638
FOUNDATION - 10	5		4	0	8	5	5		5	1	0	0	0	6	3	4		6
SURFACE - 30	14		16	11	27	15	18		18	15	13	10	11	17	15	14		17
DRAINAGE - 10	10		10	4	7	10	10		10	10	10	5	5	9	9	10		3
SAFETY - 20	2		2	2	1	20	20		11	20	11	20	4	20	3	4		20
CAPACITY - 30	21		24	23	24	26	27		29	29	29	29	28	29	28	27		26
SUFFICIENCY RATING	52		56	40	67	76	80		73	75	63	64	48	81	58	59		72

FAP ROUTE NO 80

SHEET 1 OF 1



BEGINNING MILE POST	0.0	12.9	13.8	26.7	29.5	32.6
LENGTH	12.9	0.8	12.8	2.8	3.0	9.8
YEAR BUILT	52	U	73	73	73	51
YEAR IMPROVED	59	R	73	73	73	51
SURFACE WIDTH	24	B	24	24	24	24
ROADWAY WIDTH	24	A	24	24	24	24
SURFACE TYPE	PMS	N	PMS	RMS	RMS	BST
ADT	215		304	289	304	336
DHV	34		48	46	48	53
SERVICE VOLUME	287		196	287	172	172
FOUNDATION - 10	6		6	2	4	3
SURFACE - 30	18		21	15	16	17
DRAINAGE - 10	10		10	10	8	8
SAFETY - 20	2		1	2	1	1
CAPACITY - 30	28		26	28	26	25
SUFFICIENCY RATING	64		64	57	55	54



BEGINNING MILE POST	0.0	5.4
LENGTH	5.4	1.4
YEAR BUILT	52	55
YEAR IMPROVED	71	55
SURFACE WIDTH	24	24
ROADWAY WIDTH	24	24
SURFACE TYPE	PMS	RMS
ADT	3138	3073
DHV	564	553
SERVICE VOLUME	461	174
FOUNDATION - 10	7	3
SURFACE - 30	19	13
DRAINAGE - 10	8	10
SAFETY - 20	4	7
CAPACITY - 30	12	0
SUFFICIENCY RATING	50	33

FAP ROUTE NO 81 & 82
SHEET 1 OF 1

BEGINNING MILE POST	0.0	14.7	23.1	30.8	41.8
LENGTH	14.7	8.3	7.6	11.0	5.8
YEAR BUILT	52	52	52	59	59
YEAR IMPROVED	52	52	52	59	59
SURFACE WIDTH	24	22	22	24	24
ROADWAY WIDTH	24	26	26	24	24
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS
AOT	1011	837	715	640	625
DHV	181	150	128	115	112
SERVICE VOLUME	492	211	219	248	457
FOUNDATION - 10	0	0	0	0	2
SURFACE - 30	11	10	14	12	13
DRAINAGE - 10	7	7	7	6	7
SAFETY - 20	5	3	1	3	11
CAPACITY - 30	24	19	21	23	26
SUFFICIENCY RATING	47	39	43	44	59

FAP ROUTE NO 83
SHEET 1 OF 2

BEGINNING MILE POST	47.7	54.5	65.1	77.7	82.6	86.2
LENGTH	6.7	10.6	12.6	4.8	3.7	4.7
YEAR BUILT	58	55	58	62	59	59
YEAR IMPROVED	58	55	79	62	59	59
SURFACE WIDTH	24	24	24	30	24	24
ROADWAY WIDTH	24	24	24	30	24	24
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS
ADT	613	615	691	855	1217	1847
DHV	110	110	124	153	219	332
SERVICE VOLUME	396	248	165	324	220	396
FOUNDATION - 10	2	2	8	5	2	5
SURFACE - 30	12	13	27	15	13	16
DRAINAGE - 10	6	7	6	10	10	10
SAFETY - 20	11	8	1	11	7	9
CAPACITY - 30	26	23	19	23	15	17
SUFFICIENCY RATING	57	53	61	64	47	57

FAP ROUTE NO 83
SHEET 2 OF 2



BEGINNING MILE POST	0.0	6.4	11.4	20.3
LENGTH	6.4	5.0	8.8	8.7
YEAR BUILT	53	52	55	55
YEAR IMPROVED	53	52	55	55
SURFACE WIDTH	24	24	24	24
ROADWAY WIDTH	24	24	24	24
SURFACE TYPE	RMS	RMS	RMS	RMS
ADT	536	601	732	1130
OHV	91	102	124	192
SERVICE VOLUME	374	348	243	313
FOUNDATION - 10	5	5	5	4
SURFACE - 30	18	18	17	16
DRAINAGE - 10	9	10	9	8
SAFETY - 20	1	1	1	1
CAPACITY - 30	26	26	22	21
SUFFICIENCY RATING	59	60	54	50



BEGINNING MILE POST	0.0
LENGTH	6.7
YEAR BUILT	53
YEAR IMPROVED	53
SURFACE WIDTH	24
ROADWAY WIDTH	24
SURFACE TYPE	RMS
ADT	2967
OHV	474
SERVICE VOLUME	429
FOUNDATION - 10	5
SURFACE - 30	21
DRAINAGE - 10	8
SAFETY - 20	6
CAPACITY - 30	13
SUFFICIENCY RATING	53

FAP ROUTE NO 84 & 85
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.9	3.8	9.5	16.3	18.7	31.4
LENGTH	0.9	2.8	5.7	6.7	2.4	12.6	6.7
YEAR BUILT	U	58	61	73	48	45	63
YEAR IMPROVED	R	58	61	73	48	45	63
SURFACE WIDTH	B	25	30	31	20	20	28
ROADWAY WIDTH	A	25	30	31	20	20	28
SURFACE TYPE	N	PMS	PMS	PMS	GRV	GRV	PMS
ADT		2682	1541	1120	897	210	200
DHV		536	308	224	179	42	40
SERVICE VOLUME		661	738	414	345	131	345
FOUNDATION - 10		10	6	2	0	0	5
SURFACE - 30		30	19	18	0	0	16
DRAINAGE - 10		9	10	10	3	2	10
SAFETY - 20		2	1	7	4	5	10
CAPACITY - 30		18	24	22	22	25	28
SUFFICIENCY RATING		69	60	59	29	32	69

BEGINNING MILE POST	0.0	1.4	3.0	6.7	10.0	20.2
LENGTH	1.3	1.5	3.7	3.3	10.2	2.1
YEAR BUILT	63	72	63	67	67	67
YEAR IMPROVED	63	72	63	67	67	67
SURFACE WIDTH	30	30	30	30	30	30
ROADWAY WIDTH	30	30	30	30	30	30
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS
ADT	380	380	380	380	400	583
DHV	83	83	83	83	88	128
SERVICE VOLUME	289	372	408	235	372	581
FOUNDATION - 10	6	6	5	4	4	6
SURFACE - 30	23	23	22	17	16	18
DRAINAGE - 10	10	10	10	10	10	10
SAFETY - 20	20	1	5	1	6	4
CAPACITY - 30	26	27	27	25	26	27
SUFFICIENCY RATING	85	67	69	57	62	65

FAP ROUTE NO 86 & 87
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.4
LENGTH	0.4	1.0
YEAR BUILT	79	79
YEAR IMPROVED	79	79
SURFACE WIDTH	50	50
ROADWAY WIDTH	50	50
SURFACE TYPE	PMS	PMS
AOT	1499	1100
DHV	194	143
SERVICE VOLUME	380	535
FOUNDATION - 10	10	10
SURFACE - 30	30	28
DRAINAGE - 10	10	10
SAFETY - 20	0	1
CAPACITY - 30	22	26
SUFFICIENCY RATING	72	75



BEGINNING MILE POST	0.0	0.1	1.3	2.2	3.3
LENGTH	0.1	0.7	0.8	1.1	0.6
YEAR BUILT	81	56	U	38	80
YEAR IMPROVED	81	56	R	38	80
SURFACE WIDTH	40	32	B	30	40
ROADWAY WIDTH	40	32	A	30	40
SURFACE TYPE	PMS	PMS	N	RMS	PMS
AOT	1321	1836		1604	1289
DHV	184	257		224	180
SERVICE VOLUME	592	592		291	268
FOUNDATION - 10	10	0		5	10
SURFACE - 30	30	11		15	30
DRAINAGE - 10	10	4		8	10
SAFETY - 20	20	20		1	0
CAPACITY - 30	25	23		18	20
SUFFICIENCY RATING	95	58		47	70

FAP ROUTE NO 88 & 91
SHEET 1 OF 1

BEGINNING MILE POST	36.3	34.0	26.9	22.5
LENGTH	1.9	2.0	7.0	4.4
YEAR BUILT	76	58	56	56
YEAR IMPROVED	76	58	77	77
SURFACE WIDTH	28	44	28	32
ROADWAY WIDTH	28	44	32	32
SURFACE TYPE	PMS	PMS	PMS	PMS
ADT	752	777	836	911
DHV	97	101	108	118
SERVICE VOLUME	600	688	645	645
FOUNDATION - 10	8	7	7	7
SURFACE - 30	24	23	22	20
DRAINAGE - 10	10	10	8	8
SAFETY - 20	20	10	20	20
CAPACITY - 30	28	28	27	27
SUFFICIENCY RATING	90	78	84	82

BEGINNING MILE POST	0.0	6.8	16.4	21.0
LENGTH	6.8	9.6	4.6	11.4
YEAR BUILT	64	64	64	64
YEAR IMPROVED	79	79	78	78
SURFACE WIDTH	30	30	30	30
ROADWAY WIDTH	30	30	30	30
SURFACE TYPE	PMS	PMS	PMS	PMS
ADT	802	1044	1262	1599
DHV	128	167	201	255
SERVICE VOLUME	278	211	121	441
FOUNDATION - 10	8	8	9	8
SURFACE - 30	27	27	28	27
DRAINAGE - 10	8	10	10	10
SAFETY - 20	1	2	1	6
CAPACITY - 30	23	18	5	21
SUFFICIENCY RATING	67	65	53	72

FAP ROUTE NO 92 & 93
SHEET 1 OF 1

Sufficiency Ratings by Financial Districts

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction

as of June 30, 1984

SUFFICIENCY RATING BY FINANCIAL DISTRICT 1

RURAL PRIMARY SYSTEM

FINANCIAL OISTRICT NUM8ER 1

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN 01ST	YEARS 8T	SECTION IM	LENGTH	WIOTH SRF	SUF ROY	TYP	AOT	DHV	SERVICE VOLUME	---SUFFICIENCY FNO	RATINGS- SRF	ORN	SAF	CAP	TOT
P070	0+0.000	FUT W SUPERIOR INT	MINERAL	1			.200	NON EXISTENT											
P006	76+0.641	JCT FAP 36	SANOERS	1	31	34	2.278	18	24	RMS	1943	252	151	0	10	3	0	5	18
P001	15+0.265	TROY	LINCOLN	1	37	38	1.655	20	24	RMS	2554	332	150	0	12	5	1	0	18
P052	33+0.584	JCT FAP RTE 83	FLATHEAO	1	22	49	.344	24	24	RMS	4147	746	156	0	13	5	0	0	18
P052	28+0.294	FLATHEAD CO	FLATHEAO	1	36	60	2.004	24	24	RMS	2560	460	187	0	12	5	2	0	19
P052	49+0.911	0.8 E KALISPELL	FLATHEAO	1	67	67	.776	44	44	PMS	7485	823	361	0	11	8	1	0	20
P024	7+0.551	6.7 E 8ONNER	MISSOULA	1	40	42	4.668	20	24	RMS	2128	329	124	0	14	5	2	0	21
P052	26+0.286	2.0 S FLATHEAO CO	LAKE	1	36	60	1.995	24	24	RMS	2463	443	174	0	12	5	5	0	22
P006	68+0.701	WEEKSVILLE	SANOERS	1	38	52	3.890	20	24	RMS	2069	268	159	0	11	4	3	5	23
P052	0+0.000	JCT FAP RTE 5	LAKE	1	40	62	7.134	22	26	RMS	2135	384	210	0	13	7	1	3	24
P052	32+0.237	1.3 S FAP RTE 83	FLATHEAO	1	22	49	1.347	24	24	RMS	4009	641	374	0	13	6	2	4	25
P024	12+0.237	11.3 E 8ONNER	MISSOULA	1	41	63	3.821	24	24	RMS	1927	298	148	2	15	6	2	0	25
P005	128+0.492	WHITEFISH	FLATHEAO	1	34	54	6.201	22	23	RMS	2995	419	322	0	10	4	1	10	25
P001	25+0.405	6.4 W LI8BY	LINCOLN	1	38	38	4.437	20	24	RMS	2649	344	240	0	12	3	1	9	25
P024	22+0.635	6.6 E POTOMAC	MISSOULA	1	41	59	4.022	25	28	RMS	1620	251	126	2	14	7	3	0	26
P005	168+0.284	FORTINE	LINCOLN	1	31	52	9.654	22	22	RMS	1511	211	140	0	13	5	1	7	26
P052	45+0.530	JCT FAS 206	FLATHEAO	1	40	64	4.262	30	30	RMS	4770	620	289	0	12	6	9	0	27
P052	7+0.124	7.1 N FAP 5	LAKE	1	47	50	3.214	24	24	RMS	1595	287	187	0	13	6	1	7	27
P005	159+0.617	STRYKER	LINCOLN	1	31	63	8.683	22	24	RMS	1211	169	126	0	13	4	1	10	28
P052	30+0.238	2.0 N FLATHEAO CO	FLATHEAO	1	56	56	1.975	24	28	RMS	3755	675	177	0	12	10	6	0	28
P001	142+0.567	1.0 W HUNGRY HORSE	FLATHEAO	1	31	34	10.727	20	24	RMS	2945	506	415	0	11	5	1	12	29
P001	138+0.465	JCT FAS 206	FLATHEAD	1	34	66	1.706	24	30	RMS	4251	731	289	0	12	8	9	0	29
P005	0+0.622	0.2 N FAI 90	MISSOULA	1	34	55	3.086	24	24	RMS	4908	677	248	3	18	7	2	0	30
P005	179+0.692	EUREKA	LINCOLN	1	43	57	1.370	22	24	RMS	2998	449	319	0	12	8	1	9	30
P006	105+0.123	1.4 W OIXON	SANOERS	1	22	34	1.062	22	24	RMS	1050	136	136	0	12	3	1	15	31
P024	0+1.845	8ONNER	MISSOULA	1	36	37	4.040	30	30	RMS	2651	408	299	3	13	4	1	10	31
P001	140+0.073	1.7 E FAP 38	FLATHEAO	1	29	65	2.443	24	24	RMS	3973	683	469	0	12	10	1	8	31
P007	44+0.578	2.0 S HAMILTON	RAVALLI	1	34	59	1.998	22	24	RMS	5745	689	697	0	10	4	3	15	32
P052	18+0.000	YELLOW 8AY	LAKE	1	37	61	5.585	24	24	RMS	1720	309	249	0	13	7	1	11	32
P082	5+0.451	1.4 W FAP 52	FLATHEAO	1	55	55	1.472	24	24	RMS	3073	553	174	3	13	10	7	0	33
P007	31+0.292	DAR8Y	RAVALLI	1	34	35	7.420	22	24	RMS	2431	291	253	0	12	6	2	13	33
P005	86+0.330	2.0 S ROLLINS	LAKE	1	33	65	6.417	24	24	RMS	1647	222	296	0	9	4	1	19	33
P006	115+0.193	LAKE CO	LAKE	1	34	52	.936	20	24	RMS	1370	178	168	0	11	8	1	14	34
P006	94+0.088	1.1 W PERMA	SANDERS	1	24	38	1.276	20	24	RMS	900	117	147	0	12	3	1	18	34
P001	106+0.450	12.9 W KALISPELL	FLATHEAO	1	49	58	6.886	22	27	RMS	2262	260	201	0	11	8	4	11	34
P006	103+0.023	7.4 E PERMA	SANOERS	1	22	57	1.701	20	24	RMS	1050	136	259	0	10	3	0	22	35
P006	72+0.578	3.1 W PLAINS	SANOERS	1	31	34	3.141	18	24	RMS	2664	346	343	0	12	6	2	15	35
P005	79+0.397	1.8 N JCT FAP 36	LAKE	1	32	52	6.932	22	24	RMS	1768	238	348	0	10	4	1	20	35
P001	89+0.548	9.2 E FLATHEAO CO	FLATHEAO	1	36	58	9.847	22	25	RMS	1238	160	190	0	12	6	1	17	36
P005	61+0.013	POLSON	LAKE	1	66	66	.587	40	40	PMS	4361	588	257	5	21	10	1	0	37
P052	33+0.928	JCT FAP RTE 82	FLATHEAO	1	22	49	7.644	24	24	RMS	1978	356	431	0	14	4	1	18	37
P052	41+0.541	CRESTON	FLATHEAD	1	22	49	3.975	24	24	RMS	2184	393	429	0	14	4	3	16	37
P033	0+0.658	LI8BY	LINCOLN	1	59	59	.558	26	37	BST	3821	573	352	5	15	10	1	6	37
P024	55+0.670	JCT FAP 41	POWELL	1	61	61	9.806	24	26	PMS	1335	206	147	3	14	10	2	9	38
P006	78+0.947	2.3 E JCT FAP 36	SANOERS	1	31	51	6.095	20	24	RMS	1587	206	336	0	10	5	2	21	38
P006	64+0.701	8.6 E FAS 556	SANOERS	1	39	39	3.997	26	26	BST	1701	221	294	0	12	6	2	19	39
P005	24+0.366	9.3 N LAKE CO	LAKE	1	55	60	3.147	32	32	PMS	4339	598	268	6	19	10	4	0	39
P005	15+0.054	LAKE CO	LAKE	1	40	40	3.437	24	30	RMS	4214	581	468	0	14	8	6	11	39
P006	108+0.148	DIXON	SANOERS	1	27	34	7.086	22	24	RMS	1278	166	406	0	10	4	1	24	39
P006	88+0.718	3.6 E JCT FAP 35	SANOERS	1	24	38	1.869	20	24	RMS	900	117	283	0	11	4	0	24	39
P083	14+0.735	SEELEY LAKE	MISSOULA	1	52	52	8.364	22	26	PMS	837	150	211	0	10	7	3	19	39
P001	16+0.932	JCT FAP 56	LINCOLN	1	34	38	4.574	20	24	RMS	2005	260	510	0	10	3	4	22	39
P001	103+0.175	3.8 E MARION	FLATHEAO	1	40	50	3.262	24	24	RMS	1950	224	208	0	13	8	5	14	40
P019	57+0.499	HALL FAS 512 & 513	GRANITE	1	25	52	5.079	20	22	RMS	654	98	507	0	9	3	1	27	40
P036	7+0.436	7.5 N FAP 6	SANOERS	1	34	47	6.403	20	24	BST	535	80	115	0	13	6	1	20	40

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS 8T	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY FNO	SRF	ORN	SAF	CAP	RATINGS- TOT
P007	26+0.490	JCT FAS 473	RAVALLI	1	36	59	4.000	22	26	RMS	2120	275	300	3	13	6	2	16	40
P006	99+0.246	3.6 E PERMA	SANDERS	1	24	38	2.956	20	25	RMS	1050	136	374	0	10	4	2	25	41
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	1	48	54	1.536	24	32	RMS	4768	657	136	4	20	7	10	0	41
P008	13+0.008	JCT FAP RTE 41	POWELL	1	33	66	10.200	22	24	PMS	1791	232	573	0	8	6	3	24	41
P006	85+0.033	JCT FAP 35	SANDERS	1	31	51	3.637	20	24	RMS	900	117	360	0	11	4	1	25	41
P019	48+0.325	MAXVILLE	GRANITE	1	31	52	9.137	20	24	RMS	535	80	732	0	8	3	2	28	41
P033	64+0.921	2.0 E FA 5	LINCOLN	1	40	79	1.975	24	26	RMS	948	142	235	0	11	8	1	21	41
P024	0+0.000	JCT FAI 90	MISSOULA	1	74	74	.975	44	44	PMS	6330	822	361	7	22	10	2	0	41
P052	23+0.600	4.7 S FLATHEAD CO	LAKE	1	36	60	2.661	24	25	RMS	2238	402	431	0	12	6	8	16	42
P001	71+0.596	8.7 W FLATHEAD CO	LINCOLN	1	37	62	6.645	24	24	RMS	1060	137	278	0	12	5	2	23	42
P001	153+0.269	JCT FAP 65	FLATHEAD	1	48	49	3.364	24	28	PMS	1177	178	129	6	18	7	2	9	42
P001	49+0.289	13.5 E FAS 482	LINCOLN	1	35	39	6.869	20	24	RMS	1060	137	300	0	12	4	4	23	43
P083	23+0.113	8.3 N SEELEY LAKE	MISSOULA	1	52	52	7.694	22	26	PMS	715	128	219	0	14	7	1	21	43
P065	0+0.000	JCT FAP 1 W GLAC	FLATHEAD	1	38	38	.305	40	40	RMS	1870	523	614	5	13	7	1	17	43
P007	13+0.545	0.8 N SULA	RAVALLI	1	36	39	3.392	24	24	BST	960	124	288	0	11	7	1	24	43
P007	49+0.364	1.0 N HAMILTON	RAVALLI	1	40	40	.177	28	28	RMS	6424	693	240	4	15	4	20	0	43
P036	0+0.000	JCT FAP RTE 6	SANDERS	1	44	47	3.661	20	28	BST	565	84	283	0	8	7	3	26	44
P001	21+0.505	4.6 E FAP 56	LINCOLN	1	37	70	3.927	24	26	RMS	2089	271	595	0	10	4	7	23	44
P083	30+0.815	15.9 N SEELEY LAKE	MISSOULA	1	59	59	11.071	24	24	PMS	640	115	248	0	12	6	3	23	44
P007	1+0.420	1.4 N FAP 46	RAVALLI	1	40	40	6.107	22	22	BST	747	97	390	0	12	5	1	26	44
P006	76+0.261	PLAINS	SANDERS	1	31	34	.380	18	24	RMS	3018	392	259	0	14	3	20	7	44
P007	23+0.549	2.9 S FAS 473	RAVALLI	1	36	36	2.932	22	25	RMS	1105	143	305	0	13	6	2	23	44
P006	47+0.218	2.6 E BELKNAP	SANDERS	1	61	64	2.474	32	32	PMS	1871	261	201	5	14	10	4	11	44
P007	16+0.756	4.2 N SULA	RAVALLI	1	37	39	3.539	24	24	BST	977	127	288	0	13	7	2	23	45
P006	51+0.570	THOMPSON FALLS	SANDERS	1	35	36	4.563	20	24	RMS	1999	259	387	0	8	6	11	20	45
P024	26+0.710	5.2 W FAP 83	MISSOULA	1	49	49	5.164	25	25	BST	1523	236	345	0	12	8	5	20	45
P019	27+0.690	GRANITE CO LINE	GRANITE	1	34	40	3.134	20	24	RMS	530	79	287	0	13	6	0	26	45
P024	4+0.910	4.1 E BONNER	MISSOULA	1	68	68	2.624	40	40	PMS	2301	356	448	2	11	10	4	18	45
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1	41	43	6.753	20	24	RMS	1060	137	369	0	12	7	2	24	45
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1	52	52	9.172	28	28	RMS	1169	151	237	0	12	7	7	20	46
P005	61+0.600	0.6 N POLSON	LAKE	1	54	54	2.852	24	32	PMS	3314	447	444	0	17	10	4	15	46
P036	13+0.871	13.9 N FAP 6	SANDERS	1	41	41	2.385	20	26	BST	515	77	267	0	10	6	4	26	46
P036	3+0.657	3.7 N FAP 6	SANDERS	1	41	47	3.802	20	25	BST	555	83	206	0	14	6	3	24	47
P001	44+0.296	8.5 E FAS 482	LINCOLN	1	36	39	5.006	20	24	RMS	1060	137	480	0	9	7	5	26	47
P005	93+0.536	FLATHEAD CO	FLATHEAD	1	64	83	5.181	32	32	PMS	2086	281	364	0	9	10	10	18	47
P006	56+0.095	JCT FAS 556	SANDERS	1	35	49	1.717	20	24	RMS	1516	197	315	0	10	5	11	21	47
P008	11+0.262	AVON	POWELL	1	33	66	1.742	22	24	RMS	1683	218	620	0	8	8	6	25	47
P083	0+0.000	JCT FAP 24	MISSOULA	1	52	52	14.761	24	24	RMS	1011	181	492	0	11	7	5	24	47
P083	82+0.636	JCT FAS RTE 209	FLATHEAD	1	59	59	3.735	24	24	PMS	1217	219	220	2	13	10	7	15	47
P036	31+0.649	FLATHEAD CO	FLATHEAD	1	40	51	4.443	20	26	RMS	613	91	515	0	11	6	4	27	48
P001	37+0.882	5.1 E LIBBY	LINCOLN	1	36	51	6.395	24	24	RMS	1769	229	649	0	10	7	6	25	48
P001	6+0.982	3.2 E FAS 508	LINCOLN	1	49	51	6.959	22	28	PMS	1418	184	497	0	11	8	5	24	48
P005	114+0.862	KALISPELL	FLATHEAD	1	57	60	5.610	36	36	PMS	6377	829	602	5	18	10	6	9	48
P007	82+0.745	LOLO	MISSOULA	1	68	68	.634	44	44	PMS	7561	816	464	8	25	10	1	4	48
P005	27+0.503	JCT FAP 6	LAKE	1	56	60	3.687	44	44	PMS	3840	529	544	3	15	10	5	15	48
P033	1+0.219	0.6 N LIBBY	LINCOLN	1	42	50	8.320	28	28	BST	1150	172	247	3	15	8	3	20	49
P001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1	49	51	4.352	22	28	PMS	1098	142	427	0	13	8	3	25	49
P001	56+0.167	20.4 E FAS 482	LINCOLN	1	38	50	8.685	20	26	RMS	1060	137	312	0	12	6	8	23	49
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1	37	62	2.143	24	24	RMS	1060	137	309	0	13	6	7	23	49
P001	99+0.410	MARION	FLATHEAD	1	47	61	3.779	24	30	RMS	1755	201	331	0	13	7	8	21	49
P005	57+0.826	1.1 S FAP 52	LAKE	1	58	58	1.188	32	32	PMS	5926	770	264	5	15	10	20	0	50
P041	0+0.000	JCT FAP 8	POWELL	1	61	61	6.348	28	28	PMS	360	57	660	0	7	10	4	29	50
P052	10+0.345	10.3 N FAP 5	LAKE	1	48	64	7.657	24	26	RMS	1439	259	495	0	14	8	6	22	50
P082	0+0.000	JCT FAP 5	FLATHEAD	1	52	71	5.474	24	24	PMS	3138	564	461	7	19	8	4	12	50
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1	65	65	.521	24	28	RMS	1151	174	301	5	15	10	0	21	51

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS 8T	YEARS 1M	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	OPN	SAF	CAP	TOT
P007	20+0.475	7.7 N SULA	RAVALLI	1	37	39	3.081	24	24	8ST	1026	133	249	0	16	7	6	22	51
P005	31+0.190	2.5 N JCT FAP 6	LAKE	1	56	83	1.427	32	32	RMS	3840	529	444	3	16	10	10	12	51
P005	56+0.943	2.0 S FAP 52	LAKE	1	73	73	.882	40	40	PMS	5918	769	616	5	17	10	9	11	52
P035	0+0.000	ST REGIS	MINERAL	1	60	60	3.381	24	24	PMS	806	120	299	3	15	7	3	24	52
P024	35+0.684	POWELL CO	POWELL	1	61	61	7.494	24	26	PMS	1361	210	264	4	15	10	5	18	52
P056	22+0.022	5.4 N LINCOLN CO	LINCOLN	1	60	60	5.854	24	24	PMS	735	117	280	4	15	7	2	24	52
P041	16+0.875	14.6 N FAP 8	POWELL	1	70	70	2.966	30	30	PMS	350	56	219	2	13	10	2	26	53
P041	6+0.348	6.3 N FAP 8	POWELL	1	62	62	5.406	28	28	PMS	350	56	660	0	7	10	7	29	53
P093	16+0.488	16.0 W FAP RTE 7	MISSOULA	1	64	78	4.609	30	30	PMS	1262	201	121	9	28	10	1	5	53
P083	54+0.540	6.8 N LAKE CO LINE	LAKE	1	55	55	10.638	24	24	PMS	615	110	248	2	13	7	8	23	53
P056	27+0.876	6.7 S FAP 1	LINCOLN	1	56	56	6.764	24	24	PMS	901	136	249	5	16	9	2	22	54
P056	16+0.540	SANDERS-LINCOLN CO	LINCOLN	1	63	63	5.482	28	28	PMS	602	96	212	5	16	8	2	23	54
P024	31+0.845	JCT FAP 83	MISSOULA	1	54	54	3.823	24	30	RMS	1260	195	550	0	12	10	7	25	54
P036	31+0.138	LAKE CO	LAKE	1	40	40	.511	20	25	8ST	595	89	308	0	11	7	10	26	54
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1	55	59	10.160	24	28	PMS	1573	220	483	2	12	10	7	23	54
P005	32+0.761	ST IGNATIUS	LAKE	1	69	83	.340	32	32	RMS	3902	538	222	8	30	10	7	0	55
P005	0+0.000	JCT FAI 90	MISSOULA	1	76	76	.622	64	64	PMS	5021	692	616	8	21	10	3	13	55
P006	12+0.353	1.0 E BULL RIVER	SANDERS	1	58	58	1.214	32	32	8ST	789	110	168	6	17	10	2	20	55
P005	67+0.425	6.4 N POLSON	LAKE	1	54	70	3.855	30	30	PMS	2007	270	259	4	18	9	10	14	55
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	1	52	64	3.629	24	28	RMS	720	100	249	4	14	9	4	24	55
P056	8+0.170	8.1 N FAP RTE 6	SANDERS	1	63	63	8.370	28	28	PMS	540	86	318	5	14	8	2	26	55
P056	0+0.000	JCT FAP RTE 6	SANDERS	1	57	57	8.170	24	24	PMS	574	91	280	4	16	8	2	25	55
P036	26+0.128	7.1 N FAP 77	SANDERS	1	40	40	4.999	20	25	8ST	590	88	536	0	7	7	14	28	56
P006	23+0.327	TUSCOR	SANDERS	1	59	64	6.097	32	32	PMS	1010	141	518	0	14	10	6	26	56
P007	43+0.629	2.6 S HAMILTON	RAVALLI	1	49	49	.900	28	28	RMS	3310	397	791	6	14	9	5	22	56
P005	145+0.620	OLNEY	FLATHEAD	1	55	60	11.263	26	26	PMS	1273	178	235	0	13	9	15	19	56
P006	57+0.808	1.7 E FAS 556	SANDERS	1	34	49	6.899	20	24	RMS	1597	207	364	0	13	5	17	21	56
P038	4+0.354	0.3 W FAP 1	FLATHEAD	1	39	53	.144	24	24	RMS	3533	529	759	0	8	8	20	20	56
P083	86+0.280	3.7 N FAS RTE 209	FLATHEAD	1	59	59	4.733	24	24	PMS	1847	332	396	5	16	10	9	17	57
P006	106+0.153	2.0 W DIXON	SANDERS	1	44	44	1.991	24	24	8ST	1050	136	479	0	10	8	13	26	57
P005	64+0.489	3.5 N POLSON	LAKE	1	54	54	2.938	24	32	PMS	2135	288	268	3	15	10	15	14	57
P006	10+0.404	JCT FAP 56	SANDERS	1	52	52	.970	24	28	RMS	798	111	187	5	15	10	6	21	57
P083	47+0.765	LAKE CO. LINE	LAKE	1	58	58	6.789	24	24	PMS	613	110	396	2	12	6	11	26	57
P070	0+0.200	1.0 W SUPERIOR	MINERAL	1	31	52	1.035	22	24	RMS	191	34	544	0	4	5	20	29	58
P070	1+0.506	SUPERIOR	MINERAL	1	31	52	.062	22	24	RMS	330	59	716	0	4	5	20	29	58
P005	104+0.255	JCT FAP 82	FLATHEAD	1	49	83	5.341	32	32	PMS	7925	871	383	5	30	10	13	0	58
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	1	64	76	9.496	36	36	PMS	4402	607	420	8	25	10	7	8	58
P006	14+0.720	3.4 E BULL RIVER	SANDERS	1	59	64	8.606	32	32	PMS	866	121	268	4	16	10	5	23	58
P006	104+0.678	4.5 W DIXON	SANDERS	1	69	69	.388	32	32	PMS	1050	136	240	6	19	10	1	22	58
P006	0+0.000	IDAHO LINE	SANDERS	1	52	65	2.260	24	28	RMS	720	100	280	6	16	8	3	25	58
P001	0+0.000	IDAHO LINE	LINCOLN	1	54	55	2.622	24	30	PMS	1080	140	289	3	14	9	9	23	58
P083	41+0.890	5.8 S LAKE CO LINE	MISSOULA	1	59	59	5.856	24	24	PMS	625	112	457	2	13	7	11	26	59
P077	0+0.000	JCT FAP RTE 36	SANDERS	1	41	41	1.746	20	26	8ST	930	186	749	0	10	6	17	26	59
P006	46+0.236	1.6 E BELKNAP	SANDERS	1	58	58	.985	32	32	8ST	1314	183	420	3	13	10	10	23	59
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	1	48	54	.787	24	28	PMS	3440	412	303	6	15	9	20	10	60
P005	47+0.372	RONAN	LAKE	1	70	70	6.021	40	40	PMS	6088	791	560	8	20	10	13	9	60
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1	57	59	2.834	26	26	PMS	1038	157	384	5	20	10	1	24	60
P001	184+0.254	12.6 W GLACIER CO	FLATHEAD	1	67	77	12.184	32	32	PMS	983	149	538	5	15	10	5	26	61
P083	65+0.165	17.7 N LAKE CO.	LAKE	1	58	79	12.634	24	24	PMS	691	124	165	8	27	6	1	19	61
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1	72	83	2.054	28	28	RMS	3953	545	372	10	30	10	3	8	61
P005	53+0.399	6.0 N RONAN	LAKE	1	58	58	3.432	32	32	PMS	5904	767	520	8	21	10	14	8	61
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	1	63	63	2.361	28	28	RMS	720	100	218	5	16	9	8	23	61
P005	37+0.397	5.0 N ST IGNATIUS	LAKE	1	72	72	3.743	32	32	RMS	3997	551	399	9	30	10	4	9	62
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1	57	59	1.514	26	26	PMS	1047	159	357	6	20	10	3	23	62
P024	43+0.145	7.5 E POWELL CO	POWELL	1	61	61	12.512	24	26	PMS	1488	230	294	4	15	10	15	18	62

FINANCIAL OISTRICT NUM8ER 1

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN OIST	YEARS 8T	YEARS IM	SECTION LENGTH	WIOTH SPF	WIOTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS- FNO	SRF	ORN	SAF	CAP	TOT
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1	75	75	4.368	44	44	PMS	3428	514	340	8	26	10	12	7	63
P008	3+0.919	3.8 E GARRISON	POWELL	1	57	64	7.362	32	32	PMS	1651	214	409	6	18	10	7	22	63
P007	7+0.530	7.4 N JCT FAP 46	RAVALLI	1	40	40	6.016	24	24	8ST	810	105	280	0	13	6	20	24	63
P005	156+0.922	LINCOLN CO	LINCOLN	1	55	60	2.697	26	26	PMS	1056	147	235	0	13	9	20	21	63
P001	157+0.164	3.7 E WEST GLACIER	FLATHEAO	1	48	49	2.350	24	28	PMS	1133	172	154	6	17	7	20	13	63
P041	27+0.495	JCT FAS 271	POWELL	1	57	72	5.017	24	24	PMS	420	67	249	5	17	10	6	26	64
P036	18+0.961	JCT FAP 77	SANOERS	1	63	63	7.161	28	28	PMS	617	92	592	3	12	10	11	28	64
P005	59+0.004	JCT FAP 52	LAKE	1	58	58	.331	40	40	PMS	7120	925	289	8	26	10	20	0	64
P005	18+0.483	3.4 N LAKE CO	LAKE	1	55	60	5.861	32	32	PMS	4340	598	481	5	18	10	20	11	64
P083	77+0.797	4.8 S FLATHEAO CO	LAKE	1	62	62	4.859	30	30	PMS	855	153	324	5	15	10	11	23	64
P093	6+0.837	6.8 E IOAHO LINE	MISSOULA	1	64	79	9.654	30	30	PMS	1044	167	211	8	27	10	2	18	65
P036	16+0.265	0.1 SW FAS 382	SANOERS	1	63	63	2.732	28	28	PMS	808	121	555	2	12	10	14	27	65
P024	0+0.975	MILLTOWN	MISSOULA	1	74	74	.870	44	44	PMS	4054	527	516	10	28	10	2	15	65
P005	125+0.804	1.1 S WHITEFISH	FLATHEAO	1	45	45	1.128	36	36	PMS	8595	859	963	4	14	10	20	17	65
P007	59+0.036	VICTOR	RAVALLI	1	56	61	7.721	32	32	PMS	3980	429	688	8	24	10	2	21	65
P005	71+0.313	6.2 S FAP 36	LAKE	1	62	62	6.212	32	32	PMS	1853	250	302	4	19	10	14	18	65
P006	11+0.402	8ULL RIVER	SANOERS	1	63	63	.956	28	28	RMS	794	111	249	6	17	10	10	23	66
P007	83+0.388	JCT FAP 93	MISSOULA	1	68	68	6.756	68	68	PMS	12585	1132	1312	8	24	10	7	17	66
P005	98+0.643	5.2 NLFLATHEAOOCO	FLATHEAO	1	63	83	5.548	32	32	PMS	3011	406	464	4	30	10	5	17	66
P001	197+0.193	0.6 W GLACIER CO	FLATHEAO	1	52	70	.348	26	26	PMS	980	148	168	5	14	10	20	17	66
P033	53+0.851	RESERV 8R APPR	LINCOLN	1	71	71	.676	34	34	PMS	400	60	114	8	25	10	1	22	66
P036	36+0.100	4.4 N FLATHEAO CO	FLATHEAO	1	37	61	4.101	24	26	RMS	638	95	889	0	11	7	20	28	66
P033	54+0.527	0.7 N RES 8R	LINCOLN	1	71	71	10.394	34	34	PMS	525	78	268	7	23	10	1	26	67
P006	13+0.530	2.2 E 8ULL RIVER	SANOERS	1	63	63	1.194	28	28	RMS	784	109	416	6	17	10	8	26	67
P005	180+0.908	JCT FAP 33	LINCOLN	1	50	50	6.546	24	24	RMS	570	85	292	0	12	9	20	26	67
P093	0+0.000	MONT-IOAHO LINE	MISSOULA	1	64	79	6.815	30	30	PMS	802	128	278	8	27	8	1	23	67
P001	177+0.633	19.1 W GLACIER CO	FLATHEAO	1	69	69	2.833	34	34	PMS	994	151	409	9	22	10	4	24	69
P019	38+0.582	.4 N PHILIPS8URG	GRANITE	1	60	60	9.701	32	32	PMS	608	91	426	3	13	10	16	27	69
P041	11+0.754	11.7 N FAP 8	POWELL	1	77	77	5.121	28	28	PMS	350	56	247	6	24	10	2	27	69
P019	63+0.222	0.6 S ORUMMONO	GRANITE	1	66	66	.449	32	32	PMS	687	103	688	8	22	10	1	28	69
P005	120+0.487	5.8 N KALISPELL	FLATHEAO	1	81	81	4.974	36	36	PMS	5502	715	688	6	30	10	9	14	69
P001	113+0.334	6.0 W KALISPELL	FLATHEAO	1	49	82	6.278	32	34	PMS	3614	415	412	8	26	10	10	15	69
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAO	1	57	59	5.217	26	26	PMS	1083	164	357	6	18	8	15	23	70
P035	7+0.680	MINERAL-SANOERS CO	SANOERS	1	65	69	3.803	30	30	PMS	600	90	324	7	24	10	3	26	70
P033	14+0.002	13.3 N LI88Y	LINCOLN	1	74	74	3.652	34	34	PMS	294	44	182	8	24	10	2	26	70
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1	72	83	.388	28	28	RMS	3934	542	207	10	30	10	20	0	70
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1	56	83	1.843	32	32	RMS	3918	540	444	7	30	10	12	12	71
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1880	253	518	6	20	10	12	23	71
P007	76+0.872	MISSOULA CO	MISSOULA	1	74	76	6.045	38	38	PMS	6496	701	688	8	25	10	13	15	71
P001	180+0.463	16.2 W GLACIER CO	FLATHEAO	1	81	81	3.634	34	34	PMS	988	150	220	10	30	10	1	20	71
P001	197+0.541	0.2 W GLACIER CO.	FLATHEAO	1	52	70	.275	26	26	PMS	980	148	440	6	30	10	0	25	71
P019	30+0.851	7.7 S PHILIPS8URG	GRANITE	1	57	76	7.703	32	32	PMS	604	90	461	7	23	10	4	27	71
P033	42+0.817	11.0 S RES 8R APPR	LINCOLN	1	74	74	11.169	34	34	PMS	213	31	159	8	25	10	1	27	71
P035	3+0.381	3.3 N ST REGIS	MINERAL	1	72	72	4.299	30	30	PMS	658	98	378	7	23	10	6	26	72
P041	19+0.841	7.6 S FAS 271	POWELL	1	65	79	7.654	30	30	PMS	350	56	256	6	25	10	4	27	72
P007	74+0.249	0.4 S FLORENCE	RAVALLI	1	74	76	.571	64	64	PMS	4933	532	1472	8	23	10	6	25	72
P088	0+0.000	W GARRISON INT I90	POWELL	1	79	79	.415	50	50	PMS	1499	194	380	10	30	10	0	22	72
P093	21+0.095	11.4 W FAP RTE 7	MISSOULA	1	64	78	11.465	30	30	PMS	1599	255	441	8	27	10	6	21	72
P046	0+0.000	JCT FAP RTE 7	RAVALLI	1	60	63	.105	28	28	PMS	240	43	498	9	25	10	0	29	73
P035	12+0.947	8.4 SW FAP 6	SANOERS	1	65	69	3.151	30	30	PMS	591	88	550	8	25	10	2	28	73
P019	62+0.597	1.0 S ORUMMONO	GRANITE	1	66	66	.628	40	40	PMS	682	102	516	9	25	10	2	27	73
P036	40+0.186	LAKE CO	LAKE	1	37	65	6.526	24	26	RMS	650	97	643	8	10	7	20	28	73
P033	17+0.654	LI88Y OAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	274	41	159	8	27	10	2	26	73
P033	9+0.560	8.9 N LI88Y	LINCOLN	1	67	67	4.431	34	34	PMS	524	78	520	8	25	10	3	28	74
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	243	36	182	8	27	10	2	27	74

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY FNO	SUFFICIENCY SRF	SUFFICIENCY ORN	SUFFICIENCY SAF	SUFFICIENCY CAP	RATINGS TOT
P005	41+0.154	5.4 S RONAN	LAKE	1	66	66	4.905	40	40	PMS	5327	735	555	10	30	10	14	10	74
P001	33+0.316	0.6 E LIBBY	LINCOLN	1	76	76	3.326	68	68	PMS	4676	607	1472	6	24	10	10	24	74
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	1012	153	378	6	19	10	16	24	75
P088	0+0.415	JCT FAP 8	POWELL	1	79	79	1.007	50	50	PMS	1100	143	535	10	28	10	1	26	75
P035	11+0.483	3.8 NE MINERAL CO	SANDERS	1	63	69	1.464	30	30	PMS	600	90	351	9	27	10	3	26	75
P006	8+0.252	8.2 E IDAHO LINE	SANDERS	1	63	63	2.158	28	28	RMS	720	100	280	6	16	10	20	25	77
P007	66+0.762	JCT FAS 269	RAVALLI	1	56	61	6.777	60	60	PMS	4670	504	1472	8	24	10	10	25	77
P001	169+0.063	15.8 E WEST GLAC	FLATHEAD	1	75	75	2.107	32	32	PMS	1029	156	378	7	22	10	14	24	77
P001	124+0.717	KALISPELL U L	FLATHEAD	1	80	80	9.205	88	88	PMS	5134	616	1840	7	24	10	12	25	78
P007	0+0.000	IDAHO LINE	RAVALLI	1	40	40	.105	22	22	BST	710	92	422	10	30	10	1	27	78
P005	125+0.446	JCT FAP 38	FLATHEAD	1	60	60	.358	36	36	PMS	8196	819	688	6	30	10	20	12	78
P005	92+0.740	4.9 N ROLLINS	LAKE	1	64	83	.749	32	32	PMS	1640	221	342	4	25	10	20	20	79
P006	90+0.589	4.6 W PERMA	SANDERS	1	69	69	3.542	32	32	PMS	900	117	350	7	17	10	20	25	79
P006	102+0.193	6.6 E PERMA	SANDERS	1	69	69	.754	32	32	PMS	1050	136	510	6	18	10	20	26	80
P007	74+0.820	FLORENCE	RAVALLI	1	74	76	2.051	38	38	PMS	5530	597	688	8	25	10	20	17	80
P001	29+0.863	2.0 W LIBBY	LINCOLN	1	71	76	2.036	68	68	PMS	5900	767	1800	8	24	10	14	24	80
P007	73+0.547	1.0 S FLORENCE	RAVALLI	1	74	76	.674	44	44	PMS	4825	521	688	8	24	10	20	19	81
P007	49+0.541	1.1 N HAMILTON	RAVALLI	1	53	53	9.486	24	32	RMS	4850	523	688	10	30	10	12	19	81
P008	27+0.319	0.3 W L & C CO	POWELL	1	77	83	.308	56	56	RMS	1940	252	768	10	30	10	6	25	81
P024	16+0.038	POTOMAC	MISSOULA	1	68	68	6.575	40	40	PMS	1734	268	392	9	30	10	12	20	81
P008	0+0.000	JCT FAI 90	POWELL	1	78	78	3.789	40	40	PMS	1613	209	504	8	27	10	13	24	82
P001	32+0.748	LIBBY	LINCOLN	1	71	76	.561	68	68	PMS	6790	753	1880	7	22	10	20	24	83
P001	37+0.373	4.5 E LIBBY	LINCOLN	1	76	76	.509	44	44	PMS	2695	350	516	8	25	10	20	20	83
P001	36+0.664	4.0 E LIBBY	LINCOLN	1	76	76	.709	62	62	PMS	2834	368	544	7	26	10	20	20	83
P007	0+0.105	JCT FAP 46	RAVALLI	1	40	40	1.323	22	22	BST	715	92	422	10	30	10	7	27	84
P006	95+0.631	PERMA	SANDERS	1	57	76	3.633	30	30	PMS	1037	134	318	7	25	8	20	24	84
P007	38+0.734	7.4 N DARBY	RAVALLI	1	81	81	4.969	38	38	PMS	2672	320	560	10	30	10	14	21	85
P008	25+0.582	1.9 W L & C CO	POWELL	1	73	73	1.668	56	56	PMS	1940	252	1920	7	24	10	17	28	86
P008	23+0.219	2.3 E ELLISTON	POWELL	1	73	73	2.363	56	56	PMS	1940	252	768	8	26	10	20	25	89
P035	16+0.098	5.3 SW FAP 6	SANDERS	1	68	69	5.348	30	30	PMS	584	87	324	9	26	10	18	26	89
P007	48+0.006	HAMILTON	RAVALLI	1	80	80	1.348	84	84	PMS	6788	733	1472	10	30	10	20	23	93
P006	29+0.459	TROUT CREEK	SANDERS	1			8.234	UNDER CONSTRUCTION											
P006	37+0.680	WHITE PINE	SANDERS	1			8.533	UNDER CONSTRUCTION											
P001	136+0.808	COLUMBIA FALLS	FLATHEAD	1			.374	UNDER CONSTRUCTION											
P001	133+0.915	JCT FAP 38	FLATHEAD	1			1.911	UNDER CONSTRUCTION											
P001	138+0.223	1.3 E COL FALLS	FLATHEAD	1			.242	UNDER CONSTRUCTION											
P001	137+0.485	0.6 E COL FALLS	FLATHEAD	1			.576	UNDER CONSTRUCTION											
P001	137+0.182	0.3 E CO. FALLS	FLATHEAD	1			.303	UNDER CONSTRUCTION											
		DISTRICT TOTAL					1087.199												

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction as of June 30, 1984

SUFFICIENCY RATING BY FINANCIAL DISTRICT 2

RURAL PRIMARY SYSTEM

FINANCIAL OISTRICT NUM8ER 2

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN YEARS OIST	8T	IM	SECTION LENGTH	WIOTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS- FND	SRF	ORN	SAF	CAP	TOT
P086	16+0.328	15.3 N BOZEMAN	GALLATIN	2	48	48	2.465	20	20	GRV	897	179	345	0	0	3	4	22	29
P086	18+0.793	12.7 S PARK CO	GALLATIN	2	45	45	12.699	20	20	GRV	210	42	131	0	0	2	5	25	32
P049	3+0.037	3.0 E FAI RTE 15	8EAVERHEAO	2	59	59	5.867	24	24	PMS	1410	183	218	0	12	8	1	17	38
P029	57+0.250	JCT FAP 55	MAOISON	2	36	63	1.155	22	24	RMS	310	55	126	0	11	4	0	23	38
P050	8+0.524	0.2 N FAP RTE 87	GALLATIN	2	62	72	1.955	32	32	PMS	1690	329	182	6	19	10	1	3	39
P029	75+0.032	SILVER 8OW CO LINE	SILVER BOW	2	34	62	2.823	24	30	RMS	582	104	199	0	12	7	0	22	41
P029	67+0.995	7.0 E JEFF CO LINE	JEFFERSON	2	51	51	.888	34	34	RMS	463	83	114	0	10	10	2	19	41
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	2	31	58	6.155	22	26	RMS	494	88	193	0	10	7	2	23	42
P029	49+0.919	6.6 N TWIN 8RIOGES	MAOISON	2	36	63	7.355	22	24	RMS	1126	202	428	0	12	6	1	23	42
P029	80+0.192	JCT FAS 375	SILVER 8OW	2	28	71	3.277	24	30	RMS	1170	210	259	2	14	8	1	18	43
P029	59+0.893	JEFFERSON CO LINE	JEFFERSON	2	36	36	5.790	22	24	RMS	312	56	449	0	9	5	1	28	43
P019	24+0.300	3.4 E GRANITE CO	OEER LOOGE	2	34	54	3.379	22	24	RMS	733	109	222	0	11	7	2	23	43
P014	13+0.545	11.2 E FAS 284	8ROAOWATER	2	51	51	9.901	20	26	RMS	521	67	198	0	11	5	2	25	43
P046	65+0.263	0.4 E WISE RIVER	8EAVERHEAO	2	61	61	8.231	26	28	PMS	386	69	249	0	11	6	1	26	44
P013	88+0.763	BROAOWATER CO LINE	8ROAOWATER	2	32	61	4.247	20	24	RMS	380	57	180	0	12	7	1	25	45
P013	94+0.645	1.1 E GALLATIN CO	GALLATIN	2	38	38	1.106	24	28	RMS	1440	216	432	2	11	8	1	23	45
P059	40+0.703	2.8 MEAGHER CO	MEAGHER	2	36	47	4.600	24	24	RMS	391	58	515	0	8	6	3	28	45
P029	43+0.258	TWIN BRIOGES	MAOISON	2	39	39	6.633	20	24	RMS	1143	205	390	0	13	5	6	22	46
P029	77+0.863	2.3 E FAS 375	SILVER 8OW	2	28	71	2.337	24	30	RMS	732	131	414	0	12	7	2	25	46
P029	58+0.396	SILVER 8OW CO LINE	SILVER 8OW	2	36	63	1.489	22	24	RMS	310	55	428	0	12	5	1	28	46
P014	6+0.412	4.0 E FAS 284	8ROADWATER	2	37	66	7.187	24	25	RMS	597	77	364	0	10	7	2	27	46
P014	68+0.503	8.7 W WHEATLAND CO	MEAGHER	2	36	63	4.875	22	24	RMS	320	41	364	0	9	7	2	28	46
P013	61+0.592	3.7 S NORRIS	MADISON	2	34	34	3.713	20	24	RMS	919	137	240	2	14	8	1	21	46
P013	35+0.970	S OF CAMERON	MAOISON	2	34	34	1.910	20	24	RMS	643	135	762	0	8	7	4	27	46
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	2	34	64	2.049	22	24	RMS	400	52	573	0	10	6	2	29	47
P059	49+0.499	JCT FAS RTE 294	MEAGHER	2	36	63	8.034	22	24	RMS	490	73	627	0	9	8	2	28	47
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	2	31	40	2.000	24	31	RMS	443	79	194	0	11	10	2	24	47
P069	10+0.026	3.9 N FAS RTE 359	JEFFERSON	2	64	64	3.662	28	28	PMS	767	115	193	0	14	10	3	21	48
P014	63+0.148	18.1 E FAP 60	MEAGHER	2	37	65	5.333	21	24	RMS	320	41	357	0	9	8	3	28	48
P013	65+0.316	JCT FAP 84	MAOISON	2	34	34	9.543	20	24	RMS	560	84	240	0	15	7	1	25	48
P014	23+0.519	MEAGHER CO	MEAGHER	2	55	55	9.978	24	27	PMS	590	76	237	2	12	9	1	25	49
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	2	34	52	.908	22	24	RMS	250	37	386	0	11	8	1	29	49
P019	10+0.110	ANACONDA	OEER LOOGE	2	51	59	6.813	24	28	PMS	2023	303	462	2	12	8	7	20	49
P029	25+0.175	1.9 N FAS RTE 357	MAOISON	2	40	40	7.929	20	24	RMS	891	160	364	0	10	8	8	23	49
P046	58+0.864	.8 E 8EAVERHEAO CO	8EAVERHEAO	2	61	61	6.050	26	28	PMS	368	66	248	0	12	8	3	26	49
P059	45+0.327	0.3 N RINGLING	MEAGHER	2	36	47	4.192	24	24	RMS	410	61	744	0	9	8	3	29	49
P069	13+0.688	7.5 N FAS RTE 359	JEFFERSON	2	61	61	8.498	26	26	PMS	711	106	184	3	15	9	1	21	49
P084	20+0.309	ANCENEY	GALLATIN	2	55	55	8.744	24	24	RMS	1130	192	313	4	16	8	1	21	50
P013	82+0.240	1.4 N GALLATIN CO	GALLATIN	2	50	50	.830	22	24	RMS	250	37	286	0	13	8	1	28	50
P013	49+0.247	ENNIS	MAOISON	2	34	34	7.247	20	24	RMS	1293	193	420	0	15	8	4	23	50
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	2	32	48	5.273	24	30	RMS	380	57	289	0	14	8	1	27	50
P013	56+0.524	MCALLISTER	MAOISON	2	36	57	5.182	22	24	RMS	920	138	448	2	15	7	1	25	50
P046	56+0.960	SILVER 8OW CO LINE	SILVER BOW	2	61	61	1.055	26	28	PMS	320	57	299	0	11	10	2	27	50
P029	19+0.905	5.3 N VIRGINIA CTY	MAOISON	2	42	42	5.254	20	24	RMS	762	137	655	0	10	8	5	27	50
P046	41+0.858	OEER LOOGE CO LINE	OEER LOOGE	2	61	61	9.356	26	28	PMS	260	46	354	1	11	9	2	28	51
P046	51+0.396	OEER LOOGE CO LINE	OEER LOOGE	2	61	61	5.577	26	28	PMS	285	51	413	0	11	10	2	28	51
P069	31+0.026	6.0 S 8OULOER	JEFFERSON	2	59	59	6.004	24	24	8ST	873	130	246	4	15	7	3	22	51
P013	47+0.144	9.3 N CAMERON	MAOISON	2	36	58	1.492	22	25	RMS	1649	346	601	0	14	9	7	21	51
P050	47+0.941	JCT FAP RTE 64	GALLATIN	2	55	55	12.950	28	28	PMS	1567	235	283	4	18	9	2	18	51
P028	0+0.000	SILVERGATE	PARK	2	36	72	8.703	22	22	8ST	300	60	253	4	16	6	0	26	52
P069	28+0.186	8.8 S 8OULOER	JEFFERSON	2	57	57	2.840	24	24	8ST	686	102	196	4	15	7	4	22	52
P069	0+0.673	WHITEHALL	JEFFERSON	2	33	55	2.318	32	32	RMS	1626	260	640	2	13	10	3	24	52
P085	0+0.000	JCT FAP 50 FAP 84	GALLATIN	2	53	53	6.708	24	24	RMS	2967	474	429	5	21	8	6	13	53
P013	37+0.869	CAMERON	MAOISON	2	34	34	9.243	20	24	RMS	903	189	450	0	14	R	7	24	53
P050	31+0.181	YELL PARK 8OY	GALLATIN	2	60	60	8.921	28	28	PMS	1911	372	364	5	18	10	5	15	53

FINANCIAL DISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT
P055	0+0.000	JCT FAP 29	MADISON	2 53 53	2.142	24	24	RMS	900	135	299	5	15	8	3	23	54
P084	11+0.483	MADISON-GALLATIN	GALLATIN	2 55 55	8.808	24	24	RMS	732	124	243	5	17	9	1	22	54
P029	5+0.698	5.5 W ENNIS	MADISON	2 51 51	5.030	28	32	RMS	607	109	193	4	15	8	6	22	55
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	2 51 59	2.255	32	32	PMS	1054	158	461	0	14	8	9	25	56
P050	60+0.889	12.9 N FAP RTE 64	GALLATIN	2 67 67	9.312	28	28	PMS	1617	242	206	7	26	10	1	12	56
P055	2+0.411	STL BDW-JEFFERSON	JEFFERSON	2 53 53	9.717	24	24	RMS	1334	200	248	5	16	8	9	18	56
P060	25+0.339	3.3 S CASCADE CO	MEAGHER	2 59 63	3.335	26	26	PMS	363	54	488	3	15	10	1	28	57
P087	6+0.719	MADISON-GALLATIN	GALLATIN	2 67 67	3.316	30	30	PMS	380	83	235	4	17	10	1	25	57
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	2 49 49	5.991	20	26	RMS	1164	151	504	0	11	8	12	26	57
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	2 51 59	5.072	24	28	PMS	1217	182	528	0	11	10	11	25	57
P046	26+0.350	WILSDM	BEAVERHEAD	2 65 65	5.256	28	28	PMS	264	47	518	3	12	10	4	29	58
P050	40+0.132	8.9 N PARK BDY	GALLATIN	2 60 60	7.823	28	28	PMS	2175	424	364	5	18	10	12	13	58
P050	81+0.910	JCT FAP 84 85	GALLATIN	2 60 60	5.208	36	36	PMS	6930	831	520	8	26	10	9	6	59
P086	9+0.582	8.6 N BOZEMAN	GALLATIN	2 73 73	6.746	31	31	PMS	1120	224	414	2	18	10	7	22	59
P013	93+0.363	JCT FAP 8	BROADWATER	2 68 68	.330	40	40	RMS	660	99	213	6	20	10	0	23	59
P011	40+0.712	9.1 S FAS 540	PARK	2 65 65	9.177	32	32	PMS	2075	385	600	6	17	10	6	20	59
P084	0+0.000	JCT FAP 13	MADISON	2 53 53	6.427	24	24	RMS	536	91	374	5	18	9	1	26	59
P084	6+0.425	6.4 E JCT FAP 13	MADISON	2 52 52	5.052	24	24	RMS	601	102	348	5	18	10	1	26	60
P086	3+0.822	2.8 N BOZEMAN	GALLATIN	2 61 61	5.760	30	30	PMS	1541	308	738	6	19	10	1	24	60
P069	2+0.991	2.3 E WHITEHALL	JEFFERSON	2 68 68	2.055	30	30	PMS	1336	207	366	4	22	10	2	22	60
P029	34+0.189	SHERIDAN	MADISON	2 39 39	8.029	22	24	RMS	913	164	762	0	14	8	11	27	60
P014	55+0.917	10.8 E FAP 60	MEAGHER	2 56 58	7.271	28	28	PMS	336	43	248	3	15	10	5	27	60
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	2 61 61	5.777	34	34	PMS	1699	365	640	3	13	10	13	21	60
P013	96+0.554	THREE FORKS	GALLATIN	2 50 55	.555	32	32	RMS	1460	219	752	2	14	8	11	26	61
P059	2+0.267	1.8 N FAI 90	PARK	2 41 41	2.293	20	24	RMS	1192	178	390	3	15	9	11	23	61
P060	9+0.718	9.5 N FAP 14	MEAGHER	2 59 63	7.386	26	26	PMS	391	58	330	5	17	10	3	27	62
P087	10+0.026	3.3 E MADISON CO	GALLATIN	2 67 67	10.223	30	30	PMS	400	88	372	4	16	10	6	26	62
P055	2+0.123	MADISON-SILVER BOW	SILVER BOW	2 53 53	.288	24	24	RMS	900	135	368	7	20	8	3	24	62
P012	0+0.000	IDAHO LINE	GALLATIN	2 61 61	2.272	34	34	PMS	1650	354	322	7	23	10	8	14	62
P014	33+0.493	JCT FAP 59	MEAGHER	2 33 66	8.182	21	24	RMS	1015	131	584	0	8	8	20	27	63
P011	10+0.864	10.7 N GARDINER	PARK	2 69 69	5.766	32	32	BST	1002	186	441	6	21	10	2	24	63
P011	0+0.000	YELL PARK BDRY	PARK	2 75 75	1.016	48	48	PMS	2879	535	664	7	27	10	1	18	63
P008	98+0.994	0.8 E JCT FAS 437	BROADWATER	2 52 52	8.944	24	28	RMS	1579	252	354	2	12	10	20	19	63
P064	0+0.000	JCT FAP RTE 50	GALLATIN	2 72 77	3.000	30	30	PMS	944	236	331	7	25	10	2	19	63
P050	16+0.625	8.3 N FAP RTE 87	GALLATIN	2 63 63	14.593	32	32	PMS	1741	339	518	4	16	10	13	20	63
P049	0+0.244	OILLON	BEAVERHEAD	2 46 62	2.421	24	26	RMS	1812	235	420	2	13	7	20	22	64
P046	64+0.920	WISE RIVER	BEAVERHEAD	2 70 70	.398	44	44	PMS	376	67	415	8	17	10	1	28	64
P046	31+0.616	5.3 E WILSDM	BEAVERHEAD	2 65 65	5.283	26	26	PMS	260	43	560	3	12	10	10	29	64
P060	0+0.000	JCT FAP RTE 14	MEAGHER	2 55 69	9.550	28	28	PMS	427	64	413	6	16	10	4	28	64
P087	20+0.240	2.1 W JCT FAP 50	GALLATIN	2 67 67	2.194	30	30	PMS	583	128	581	6	18	10	4	27	65
P059	37+1.030	MEAGHER CO	MEAGHER	2 42 52	2.756	24	24	RMS	375	56	774	0	8	8	20	29	65
P050	76+0.436	5.4 S FAP 84 85	GALLATIN	2 64 64	5.455	32	32	PMS	4019	602	600	7	24	10	10	15	66
P014	73+0.390	3.8 W WHEATLAND CO	MEAGHER	2 36 63	1.779	22	24	RMS	320	41	646	0	10	7	20	29	66
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	2 60 63	9.393	28	28	PMS	242	43	354	6	16	10	7	28	67
P087	1+0.460	1.3 E FAP 13	MADISON	2 72 72	1.586	30	30	PMS	380	83	372	6	23	10	1	27	67
P069	5+0.046	4.3 E WHITEHALL	JEFFERSON	2 68 68	1.060	30	30	PMS	1129	170	546	0	14	8	20	25	67
P050	7+0.330	7.2 N WEST YELL	GALLATIN	2 64 64	1.047	34	34	PMS	1530	298	592	3	12	10	20	22	67
P050	10+0.485	2.4 N FAP RTE 87	GALLATIN	2 63 63	6.020	32	32	PMS	1700	331	420	5	14	10	20	18	67
P050	70+0.197	11.7 S FAP 84 85	GALLATIN	2 58 60	6.250	32	32	PMS	2704	405	600	7	23	10	8	20	68
P008	65+0.437	0.7 S WINSTON	BROADWATER	2 56 65	11.540	32	32	PMS	2708	365	600	6	21	10	10	21	68
P069	6+0.106	JCT FAS RTE 359	JEFFERSON	2 70 70	3.920	32	32	PMS	802	120	325	0	14	10	20	24	68
P086	0+0.962	BOZEMAN	GALLATIN	2 58 58	2.860	25	25	PMS	2682	536	661	10	30	9	2	18	69
P086	31+0.492	GALLATIN-PARK CO	PARK	2 63 63	6.738	28	28	PMS	200	40	345	5	16	10	10	28	69
P087	3+0.037	6.7 E FAP 13	MADISON	2 63 63	3.728	30	30	PMS	380	83	408	5	22	10	5	27	69
P011	49+0.902	JCT FAS 540	PARK	2 61 61	1.890	32	32	PMS	3420	410	645	7	23	10	9	20	69

FINANCIAL OISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN OIST	YEARS 8T	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	FNO	SRF	ORN	SAF	CAP	TOT
P011	55+0.874	LIVINGSTON	PARK	2	34	34	2.078	20	24	PMS	2051	266	654	6	28	9	3	24	70
P014	45+0.138	JCT FAP RTE 60	MEAGHER	2	65	65	3.943	40	40	PMS	417	54	350	5	16	10	11	28	70
P069	22+0.186	14.8 S 8OULDER	JEFFERSON	2	57	71	6.000	24	24	PMS	645	96	371	7	22	10	5	26	70
P047	5+0.988	JCT FORMER US 10	OEER LODGE	2	31	42	.802	24	30	RMS	1179	153	298	5	15	8	20	22	70
P046	16+0.966	9.2 W WISOOM	8EAVERHEAO	2	62	62	9.226	30	30	PMS	311	55	546	5	16	10	12	28	71
P046	36+0.881	4.9 W DEER LOGE CO	8EAVERHEAO	2	65	65	4.966	26	26	PMS	260	46	357	2	11	10	20	28	71
P046	73+0.646	8.3 E WISE RIVER	8EAVERHEAO	2	68	68	1.323	34	34	PMS	398	71	336	5	20	10	9	27	71
P008	87+0.738	TOSTON APPR RO	8RDAOWATER	2	50	51	11.260	24	26	RMS	1583	213	455	4	14	10	20	23	71
P013	93+0.693	GALLATIN CO LINE	GALLATIN	2	49	49	1.107	28	28	RMS	920	138	640	2	13	10	20	27	72
P049	0+0.000	OILLON	8EAVERHEAO	2	46	74	.102	40	40	RMS	2470	321	896	4	17	6	20	25	72
P046	75+0.066	SILVER 8OW CO LINE	SILVER 8OW	2	68	68	1.422	34	34	PMS	435	78	350	8	25	10	2	27	72
P046	58+0.032	8EAVERHEAD CO LINE	8EAVERHEAO	2	61	61	.832	30	33	PMS	360	64	400	3	12	10	20	28	73
P011	19+0.339	0.4 S FAS 540	PARK	2	61	61	11.618	32	32	PMS	961	178	600	8	23	10	6	26	73
P014	42+0.708	WHITE SULPHUR	MEAGHER	2	65	65	2.417	40	40	PMS	914	118	487	6	19	10	12	26	73
P050	0+0.554	WEST YELLOWSTONE	GALLATIN	2	68	68	7.129	40	40	PMS	1615	314	518	6	17	10	20	21	74
P059	0+0.000	JCT FAI RTE 90	PARK	2	55	55	1.755	24	36	RMS	1232	184	481	5	15	10	20	24	74
P046	1+0.166	IDAHO LINE	8EAVERHEAO	2	60	63	2.945	28	28	PMS	240	43	387	5	17	10	15	28	75
P008	57+0.136	1.1 E 8ROADWATER	8ROAOWATER	2	72	72	8.302	34	34	PMS	2536	342	409	7	23	10	18	17	75
P046	76+0.492	0.6 W DIVIOE	SILVER 8OW	2	34	76	.490	32	32	PMS	483	86	542	4	14	10	20	28	76
P069	38+0.095	8OULDER	JEFFERSON	2	73	73	.303	40	40	PMS	1840	294	560	9	29	10	6	22	76
P064	3+0.000	3.0 W FAP RTE 50	GALLATIN	2	73	73	4.180	24	24	GRV	760	190	633	10	30	10	1	25	76
P064	7+0.180	MAOISON CO LINE	MAOISON	2	73	73	2.450	24	24	GRV	760	190	633	10	30	10	1	25	76
P029	0+0.244	ENNIS LIMITS	MAOISON	2	50	82	5.436	24	24	PMS	683	122	338	10	30	9	2	25	76
P008	78+0.114	TOWNSEND	8ROAOWATER	2	39	78	9.674	30	32	PMS	1925	259	600	7	24	10	11	24	76
P013	0+0.000	IDAHO LINE	MADISON	2	62	76	8.564	34	34	8ST	200	42	426	7	23	10	7	29	76
P014	2+0.399	JCT FAS RTE 284	8ROAOWATER	2	64	64	4.000	32	32	PMS	717	93	375	7	17	10	16	26	76
P008	107+0.894	JCT FAI 90	8RDAOWATER	2	52	52	.961	24	28	RMS	770	123	444	6	16	10	19	26	77
P014	0+0.886	TOWNSENO	8ROAOWATER	2	64	64	1.514	32	32	PMS	1819	236	560	8	20	10	15	24	77
P059	4+0.559	4.1 N FAI 90	PARK	2	41	41	9.613	20	24	RMS	1076	161	364	10	30	10	4	23	77
P013	16+0.388	7.7 N FAP 87	MAOISON	2	69	69	4.975	40	40	PMS	422	88	461	5	16	10	20	27	78
P019	5+0.559	JCT FAP RTE 47	OEER LOOGE	2	61	61	1.543	76	76	PMS	5850	819	1536	8	24	10	15	22	79
P012	8+0.047	0.6 W WEST YELL	GALLATIN	2	30	78	.571	30	30	PMS	1852	398	873	8	25	3	20	23	79
P013	74+0.873	0.5 S HARRISON	MAOISON	2	76	76	5.908	32	32	PMS	379	56	602	7	25	10	8	29	79
P059	24+0.884	JCT FAP RTE 86	PARK	2	73	73	4.765	32	32	PMS	419	62	592	4	17	10	20	28	79
P008	54+0.482	JEFFERSDN CO	JEFFERSON	2	69	69	1.515	40	40	PMS	3101	418	520	8	24	10	20	18	80
P049	16+0.192	2.5 E MADISON CO	MAOISON	2	53	79	10.659	26	26	PMS	1097	142	490	7	27	10	10	26	80
P055	12+0.988	WHITEHALL	JEFFERSON	2	66	66	.090	32	32	PMS	1985	297	368	8	25	10	20	18	81
P060	17+0.022	11.6 S CASCAOE CO	MEAGHER	2	59	63	8.316	26	26	PMS	374	56	330	6	18	10	20	27	81
P019	0+0.000	JCT FAI RTE 90	OEER LOOGE	2	64	64	2.889	76	76	PMS	1970	275	1520	8	24	10	12	27	81
P013	8+0.630	JCT FAP 87	MAOISON	2	66	66	7.813	40	40	PMS	408	85	497	5	19	10	20	27	81
P011	1+0.365	1.3 N GAROINER	PARK	2	71	71	4.308	34	34	PMS	1382	257	448	7	23	10	20	21	81
P011	30+0.977	JCT COUNTY ROAO	PARK	2	61	61	9.708	32	32	PMS	1490	277	600	7	23	10	18	23	81
P050	8+0.373	JCT FAP RTE 87	GALLATIN	2	64	64	.151	52	52	PMS	1690	329	592	8	23	10	20	22	83
P059	20+0.488	5.1 N CLYDE PARK	PARK	2	73	73	4.228	32	32	PMS	727	109	555	6	21	10	20	27	84
P013	21+0.332	9.3 S FAS 357	MAOISON	2	71	71	2.992	40	40	PMS	432	90	383	7	21	10	20	26	84
P019	2+0.896	OPPORTUNITY	OEER LOOGE	2	61	61	2.670	76	76	PMS	3010	421	1520	7	23	10	18	26	84
P008	55+0.996	8ROADWATER CO	8ROAOWATER	2	69	69	1.139	40	40	PMS	2717	366	640	8	25	10	20	21	84
P011	16+0.633	3.1 S FAS 540	PARK	2	61	61	2.712	32	32	PMS	1000	186	600	8	23	10	18	25	84
P046	4+0.107	2.9 E IDAHO LINE	8EAVERHEAO	2	60	63	3.674	28	28	PMS	240	43	472	5	20	10	20	29	84
P046	51+0.307	8EAVERHEAO CO LINE	8EAVERHEAO	2	61	61	.089	26	28	PMS	260	46	472	7	18	10	20	29	84
P097	0+0.000	JCT FAP 13	MADISON	2	63	63	1.393	30	30	PMS	380	83	289	6	23	10	20	26	85
P011	5+0.566	5.0 N GARDINER	PARK	2	69	69	5.149	34	34	PMS	1006	187	441	8	23	10	20	24	85
P011	1+0.019	GAROINER ND	PARK	2	75	75	.346	34	34	PMS	2257	419	611	8	27	10	20	20	85
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	2	64	69	.217	32	32	PMS	1460	219	406	8	26	10	20	22	86
P008	108+0.854	1.0 S FAI 90	8ROAOWATER	2	68	68	.321	44	44	RMS	770	123	288	8	24	10	20	24	86

FINANCIAL DISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY FNO	SUFFICIENCY SRF	SUFFICIENCY ORN	SUFFICIENCY SAF	RATINGS- CAP	RATINGS- TOT
P029	14+0.828	VIRGINIA CITY	MADISON	2	45	82	5.116	24	24	PMS	810	145	416	6	30	10	17	25	88
P059	14+0.280	0.6 S CLYDE PARK	PARK	2	80	80	.625	40	40	PMS	976	146	592	10	30	10	13	26	89
P059	29+0.649	8.3 S MEAGHER CO	PARK	2	73	73	8.379	32	32	PMS	389	58	555	8	24	10	20	28	90
P013	93+0.067	0.3 W FAP 8	BROADWATER	2	68	68	.296	40	40	RMS	380	57	258	9	26	10	20	27	92
P014	48+0.995	3.9 E FAP 60	MEAGHER	2	76	76	6.934	36	36	PMS	381	49	350	8	26	10	20	28	92
P013	80+0.773	GALLATIN CO LINE	GALLATIN	2	76	76	1.444	32	32	PMS	250	37	461	7	27	10	20	29	93
P029	10+0.756	2.3 E VIRGINIA CTY	MADISON	2	56	82	2.337	26	26	PMS	556	100	240	9	30	10	20	24	93
P059	15+0.393	CLYDE PARK	PARK	2	80	80	5.052	40	40	PMS	733	109	555	10	30	10	17	27	94
P046	77+0.114	DIVIDE EAST	SILVER BOW	2	76	76	.784	34	34	PMS	544	97	249	10	30	10	20	24	94
P047	6+0.790	WARM SPRINGS	DEER LODGE	2	78	78	.063	48	48	PMS	530	68	258	10	30	10	20	26	96
P059	15+0.307	CLYDE PARK	PARK	2	80	80	.062	40	40	PMS	720	108	828	10	30	10	20	28	98
P049	8+0.886	4.8 W MAD CO LN	BEAVERHEAD	2			4.811	UNDER CONSTRUCTION											
P049	13+0.697	MADISON CO LINE	MADISON	2			2.491	UNDER CONSTRUCTION											
P013	24+0.369	13.3 S CAMERON	MADISON	2			2.648	UNDER CONSTRUCTION											
P013	27+0.156	10.8 S CAMERON	MADISON	2			8.814	UNDER CONSTRUCTION											
		DISTRICT TOTAL					835.407												



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction as of June 30, 1984

SUFFICIENCY RATING BY FINANCIAL DISTRICT 3

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	SUF ROY	TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS- FNO	SRF	ORN	SAF	CAP	TOT
P001	220+0.489	1.3 W BROWNING	GLACIER	3 45 45	1.390	24	24	RMS	1775	301	208	0	11	7	2	8	28
P001	218+0.818	2.9 W BROWNING	GLACIER	3 39 63	1.575	26	30	RMS	1541	234	183	0	11	7	1	11	30
P001	221+1.600	BROWNING	GLACIER	3 32 70	2.814	22	24	RMS	4041	686	477	3	13	9	1	8	34
P060	87+0.349	FAS RTES 227 & 228	CASCADE	3 39 71	.996	32	32	RMS	4491	583	226	4	18	10	2	0	34
P058	17+0.315	5.2 N KIOWA JCT	GLACIER	3 28 40	8.213	20	24	RMS	664	146	302	0	9	4	0	23	36
P060	81+0.469	7.0 N FAS 331	CASCADE	3 42 52	5.894	26	31	RMS	2717	353	291	0	12	10	3	12	37
P058	12+0.053	KIOWA JCT	GLACIER	3 28 40	5.269	20	24	RMS	639	140	302	0	10	4	0	23	37
P008	34+0.396	5.4 W HELENA	LEWIS AND CLARK	3 33 33	5.434	20	24	RMS	2916	379	492	0	8	8	3	18	37
P003	68+0.264	PONDERA CO	PONDERA	3 32 32	6.905	20	24	BST	330	67	311	0	6	4	1	27	38
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	3 48 63	3.400	25	25	RMS	1185	183	196	0	11	8	4	16	39
P044	21+0.954	7.6 E VALIER	PONDERA	3 48 48	5.911	20	20	RMS	676	108	163	0	12	6	1	20	39
P080	4+0.000	1.6 S FT BENTON	CHOUTEAU	3 56 56	1.116	25	25	BST	685	109	229	0	11	4	2	23	40
P003	75+0.208	DUPUYER	PONDERA	3 28 52	8.382	22	24	RMS	537	110	548	0	8	4	1	27	40
P003	59+0.625	4.6 N BYNUM	TETON	3 32 53	8.589	20	24	RMS	337	69	196	0	8	6	1	25	40
P024	109+0.051	JCT FAP RTE 9	LEWIS AND CLARK	3 52 52	7.790	24	26	RMS	995	154	237	0	11	8	2	20	41
P067	0+0.750	SHELBY LIMITS	TOOLE	3 28 52	1.005	20	24	RMS	1320	198	380	0	11	7	1	22	41
P060	71+0.018	JCT FAP RTE 57	CASCADE	3 55 55	3.606	40	40	RMS	2090	271	302	0	12	10	3	17	42
P058	3+0.397	3.5 W BROWNING	GLACIER	3 35 51	6.369	22	24	RMS	862	189	452	0	8	8	2	24	42
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	3 25 63	2.119	24	24	RMS	1540	215	772	0	10	5	1	26	42
P001	210+0.124	0.9 E EAST GLAC	GLACIER	3 43 62	1.211	26	30	RMS	1289	195	292	0	12	9	1	20	42
P003	41+0.952	CHOTEAU	TETON	3 21 61	12.944	20	22	RMS	645	132	322	0	12	5	1	24	42
P001	435+0.143	5.8 E FAP 66	BLAINE	3 35 71	4.686	24	31	PMS	1278	166	374	0	14	4	1	23	42
P024	116+0.032	CASCADE CO	CASCADE	3 52 52	10.632	24	26	RMS	1030	159	237	0	12	7	3	20	42
P024	91+0.218	8.2 E FAS 279	LEWIS AND CLARK	3 48 63	5.818	25	25	RMS	1176	182	240	0	14	8	2	19	43
P058	9+0.785	9.9 W BROWNING	GLACIER	3 29 35	2.247	20	24	PMS	535	117	556	0	7	8	1	27	43
P010	52+0.380	LOMA	CHOUTEAU	3 34 55	2.762	22	24	RMS	1125	146	380	0	8	8	3	24	43
P010	51+0.544	0.6 S LOMA	CHOUTEAU	3 36 36	.677	24	24	RMS	1147	149	335	0	11	8	1	23	43
P001	240+0.263	4.8 E FAS 444	GLACIER	3 27 60	6.784	24	24	RMS	1307	182	838	0	10	4	3	27	44
P009	43+0.146	TETON CO	TETON	3 35 35	2.847	20	24	RMS	499	89	237	0	11	8	1	24	44
P009	38+0.547	AUGUSTA FAS 434	LEWIS AND CLARK	3 35 35	4.582	20	24	RMS	644	115	364	0	11	7	2	25	45
P068	0+0.000	JCT I 15	CASCADE	3 33 53	.174	24	28	RMS	540	81	368	0	10	8	0	27	45
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	3 25 61	7.073	24	24	RMS	1327	185	805	0	9	7	3	27	46
P003	54+0.948	BYNUM	TETON	3 32 53	4.648	20	24	RMS	386	79	299	0	12	6	2	26	46
P009	20+0.875	0.8 N FAP 24	LEWIS AND CLARK	3 32 65	8.469	20	24	RMS	534	96	470	0	10	7	2	27	46
P044	14+0.299	VALIER	PONDERA	3 48 48	7.655	20	20	RMS	745	119	585	0	8	6	5	27	46
P010	55+0.129	2.8 N LOMA	CHOUTEAU	3 34 55	8.768	22	24	RMS	1094	142	702	0	8	8	4	27	47
P001	429+0.077	0.6 E FAP 66	BLAINE	3 36 62	5.241	28	30	RMS	1346	174	421	0	11	10	2	24	47
P001	224+0.000	JCT FAP RTE 3	GLACIER	3 35 61	4.927	22	24	RMS	1540	215	642	0	12	8	3	25	48
P044	2+0.760	2.8 E JCT FAP 3	PONDERA	3 54 54	10.425	24	24	RMS	447	71	530	0	12	7	1	28	48
P010	63+0.940	11.6 N LOMA	CHOUTEAU	3 34 55	8.465	22	24	RMS	1055	137	360	0	14	8	2	24	48
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	3 32 65	9.092	20	24	RMS	525	94	448	0	12	7	2	27	48
P021	0+0.825	3.0 S CONRAD	PONDERA	3 34 64	2.792	24	26	RMS	1002	130	561	0	10	8	3	27	48
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	3 34 55	6.870	22	24	RMS	1049	136	702	0	8	8	6	27	49
P003	8+0.408	JCT FAP 24	CASCADE	3 36 61	6.993	24	31	RMS	1138	147	427	0	11	8	5	25	49
P024	83+0.155	0.2 E JCT FAS 279	LEWIS AND CLARK	3 57 64	2.969	28	30	PMS	1160	179	264	4	13	10	3	20	50
P010	80+0.000	BIG SANDY	CHOUTEAU	3 33 63	4.793	24	26	RMS	1154	150	889	0	7	7	9	27	50
P057	0+0.000	JCT FAP RTE 60	CASCADE	3 60 60	5.417	32	32	PMS	1615	193	336	3	15	10	1	21	50
P003	0+0.000	I 15 VAUGHN	CASCADE	3 55 71	1.402	28	32	RMS	3832	498	168	6	30	10	5	0	51
P024	86+0.130	3.1 E FAS 279	LEWIS AND CLARK	3 57 64	5.093	28	30	PMS	1165	180	211	6	18	10	1	17	52
P024	65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	3 60 60	6.787	24	24	PMS	1479	229	299	4	16	10	3	19	52
P009	46+0.001	JCT FAS 408	TETON	3 35 35	7.848	20	24	RMS	352	63	286	0	16	8	1	27	52
P009	53+0.840	7.8 N FAS 408	TETON	3 36 36	6.133	22	25	RMS	386	69	253	2	15	8	1	26	52
P080	0+0.000	JCT FAP 10	CHOUTEAU	3 53 53	1.596	24	24	RMS	650	104	172	5	14	10	2	21	52
P060	53+0.694	4.2 N MONARCH	CASCADE	3 40 40	6.667	26	26	BST	551	82	448	0	12	9	4	27	52
P060	88+0.360	2.0 E GREAT FALLS	CASCADE	3 39 71	2.019	32	32	RMS	4497	584	302	4	18	10	20	1	53

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT
P001	372+0.142	8.6 E KREMLIN	HILL	3 60 60	7.002	32	32	PMS	1464	199	645	0	14	10	4	25	53
P001	308+0.048	1.0 E LIBERTY CO	LIBERTY	3 47 60	7.280	26	26	RMS	724	98	456	2	13	10	2	27	54
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	3 57 62	7.266	32	32	PMS	784	106	602	0	11	10	6	27	54
P001	254+0.122	0.6 W OF CUT BANK	GLACIER	3 55 55	.402	42	42	PMS	2990	418	817	4	17	10	1	22	54
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	3 35 71	6.447	24	24	RMS	1170	152	462	0	11	6	12	25	54
P001	354+0.598	1.0 E GILOFORO	HILL	3 36 59	8.956	26	31	RMS	1187	161	498	4	15	10	1	25	55
P024	133+0.232	5.7 E SIMMS	CASCADE	3 64 64	5.275	32	32	PMS	2009	311	390	3	17	10	7	18	55
P060	38+0.998	NEIHART	CASCADE	3 52 52	10.527	22	26	PMS	508	76	355	4	13	8	3	27	55
P060	74+0.514	JCT FAS RTE 331	CASCADE	3 52 55	6.955	24	32	PMS	2712	352	336	0	11	10	20	14	55
P080	2+0.366	FORT BENTON	CHOUTEAU	3 62 62	1.631	30	30	RMS	759	121	294	4	16	10	2	24	56
P058	39+0.819	BA88	GLACIER	3 56 56	3.787	24	28	RMS	737	162	462	3	16	9	3	25	56
P001	209+0.252	EAST GLACIER	GLACIER	3 63 63	.874	32	32	PMS	1259	191	378	5	17	10	2	22	56
P009	12+0.412	12.4 N FAI 15	LEWIS AND CLARK	3 63 63	7.749	32	32	PMS	440	79	340	0	12	10	7	27	56
P010	3+0.534	GREAT FALLS	CASCADE	3 40 71	6.102	28	28	PMS	2365	307	481	5	20	9	3	20	57
P058	25+0.516	6.0 S ST MARYS	GLACIER	3 58 64	6.011	44	44	PMS	713	156	455	5	15	10	2	25	57
P001	315+0.301	6.5 W CHESTER	LIBERTY	3 47 60	5.785	26	26	RMS	966	131	532	4	14	10	3	26	57
P001	379+0.167	JCT FAP RTE 10	HILL	3 52 52	1.516	40	40	RMS	4990	523	616	4	17	10	10	17	58
P001	204+0.366	6.4 E GLACIER CO	GLACIER	3 63 63	4.884	32	32	PMS	1062	161	441	5	17	10	2	25	59
P060	49+0.470	MONARCH	CASCADE	3 52 52	4.234	22	26	PMS	536	80	355	5	15	8	4	27	59
P058	35+0.813	4.3 N ST MARYS	GLACIER	3 56 64	4.001	32	32	PMS	1202	264	498	6	18	10	3	22	59
P060	28+0.700	CASCADE CO	CASCADE	3 59 63	7.208	26	26	PMS	390	58	260	5	16	10	1	27	59
P058	0+0.000	JCT FAP RTE 1	GLACIER	3 35 51	3.369	22	24	RMS	1232	271	819	0	7	8	20	25	60
P058	31+0.544	ST MARYS	GLACIER	3 64 64	4.279	32	32	PMS	1260	277	448	6	18	10	5	21	60
P010	109+0.571	1.8 S FAP 1	HILL	3 52 52	1.796	32	32	RMS	1800	234	520	3	15	10	9	23	60
P010	86+0.041	3.4 S HILL CO	CHOUTEAU	3 33 41	3.371	20	24	8ST	1130	146	739	0	8	7	20	27	62
P001	383+0.815	HAVRE	HILL	3 46 54	7.204	24	30	PMS	2904	348	507	6	22	10	4	20	62
P001	363+0.532	APPR TO KREMLIN	HILL	3 36 59	8.591	26	31	RMS	1263	171	622	6	15	10	5	26	62
P001	211+0.317	2.1 E EAST GLAC	GLACIER	3 39 63	1.867	26	30	RMS	1333	202	622	0	10	8	20	25	63
P001	223+0.702	2.8 E BROWNING	GLACIER	3 60 60	.184	32	32	PMS	2265	385	258	7	18	10	20	8	63
P080	39+0.544	1.5 S SQUARE BUTTE	CHOUTEAU	3 64 64	6.073	28	28	PMS	160	25	299	0	13	10	11	29	63
P010	97+0.042	7.6 N HILL CO	HILL	3 28 41	7.369	22	24	RMS	1408	183	480	0	12	7	20	24	63
P010	90+0.926	1.5 N HILL CO	HILL	3 30 73	6.098	22	26	PMS	1262	164	831	0	10	7	20	27	64
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	3 63 63	.726	32	32	PMS	539	97	302	5	17	10	7	25	64
P009	60+0.000	4.0 S CHOTEAU	TETON	3 36 36	4.013	22	25	RMS	438	78	450	2	16	8	11	27	64
P024	72+0.242	LINCOLN	LEWIS AND CLARK	3 60 60	3.534	24	24	PMS	1506	233	424	3	15	10	14	22	64
P080	45+0.606	0.5 N FERGUS CO	CHOUTEAU	3 62 62	.497	24	24	PMS	160	25	699	0	10	5	20	29	64
P066	10+0.608	PHILLIPS-BLAINE CO	BLAINE	3 59 59	12.623	28	28	PMS	356	49	354	0	15	9	13	28	65
P001	291+0.748	6.8 E FAS 417	TOOLE	3 54 59	8.023	32	32	PMS	919	124	645	0	15	10	13	27	65
P001	424+0.712	HARLEM	BLAINE	3 68 68	3.805	40	40	PMS	2484	322	600	7	22	10	4	22	65
P001	421+0.341	3.4 W HARLEM	BLAINE	3 39 62	2.572	26	31	RMS	1839	239	624	5	14	10	13	24	66
P001	278+0.809	0.3 E FAI 15	TOOLE	3 56 56	.440	60	60	PMS	4020	482	1780	0	11	9	20	26	66
P001	278+0.459	JCT FAI 15	TOOLE	3 60 60	.350	68	68	PMS	4020	482	1424	0	11	10	20	25	66
P001	247+0.019	7.7 W OF CUT BANK	GLACIER	3 27 76	4.950	24	24	PMS	1462	204	495	7	25	7	3	24	66
P001	393+0.855	2.8 E BLAINE CO	BLAINE	3 38 59	9.717	24	30	RMS	2956	354	624	5	17	10	14	21	67
P003	15+0.376	7.3 N FAP 24	CASCADE	3 42 42	1.479	24	30	RMS	1148	149	546	0	13	8	20	26	67
P024	127+0.466	SIMMS	CASCADE	3 59 59	5.720	32	32	PMS	1799	278	487	6	19	10	11	21	67
P024	75+0.787	3.5 E LINCOLN	LEWIS AND CLARK	3 60 81	6.221	24	24	PMS	1410	218	221	10	30	10	2	15	67
P024	138+0.485	SUN RIVER	CASCADE	3 36 82	1.018	28	28	RMS	2110	327	360	9	30	10	2	16	67
P080	5+0.120	2.7 S FORT BENTON	CHOUTEAU	3 56 78	9.572	24	24	PMS	556	88	221	8	27	7	1	24	67
P001	228+0.797	BLACKFOOT	GLACIER	3 57 57	1.050	24	32	RMS	1540	215	640	2	11	10	20	25	68
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	3 50 63	1.203	24	30	RMS	1540	215	468	2	13	10	20	23	68
P021	0+0.000	115 S CONRAD	PONDERA	3 73 73	.825	40	40	PMS	840	109	560	6	24	10	1	27	68
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	3 51 57	3.833	30	30	PMS	1797	233	507	2	14	10	20	23	69
P010	9+0.609	6.1 N GR FALLS	CASCADE	3 51 57	6.489	30	30	PMS	1895	246	366	4	15	10	20	20	69
P001	251+0.988	2.7 W OF CUT BANK	GLACIER	3 72 72	2.128	50	50	PMS	1982	277	544	6	22	10	9	22	69

FINANCIAL OISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN YEARS OIST	8T	IM	SECTION LENGTH	WIOTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS- FNO	SRF	ORN	SAF	CAP	TOT
P001	280+0.100	SHELBY	TOOLE	3	54	59	11.649	32	32	PMS	1094	148	602	0	13	10	20	26	69
P001	278+0.091	0.4 W FAI 15	TOOLE	3	60	60	.368	68	68	PHS	1673	234	1472	0	11	10	20	28	69
P001	254+0.578	CUT BANK	GLACIER	3	55	55	.229	42	42	PMS	4110	575	817	4	17	10	20	19	70
P001	348+0.215	HINGHAM	HILL	3	60	60	6.381	32	32	PMS	1008	137	602	6	18	10	9	27	70
P003	84+0.363	JCT FAP 44	PONOERA	3	66	66	4.863	34	34	PMS	525	107	520	6	22	10	5	27	70
P044	0+0.000	JCT FAP 3	PONOEPA	3	54	54	2.760	24	24	RMS	405	64	495	2	13	7	20	28	70
P010	20+0.058	3.8 N CHOUTEAU CO	CHOUTEAU	3	63	63	9.726	32	32	PMS	1738	225	520	5	19	10	12	24	70
P058	44+0.488	4.7 N BABB	GLACIER	3	56	56	5.856	22	22	RMS	508	111	377	2	12	10	20	26	70
P009	0+0.000	JCT FAI 15	LEWIS ANO CLARK	3	67	67	2.209	30	30	PMS	440	79	546	7	22	10	4	28	71
P009	1+0.951	1.9 N FAI 15	LEWIS ANO CLARK	3	59	59	10.453	32	32	PMS	440	79	302	5	19	10	12	26	72
P021	4+0.995	CONRAD	PONOERA	3	73	73	.178	40	40	PMS	1040	135	289	8	27	10	4	23	72
P057	5+0.301	5.3 E FAP 60	CASCAOE	3	61	61	1.769	32	32	PMS	1635	196	364	4	16	10	20	22	72
P003	16+0.870	8.8 N FAP 24	CASCAOE	3	62	62	1.232	35	35	BST	1152	149	560	2	14	10	20	26	72
P001	263+0.107	0.3 E TOOLE CO	TOOLE	3	65	65	7.491	32	32	PMS	1446	202	688	6	18	10	12	26	72
P066	37+0.321	12.7 S JCT FAP 1	BLAINE	3	59	59	12.714	28	28	PMS	511	71	383	2	16	10	17	27	72
P001	256+0.020	CUT BANK	GLACIER	3	67	67	6.809	40	40	PMS	2085	291	559	4	17	10	20	22	73
P001	307+0.040	LIBERTY CO	LIBERTY	3	57	62	.983	32	32	PMS	666	90	688	2	13	10	20	28	73
P003	101+0.021	9.2 S FAP RTE 1	GLACIER	3	51	51	2.132	26	28	RMS	570	113	413	3	14	10	20	26	73
P080	29+0.129	GERALOINE	CHOUTEAU	3	64	64	5.317	28	28	PMS	256	40	450	5	18	10	11	29	73
P060	60+0.343	10.7 N MONARCH	CASCAOE	3	69	69	1.923	48	48	PMS	518	77	520	8	26	10	2	28	74
P001	197+0.816	GLACIER CO LINE	GLACIER	3	52	70	6.390	26	26	PMS	914	138	440	6	30	10	3	25	74
P003	103+0.350	7.1 S FAP RTE 1	GLACIER	3	60	60	7.233	32	32	RMS	570	113	441	3	16	10	20	26	75
P003	95+0.089	5.9 N GLACIER CO	GLACIER	3	66	66	5.926	34	34	PHS	570	115	409	7	22	10	10	26	75
P080	34+0.440	5.3 S GERALOINE	CHOUTEAU	3	65	65	5.097	28	28	PMS	191	30	480	1	15	10	20	29	75
P066	23+0.241	12.6 N PHILLIPS CO	BLAINE	3	59	59	14.057	28	28	PMS	325	45	354	2	16	10	20	28	76
P080	14+0.671	12.2 S FT BENTON	CHOUTEAU	3	62	62	9.506	30	30	PMS	482	77	294	5	15	10	20	26	76
P001	391+0.007	BLAINE CO	BLAINE	3	46	54	2.849	24	30	PMS	2641	316	507	5	20	10	20	21	76
P010	104+0.366	6.9 S FAP 1	HILL	3	67	67	5.125	40	40	PMS	1846	239	600	6	16	10	20	24	76
P001	262+0.815	TOOLE CO	TOOLE	3	67	67	.272	40	40	PMS	1429	200	688	4	17	10	20	26	77
P003	1+0.866	1.4 W VAUGHN	CASCAOE	3	36	82	6.533	28	31	PMS	3561	462	504	6	30	10	16	16	78
P010	84+0.818	4.8 N BIG SANOY	CHOUTEAU	3	70	70	1.223	32	32	PMS	1130	146	640	5	16	10	20	27	78
P058	43+0.622	3.8 N BABB	GLACIER	3	61	61	.866	28	28	RMS	553	121	415	5	18	10	20	26	79
P060	62+0.121	9.2 S FAP PTE 57	CASCAOE	3	69	69	9.198	40	40	PHS	495	74	409	7	25	10	11	27	80
P080	24+0.255	3.9 N GERALOINE	CHOUTEAU	3	64	64	3.984	30	30	PHS	493	78	409	5	18	10	20	27	80
P010	89+0.606	0.2 N HILL CO	HILL	3	70	70	1.319	32	32	PMS	1205	156	640	6	18	10	20	26	80
P010	89+0.417	HILL CO	HILL	3	30	70	.189	30	30	RMS	1130	146	624	6	19	10	20	26	81
P008	52+0.831	3.0 E EAST HELENA	LEWIS ANO CLARK	3	69	69	1.669	40	40	PMS	3399	458	688	8	24	10	20	20	82
P003	83+0.648	8.4 N OUPUYER	PONOERA	3	66	66	.713	34	34	PMS	539	110	384	8	24	10	14	26	82
P003	23+0.959	FAIRFIELO	TETON	3	81	81	4.118	34	34	PMS	951	123	560	10	30	10	5	27	82
P001	414+0.015	1.0 E ZURICH	BLAINE	3	56	73	7.314	32	32	PMS	1959	254	640	8	24	10	16	24	82
P044	27+0.865	0.5 W JCT I15	PONDERA	3	72	72	.523	34	34	PMS	500	80	432	8	27	10	10	27	82
P068	1+0.259	CASCAOE	CASCAOE	3	63	63	.235	30	30	PMS	800	120	317	7	22	10	20	24	83
P008	27+0.627	LEWIS & CLARK CO	LEWIS ANO CLARK	3	77	83	2.263	56	56	RMS	1972	256	768	10	30	10	8	25	83
P010	29+0.728	13.5 N CHOUTEAU CO	CHOUTEAU	3	64	64	9.834	32	32	PHS	1789	232	640	6	22	10	20	25	83
P001	423+0.924	0.8 W HAPLEM	BLAINE	3	68	68	.797	40	40	PMS	1578	205	600	8	20	10	20	25	83
P001	341+0.907	0.3 E FAS RTE 432	HILL	3	60	60	5.813	32	32	PMS	986	134	688	6	20	10	20	27	83
P024	82+0.008	1.0 W JCT FAS 279	LEWIS ANO CLARK	3	57	81	1.136	24	24	PHS	1313	203	371	10	30	10	11	22	83
P008	49+0.577	EAST HELENA	LEWIS ANO CLARK	3	78	78	3.266	44	44	PMS	4204	567	688	8	28	10	20	18	84
P001	404+0.087	CHINOOK	BLAINE	3	40	56	9.930	28	30	PMS	2151	279	624	6	30	10	15	23	84
P003	89+0.220	GLACIER CO	GLACIER	3	68	68	5.858	34	34	PMS	570	116	441	6	23	10	20	26	85
P008	46+0.471	HELENA	LEWIS ANO CLAPK	3	78	78	2.077	88	88	PCC	9745	1071	152C	8	28	10	20	19	85
P008	30+0.041	2.2E LEW & CL CO	LEWIS ANO CLARK	3	78	83	4.151	56	56	RMS	2063	268	192C	10	30	10	8	28	86
P001	332+0.615	HILL CO	HILL	3	71	71	9.281	40	40	PMS	1076	146	559	7	23	10	20	26	86
P001	321+0.077	0.6 W CHESTER	LIBERTY	3	77	77	.701	40	40	PMS	1530	208	559	10	30	10	14	24	88
P001	428+0.518	JCT FAP 66	BLAINE	3	68	68	.553	40	40	PHS	1386	180	520	8	25	10	20	25	88

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY FND	SUFFICIENCY SRF	SUFFICIENCY ORN	SUFFICIENCY SAF	SUFFICIENCY CAP	RATINGS TOT
P010	40+0.641	JCT FAP 80	CHOUTEAU	3	74	74	10.901	32	32	PMS	1180	153	560	7	25	10	20	26	88
P001	213+0.173	3.9 E EAST GLAC	GLACIER	3	77	77	5.712	48	48	PMS	1439	218	510	7	28	10	20	24	89
P010	39+0.561	0.4 N FT BENTON	CHOUTEAU	3	74	74	1.138	32	32	PMS	1209	157	432	9	27	10	20	25	91
P001	326+0.338	3.8 E CHESTER	LIBERTY	3	76	76	6.154	40	40	PMS	1149	156	645	8	28	10	20	26	92
P001	322+0.620	CHESTER	LIBERTY	3	77	77	3.787	40	40	PMS	1294	175	645	9	29	10	20	26	94
P001	271+0.001	7.6 E TOOLE CO	TOOLE	3			7.061	UNDER CONSTRUCTION											
P003	20+0.191	TETON CO	TETON	3			3.196	UNDER CONSTRUCTION											
P024	100+0.420	JCT FAS RTE 434	LEWIS AND CLARK	3			8.624	UNDER CONSTRUCTION											
P003	18+0.076	2.1 S TETON CO	CASCADE	3			2.110	UNDER CONSTRUCTION											
P003	28+0.322	4.2 N FAIRFIELD	TETON	3			12.351	UNDER CONSTRUCTION											
		DISTRICT TOTAL					845.239												



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction

as of June 30, 1984

SUFFICIENCY RATING BY FINANCIAL DISTRICT 4

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 4

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4	63	64	11.418	24	42	BST	128	25	426	0	11	10	10	29	60
P037	79+0.284	15.0 E POWDER R CO	POWDER RIVER	4	67	67	3.193	28	28	PMS	612	97	204	4	14	10	9	23	60
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	4	58	58	4.565	32	32	PMS	1793	233	600	5	15	10	7	24	61
P018	13+0.047	7.0 S ROSEBUD CO	CUSTER	4	63	63	5.000	30	30	PMS	276	41	624	2	15	10	5	29	61
P062	33+0.331	3.6 N SIDNEY	RICHLAND	4	37	83	2.109	22	22	PMS	1350	189	189	4	30	10	3	15	62
P032	60+0.935	9.2 N SCOBEY	DANIELS	4	45	68	4.884	24	24	RMS	62	8	329	4	16	10	2	30	62
P002	89+0.046	5.1 E BAKER	FALLON	4	68	68	6.442	40	40	PMS	641	85	592	0	12	10	12	28	62
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	4	60	60	9.761	32	32	PMS	1919	249	640	4	15	10	9	24	62
P001	644+1.008	CULBERTSON	ROOSEVELT	4	56	61	3.010	32	32	PMS	1319	171	640	6	17	10	4	26	63
P020	63+0.922	FAIRVIEW	RICHLAND	4	56	56	.349	24	32	RMS	2710	325	828	6	22	10	1	24	63
P014	242+0.413	AHLES	ROSEBUD	4	50	63	9.949	20	24	RMS	242	41	322	0	13	9	14	28	64
P051	0+0.000	JCT FAP RTE 57	MCCONE	4	60	61	3.326	30	30	PMS	396	55	546	3	16	10	7	28	64
P037	82+0.471	CUSTER FOR BORY	POWDER RIVER	4	67	67	2.271	28	28	PMS	600	96	248	2	13	10	15	24	64
P001	656+0.309	10.8 W N D LINE	ROOSEVELT	4	55	62	5.246	32	32	PMS	1202	156	520	6	17	10	5	26	64
P001	556+0.131	NASMUA	VALLEY	4	56	70	8.685	32	32	PMS	1215	157	600	5	18	10	5	26	64
P014	217+0.153	10.0 E ROSEBUD CO	ROSEBUD	4	48	63	7.269	25	25	RMS	295	50	371	3	18	10	6	28	65
P018	73+0.587	14.7 N COHAGEN	GARFIELD	4	58	65	9.391	28	28	PMS	247	37	383	4	15	10	8	29	66
P026	0+0.000	JCT FAP RTE 20	RICHLAND	4	36	83	.771	24	24	PMS	2523	327	429	6	30	10	1	19	66
P020	13+0.048	11.3 N GLENDIVE	DAWSON	4	69	69	5.607	40	40	PMS	1870	261	364	5	18	10	14	19	66
P001	629+0.422	3.2 E BROCKTON	ROOSEVELT	4	46	83	5.368	24	28	GRV	1279	166	212	6	30	10	2	18	66
P061	147+0.379	9.5 S MALTA	PHILLIPS	4	38	42	8.114	24	26	RMS	397	67	357	0	11	8	20	27	66
P061	88+0.068	PHILLIPS CO	PHILLIPS	4	60	60	5.580	28	28	PMS	420	71	660	0	8	10	20	28	66
P062	24+0.961	JCT FAS 201	RICHLAND	4	40	83	4.749	22	22	PMS	1088	152	189	4	30	10	4	18	66
P061	130+0.356	25.0 S FAS RTE 363	PHILLIPS	4	42	42	6.399	20	24	PMS	341	57	392	0	13	8	18	28	67
P023	95+0.564	6.0 N CARTER CO	POWDER RIVER	4	54	54	6.028	24	28	RMS	756	105	732	0	9	10	20	28	67
P027	71+0.318	7.9 S WIBAUX	WIBAUX	4	65	65	2.083	28	28	PMS	646	96	249	8	22	10	3	24	67
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	4	57	61	9.308	32	32	PMS	1749	227	560	3	20	10	10	24	67
P001	508+0.040	6.6 E VALLEY CO	VALLEY	4	66	66	7.595	40	40	PMS	1113	144	640	5	19	10	6	27	67
P001	501+0.410	VALLEY CO	VALLEY	4	55	55	6.588	24	28	RMS	1100	143	481	0	12	9	20	26	67
P001	499+1.054	SACO	PHILLIPS	4	55	55	1.515	24	28	RMS	1150	149	592	0	11	10	20	26	67
P001	639+0.172	5.0 W CULBERTSON	ROOSEVELT	4	52	52	3.338	24	30	RMS	1162	151	366	0	14	10	20	24	68
P001	642+0.523	1.7 W CULBERTSON	ROOSEVELT	4	56	61	1.712	32	32	PMS	1168	151	378	0	14	10	20	24	68
P022	81+0.351	5.5 S FROID	ROOSEVELT	4	59	59	7.156	32	32	PMS	1095	142	409	0	13	10	20	25	68
P027	0+0.355	EKALAKA	CARTER	4	50	50	6.902	22	24	PMS	344	51	597	0	9	10	20	29	68
P057	330+0.554	0.3 W GLENDIVE	DAWSON	4	48	50	.222	24	34	PMS	2375	237	258	6	18	8	20	16	68
P031	39+0.360	11.0 S OPHEIM	VALLEY	4	52	71	11.080	24	24	RMS	204	32	218	7	22	10	1	28	68
P032	51+0.736	SCOBEY	DANIELS	4	58	68	9.191	24	26	PMS	161	22	422	7	20	10	3	29	69
P037	95+0.715	EPSIE	POWDER RIVER	4	60	69	7.908	28	28	PMS	662	105	299	6	23	10	5	25	69
P031	32+0.480	15.5 N AIRBASE RD	VALLEY	4	54	54	6.850	24	24	PMS	210	33	249	4	17	10	10	28	69
P002	6+0.197	I 94 E MILES CITY	CUSTER	4	62	62	.688	32	32	PMS	569	75	168	5	17	10	14	23	69
P001	515+0.618	14.2 E VALLEY CO	VALLEY	4	50	55	5.795	24	27	PMS	1207	156	525	4	16	10	13	26	69
P001	546+0.252	2.4 E FAP 31	VALLEY	4	53	53	8.404	24	30	RMS	1537	199	585	0	14	10	20	25	69
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	4	63	63	11.140	32	32	PMS	1097	142	560	3	14	10	16	26	69
P023	101+0.585	CARTER CO	CARTER	4	54	54	6.878	24	28	RMS	756	105	420	2	11	10	20	26	69
P023	108+0.475	HAMMOND	CARTER	4	55	73	11.000	28	28	PMS	734	102	450	0	12	10	20	27	69
P057	289+0.828	DAWSON CO	DAWSON	4	64	64	7.066	32	32	PMS	655	98	364	5	19	10	9	26	69
P062	29+0.721	4.7 S JCT FAS 201	RICHLAND	4	38	83	3.628	22	22	PMS	1243	174	270	4	30	10	5	20	69
P061	102+0.308	JCT FAP RTE 66	PHILLIPS	4	57	59	8.062	24	29	PMS	320	54	518	0	11	10	20	28	69
P061	93+0.534	5.6 N PHILLIPS CO	PHILLIPS	4	60	60	8.793	28	28	PMS	419	71	841	0	10	10	20	29	69
P062	2+0.037	0.5 S CULBERTSON	ROOSEVELT	4	78	78	1.845	40	40	PMS	899	125	270	8	27	10	1	23	69
P027	66+0.022	10.3 N FAS 413	WIBAUX	4	65	65	5.304	28	28	PMS	400	60	483	6	21	10	4	28	69
P014	207+0.150	ROSEBUD CO	ROSEBUD	4	46	57	5.287	20	24	RMS	339	57	299	6	24	10	3	27	70
P027	54+0.746	WIBAUX CO	WIBAUX	4	65	65	11.265	28	28	PMS	338	50	517	6	21	10	4	29	70
P031	50+0.833	OPHEIM	VALLEY	4	57	66	10.022	28	28	PMS	62	11	354	6	17	8	9	30	70
P001	466+0.722	12.1 E DODSON	PHILLIPS	4	53	53	4.948	24	30	PMS	1469	190	546	0	15	10	20	25	70

FINANCIAL OISTRICT NUM8ER 4

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN OIST	YEARS 8T	YEARS IM	SECTION LENGTH	WIOTH SRF	WIOTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS- FNO	SRF	ORN	SAF	CAP	TOT
P042	0+0.000	JCT FAP RTE 57	GARFIELO	4	60	64	1.990	24	40	8ST	140	28	602	0	11	10	20	29	70
P039	13+0.279	9.5 SO COLSTRIP	ROSE8UO	4	58	78	.664	26	26	PMS	560	118	235	9	28	10	1	22	70
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4	36	66	4.061	28	28	RMS	140	28	396	6	22	10	3	29	70
P051	18+0.776	10.5 E OAWSON CO	OAWSON	4	59	59	8.456	28	28	PMS	238	33	283	0	12	10	20	28	70
P039	4+0.230	NO CHEYENNE INO R	ROSE8UO	4	64	78	9.049	26	26	PMS	646	136	294	7	26	10	4	23	70
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4	57	64	6.173	24	32	BST	143	28	724	0	12	10	20	29	71
P057	306+0.463	2 MI E LINOSAY	OAWSON	4	67	67	10.240	40	40	PMS	783	117	592	6	21	10	7	27	71
P031	16+0.960	JCT AIRBASE ROAO	VALLEY	4	64	64	8.673	30	30	PMS	237	37	366	4	20	10	9	28	71
P001	554+0.658	0.5 W NASHUA	VALLEY	4	56	70	.526	32	32	PMS	1454	189	384	6	21	10	11	23	71
P039	21+0.410	1.3 SO COLSTRIP	ROSE8UO	4	81	81	5.737	36	36	PMS	2189	464	448	10	30	10	7	14	71
P062	8+0.836	5.0 S RICHLANO CO	RICHLANO	4	70	70	3.328	34	34	PMS	771	107	270	5	19	10	13	24	71
P039	27+0.141	4.5 NO COLSTRIP	ROSE8UO	4	83	83	10.907	36	36	PMS	1892	401	568	6	30	10	8	19	73
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4	57	64	8.785	24	32	8ST	156	31	426	0	14	10	20	29	73
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4	56	74	5.463	24	34	8ST	150	30	426	0	14	10	20	29	73
P027	73+0.386	5.7 S WI8AUX	WI8AUX	4	65	65	5.731	28	28	PMS	738	110	448	7	23	10	7	26	73
P001	626+0.151	8ROCKTON	ROOSEVELT	4	43	83	3.243	24	28	GRV	1352	175	354	6	30	10	4	23	73
P001	648+0.067	3.0 E CUL8ERTSON	ROOSEVELT	4	61	61	8.291	32	32	PMS	1099	142	640	3	13	10	20	27	73
P062	3+0.941	RICHLANO CO	RICHLANO	4	78	78	4.895	40	40	PMS	745	104	375	6	25	10	7	26	74
P042	56+0.288	VALLEY CO	VALLEY	4	36	66	2.293	30	36	RMS	155	31	688	8	26	10	1	29	74
P051	3+0.340	3.3 E FAP RTE 57	MCCONE	4	60	61	5.001	30	30	PMS	311	43	366	2	14	10	20	28	74
P023	76+0.303	JCT FAP RTE 37	POWDER RIVER	4	69	69	1.530	28	28	PMS	1440	187	165	7	24	10	20	13	74
P020	23+0.110	RICHLAND CO	RICHLANO	4	54	82	5.787	28	28	PMS	1899	265	249	8	30	10	12	14	74
P025	46+1.002	JCT FAP 32	ROOSEVELT	4	78	78	5.381	40	40	PMS	1092	141	520	8	27	10	4	26	75
P002	51+0.731	FALLON CO	FALLON	4	67	67	6.054	40	40	PMS	620	82	392	5	13	10	20	27	75
P001	564+0.858	8.8 E NASHUA	VALLEY	4	61	61	6.923	32	32	PMS	1158	150	640	6	24	10	9	26	75
P037	84+0.754	2.1 E FOR 8ORY	POWOER RIVER	4	58	69	10.979	28	28	PMS	621	99	390	5	17	10	17	26	75
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4	62	71	12.052	30	30	PMS	140	28	372	1	16	10	20	29	76
P057	287+0.710	7.0 E FAP 51	MCCONE	4	64	64	2.137	32	32	PMS	670	100	302	4	17	10	20	25	76
P014	265+0.114	12.6 E VANAOA	ROSE8UO	4	57	75	5.387	32	32	PMS	388	65	455	8	24	10	6	28	76
P018	58+0.960	COHAGEN	GARFIELO	4	76	76	4.360	30	30	PMS	215	32	585	7	26	10	4	29	76
P014	270+0.819	FORSYTH	ROSE8UO	4	77	77	.068	40	40	PMS	2120	318	230	9	29	10	20	9	77
P002	0+0.000	I94 W MILES CITY	CUSTER	4	62	82	.908	32	34	PMS	1160	127	488	10	30	10	1	26	77
P002	45+0.879	5.9 W FALLON CO	CUSTER	4	67	67	5.873	40	40	PMS	585	77	364	5	15	10	20	27	77
P002	57+0.772	JCT. FAS RTE. 320	FALLON	4	58	72	12.362	32	32	PMS	600	79	481	5	20	10	14	28	77
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	4	79	79	3.704	32	32	PMS	370	51	487	9	28	10	2	28	77
P057	158+0.363	GARFIELO CO	GARFIELO	4	73	73	3.214	30	30	PMS	360	54	576	7	25	10	6	29	77
P039	13+0.943	8.8 SO COLSTRIP	ROSE8UO	4	58	77	7.467	26	26	PMS	658	139	264	8	27	10	11	22	78
P057	161+0.577	3.1 E GARFIELO CO	GARFIELO	4	68	68	9.598	36	36	PMS	360	54	448	4	16	10	20	28	78
P020	1+0.761	GLENOIVE	OAWSON	4	64	64	4.376	40	40	PMS	2566	359	444	7	23	10	20	18	78
P020	42+0.055	7.9 S FA RTE 51	RICHLANO	4	73	73	7.955	40	40	PMS	2756	385	555	8	26	10	14	20	78
P001	489+0.049	9.9 W SACO	PHILLIPS	4	67	67	9.965	40	40	PMS	1218	158	560	5	17	10	20	26	78
P001	457+0.675	3.1 E OODSON	PHILLIPS	4	63	78	9.025	30	30	PMS	1226	159	546	8	28	10	6	26	78
P001	472+0.410	MALTA	PHILLIPS	4	67	67	8.975	40	40	PMS	1842	239	560	6	18	10	20	24	78
P031	2+0.075	0.6 N FAP 1	VALLEY	4	65	65	14.871	32	32	PMS	453	72	560	5	18	10	17	28	78
P057	316+0.709	12.0 E FAS 470	OAWSON	4	61	61	8.025	32	32	PMS	1175	173	592	4	19	10	20	26	79
P018	63+0.374	4.4 N COHAGEN	GARFIELO	4	67	67	10.222	30	30	PMS	239	35	624	5	16	10	19	29	79
P001	446+0.310	PHILLIPS CO	PHILLIPS	4	73	73	7.398	40	40	PMS	1100	143	600	5	18	10	20	26	79
P001	571+0.774	FRAZER	VALLEY	4	58	76	9.318	24	32	PMS	1318	171	640	4	20	10	20	26	80
P037	40+0.709	1.3 W LAME DEER	ROSE8UO	4	75	75	.522	56	56	PMS	1900	266	1088	8	26	10	10	26	80
P037	38+0.689	ROSEBUO CO	ROSE8UO	4	75	75	.873	40	40	PMS	1900	266	378	8	26	10	17	19	80
P051	32+0.582	RICHLANO CO	RICHLAND	4	58	77	5.840	24	32	PMS	273	38	378	6	27	10	9	28	80
P022	0+0.523	SCO8EY	OANIELS	4	65	65	7.070	32	32	PMS	644	83	560	5	17	10	20	28	80
P020	50+0.012	JCT FAP RTES 26 51	RICHLANO	4	73	73	.896	83	83	PMS	7615	761	1740	7	22	10	18	23	80
P023	14+0.655	12.4 S FAI RTE 94	CUSTER	4	62	76	13.187	28	28	PMS	550	77	517	7	26	10	10	28	81
P057	279+0.774	CIRCLE	MCCONE	4	66	66	1.035	32	32	PMS	1569	235	520	6	22	10	20	23	81

FINANCIAL OISTRICT NUM8ER 4

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN OIST	YEARS BT	IM	SECTION LENGTH	WIOTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS- FNO	SRF	ORN	SAF	CAP	TOT
P051	8+0.342	OAWSON CO	OAWSON	4	60	61	.775	30	30	PMS	258	36	624	5	17	10	20	29	81
P057	180+0.288	SANO SPRINGS	GARFIELO	4	73	73	11.848	32	32	PMS	360	54	364	5	19	10	20	28	82
P057	330+0.191	GLENOIVE SPUR	OAWSON	4	60	60	.363	72	88	PMS	2939	293	1216	6	20	10	20	26	82
P039	38+0.047	13.1 SO JCT I 94	ROSE8UO	4	83	83	6.364	24	36	PMS	1710	362	568	6	30	10	16	20	82
P057	280+0.776	JCT FAP RTE 51	MCCONE	4	66	66	6.934	32	32	PMS	715	107	518	5	20	10	20	27	82
P001	481+0.373	9.0 E MALTA	PHILLIPS	4	67	67	7.671	40	40	PMS	1214	157	600	7	19	10	20	26	82
P062	20+0.286	4.6 N FAS 201	RICHLANO	4	40	49	4.651	24	26	RMS	891	124	448	4	30	10	12	26	82
P020	6+0.133	4.4 N GLENOIVE	OAWSON	4	67	67	6.856	40	40	PMS	2008	281	555	7	23	10	20	22	82
P022	73+0.852	2.0 S ROOSEVELT CO	ROOSEVELT	4	71	71	1.992	32	32	PMS	1363	177	432	6	22	10	20	24	82
P014	270+0.888	FORSYTH SPUR	ROSE8UO	4	77	77	.332	28	28	PMS	1750	210	448	7	23	10	20	23	83
P057	330+0.776	0.5 W GLENOIVE	OAWSON	4	69	69	.405	24	24	PMS	1770	177	678	6	21	10	20	26	83
P002	13+0.171	7.0 E JCT FAI 94	CUSTER	4	70	70	7.734	34	34	PMS	519	69	364	6	20	10	20	27	83
P031	1+0.443	JCT FAP 1	VALLEY	4	62	62	.642	32	32	PMS	650	91	560	6	19	10	20	28	83
P057	241+0.447	2.5 E FAS 462	GARFIELO	4	68	68	1.022	36	36	RMS	330	49	420	6	20	10	20	28	84
P054	9+0.128	8IOOLE	POWOER RIVER	4	68	68	8.767	30	32	PMS	357	53	441	6	21	10	20	28	85
P051	59+0.918	10.6 E LAM8ERT	RICHLANO	4	55	77	11.192	24	28	PMS	894	125	354	8	28	10	14	25	85
P001	611+0.926	POPLAR	ROOSEVELT	4	70	79	13.687	40	40	PMS	1896	246	688	10	28	10	12	25	85
P022	75+0.881	FROIO	ROOSEVELT	4	71	71	5.469	32	32	PMS	1040	135	520	7	22	10	20	26	85
P022	63+0.803	MEOICINE LAKE	SHERIOAN	4	63	63	.265	32	32	PMS	1050	136	896	7	21	10	20	28	86
P051	38+0.441	5.8 E RICHLANO CO	RICHLANO	4	57	77	10.781	24	28	PMS	284	39	444	7	27	10	13	29	86
P001	555+0.899	NASHUA	VALLEY	4	56	70	.095	32	32	PMS	1430	185	528	8	23	10	20	25	86
P022	71+0.833	ROOSEVELT CO	ROOSEVELT	4	76	76	2.019	32	32	PMS	1360	176	560	6	26	10	20	25	87
P020	18+0.596	4.2 S RICHLANO CO	OAWSON	4	54	82	4.170	28	28	PMS	1884	263	372	8	30	10	20	19	87
P020	28+0.894	5.8 N RICHLANO CO	RICHLANO	4	75	75	2.598	40	40	PMS	1913	267	592	8	26	10	20	23	87
P027	44+0.455	8.6 N BAKER	FALLON	4	58	78	10.261	28	28	PMS	443	66	338	8	26	10	16	27	87
P020	31+0.497	SAVAGE	RICHLANO	4	74	74	1.484	40	40	PMS	1925	269	518	8	27	10	20	22	87
P039	44+0.450	6.8 SO JCT I 94	ROSEBUO	4	79	79	6.769	36	36	PMS	1710	362	592	9	27	10	20	21	87
P051	49+0.250	LAMBERT	RICHLANO	4	56	77	10.645	24	28	PMS	565	79	413	6	27	10	18	27	88
P040	0+0.000	JCT FAI 94	PRAIRIE	4	72	72	.116	40	40	PMS	1060	159	289	9	27	10	20	22	88
P001	542+0.429	GLASGOW	VALLEY	4	62	62	1.386	68	68	PMS	3803	494	1408	7	26	10	20	25	88
P022	64+0.346	MEOICINE LAKE	SHERIOAN	4	76	76	7.509	32	32	PMS	1169	151	480	7	26	10	20	25	88
P037	41+0.208	0.8 W LAME OEER	ROSEBUO	4	75	75	.872	48	48	PMS	1905	266	544	9	26	10	20	23	88
P037	39+0.577	0.8 E ROSE8UO CO	ROSEBUO	4	75	75	1.113	48	48	PMS	1900	266	544	8	27	10	20	23	88
P001	537+0.619	3.3 W GLASGOW	VALLEY	4	80	80	3.326	44	44	PMS	2969	383	640	9	29	10	20	21	89
P023	27+0.820	22.7 N POWOER R CO	CUSTER	4	77	77	5.365	34	34	PMS	536	75	592	8	25	10	18	28	89
P023	119+0.471	20.4 N WYO LINE	CARTER	4	55	78	10.845	26	26	PMS	776	108	456	7	27	10	20	26	90
P023	130+0.301	9.6 N WYO LINE	CARTER	4	65	78	9.551	34	34	PMS	825	115	520	8	28	10	17	27	90
P057	296+0.860	7.1 E DAWSCN CO	OAWSON	4	76	76	9.622	32	32	PMS	681	102	592	7	26	10	20	27	90
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	4	52	83	4.409	24	28	GRV	1197	155	383	6	30	10	20	24	90
P051	27+0.527	RICHEY	OAWSON	4	58	77	5.039	24	32	PMS	301	42	520	6	26	10	20	29	91
P042	58+0.581	JCT FAP RTE 17	VALLEY	4	36	66	.600	30	36	RMS	540	97	645	8	26	10	20	28	92
P002	20+0.912	10.6 W LOCATE	CUSTER	4	75	75	6.532	34	34	PMS	457	60	336	8	27	10	20	27	92
P018	53+0.390	5.4 S COHAGEN	GARFIELO	4	77	77	5.433	30	30	PMS	198	29	488	7	26	10	20	29	92
P027	35+0.755	BAKER	FALLON	4	57	60	8.648	28	28	RMS	768	115	416	6	30	10	20	26	92
P001	541+0.083	GLASGOW	VALLEY	4	80	80	.346	72	72	PMS	7625	838	1760	10	30	10	20	23	93
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	4	76	76	5.516	30	30	PMS	400	60	427	8	27	10	20	28	93
P054	17+0.695	8.8 N BIDDLE	POWOER RIVER	4	74	75	5.910	30	30	PMS	381	57	457	8	27	10	20	28	93
P002	27+0.464	4.1 W LOCATE	CUSTER	4	73	73	6.279	34	34	PMS	466	61	364	8	29	10	20	27	94
P032	3+0.720	JCT FAP RTE 1	ROOSEVELT	4	79	79	2.548	32	32	PMS	414	57	555	9	29	10	20	28	96
P022	43+0.383	JCT FAP 30	SHERIOAN	4			9.226	UNOER CONSTRUCTION											
P031	25+0.657	8.6 N AIR8ASE ROAO	VALLEY	4			6.846	UNOER CONSTRUCTION											
P022	42+0.348	PLENTYWOOO	SHERIOAN	4			1.033	UNOER CONSTRUCTION											
P002	34+0.095	2.6 E LOCATE	CUSTER	4			11.760	UNOER CONSTRUCTION											

FINANCIAL DISTRICT NUMBER 4

RT-# MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT IM	SECTION LENGTH	WIDTH SRF	SUF RDY	TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TOT
	DISTRICT TOTAL				1613.297												



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction as of June 30, 1984

SUFFICIENCY RATING BY FINANCIAL DISTRICT 5

RURAL PRIMARY SYSTEM

FINANCIAL OISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN YEARS OIST BT IM	SECTION LENGTH	WIOTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS- FNO	SRF	ORN	SAF	CAP	TOT
P053	6+0.308	2.0 N BILLINGS	YELLOWSTONE	5 48 48	9.590	20	24	RMS	1605	208	147	0	14	8	1	9	32
P045	0+0.535	BIG TIMBER LIMITS	SWEET GRASS	5 35 56	6.788	22	24	RMS	815	114	159	0	10	5	1	19	35
P016	25+0.140	MUSSELSHELL CO	MUSSELSHELL	5 34 34	4.505	20	24	RMS	1467	190	237	0	12	6	1	18	37
P016	46+0.202	KLEIN	MUSSELSHELL	5 37 37	1.838	20	24	RMS	1865	242	283	0	11	8	1	17	37
P016	23+0.243	1.8 S MUSSEL CO	YELLOWSTONE	5 34 58	1.815	22	24	RMS	1457	189	225	0	12	7	1	17	37
P014	133+0.003	2.5 E RYEGATE	GOLOEN VALLEY	5 37 37	3.978	20	24	RMS	1120	145	283	0	9	6	1	22	38
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	5 33 56	.969	26	30	RMS	3220	418	630	0	11	6	1	20	38
P053	32+0.044	BROADVIEW	YELLOWSTONE	5 48 48	2.171	20	24	RMS	1070	139	189	0	12	7	1	19	39
P016	11+0.880	7.0 N BILLINGS	YELLOWSTONE	5 34 51	9.638	20	24	RMS	1437	186	448	0	10	5	1	24	40
P078	29+0.991	JCT FAS RTE 419	STILLWATER	5 35 45	15.864	20	24	RMS	1222	195	450	0	10	5	1	24	40
P045	8+0.031	7.4 N BIG TIMBER	SWEET GRASS	5 42 42	7.744	20	24	RMS	608	85	357	0	11	4	1	26	42
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	5 37 37	3.424	20	24	RMS	340	44	147	0	11	4	1	26	42
P014	182+0.021	11.9 E ROUNOUP	MUSSELSHELL	5 39 39	5.582	20	24	RMS	650	110	210	0	12	8	1	22	43
P014	146+0.071	JCT FAP RTE 53	GOLOEN VALLEY	5 37 37	5.631	20	24	RMS	340	44	147	0	12	4	1	26	43
P004	42+0.765	JCT FAP 28	CARBON	5 68 68	.160	40	40	PMS	4336	520	240	7	24	10	2	0	43
P057	54+0.312	MOCCASIN	JUOITH BASIN	5 33 71	2.337	22	24	RMS	1440	172	302	2	13	7	1	21	44
P061	13+0.075	12.0 N ROUNOUP	MUSSELSHELL	5 35 66	8.809	22	24	RMS	968	145	449	0	10	5	4	25	44
P014	192+0.108	JCT FAS 310	MUSSELSHELL	5 39 39	3.283	20	24	RMS	455	77	168	0	13	8	1	23	45
P014	130+0.503	RYEGATE	GOLOEN VALLEY	5 37 37	2.478	20	24	RMS	1120	145	538	0	10	6	3	26	45
P063	36+0.345	FERGUS CO	FERGUS	5 46 60	3.235	24	24	RMS	1270	165	276	0	13	9	2	21	45
P072	14+0.502	6.9 S JCT FAP 4	CARBON	5 48 48	6.987	24	24	RMS	1161	185	396	2	14	6	2	23	47
P091	2+0.228	BIG TIMBER	SWEET GRASS	5 38 38	1.105	30	30	RMS	1604	224	291	5	15	8	1	18	47
P078	27+0.412	2.3 N CARBON CO	STILLWATER	5 35 35	2.579	20	20	RMS	324	51	391	0	12	6	1	28	47
P072	10+0.384	BELFRY	CARBON	5 49 49	1.126	24	24	BST	1086	173	673	2	13	5	1	26	47
P053	23+0.140	COMANCHE	YELLOWSTONE	5 48 48	8.421	20	24	RMS	1245	161	561	0	10	7	4	26	47
P053	34+0.273	GOLOEN VALLEY CO	GOLOEN VALLEY	5 48 57	6.295	22	28	RMS	952	123	438	0	10	8	3	26	47
P061	1+0.021	ROUNOUP	MUSSELSHELL	5 50 54	5.953	24	30	PMS	1114	167	291	0	11	10	5	21	47
P057	88+0.245	5.1 E LEWISTOWN	FERGUS	5 37 56	6.022	24	30	RMS	1104	143	333	0	13	8	2	24	47
P014	160+0.456	7.1 W FAP RTE 16	MUSSELSHELL	5 36 50	7.063	20	24	RMS	412	53	299	0	12	6	2	27	47
P014	170+0.161	ROUNOUP	MUSSELSHELL	5 39 39	11.871	20	24	RMS	637	108	299	0	12	10	1	25	48
P014	77+0.214	WHEATLAND CO	WHEATLAND	5 34 64	10.825	22	24	RMS	460	59	524	0	9	7	4	28	48
P037	24+0.493	BUSBY	BIG HORN	5 54 54	2.712	24	24	PMS	1362	190	396	0	12	10	3	23	48
P004	26+0.285	BRIDGER	CARBON	5 23 51	6.413	22	24	RMS	2780	333	711	0	10	6	9	23	48
P080	46+0.112	CHOUTEAU-FERGUS CO	FERGUS	5 62 62	3.745	24	24	PMS	160	25	246	0	11	5	4	28	48
P057	148+0.699	9.6 W GARFIELD CO	PETROLEUM	5 51 51	7.983	24	24	BST	384	57	299	0	12	8	1	27	48
P045	33+0.365	5.1 N WHEATLAND CO	WHEATLAND	5 35 39	4.535	20	24	RMS	448	62	561	0	10	7	4	28	49
P014	187+0.619	17.5 E ROUNOUP	MUSSELSHELL	5 39 39	4.478	20	24	RMS	649	110	322	0	13	8	3	25	49
P037	8+0.655	8.7 E JCT FAI 90	BIG HORN	5 54 54	8.563	24	24	PMS	1300	182	530	0	9	8	8	25	50
P078	13+0.316	12.8 W REO LOOGE	CARBON	5 57 57	6.370	24	24	PMS	280	44	591	0	13	6	2	29	50
P063	24+0.837	JUDITH BASIN CO	JUDITH BASIN	5 47 62	.581	24	24	RMS	1110	144	366	0	15	10	1	24	50
P057	7+0.061	JUDITH BASIN CO	JUDITH BASIN	5 61 61	3.343	32	32	PMS	1609	193	364	2	14	10	2	22	50
P048	0+2.507	HARDIN	BIG HORN	5 70 70	.192	40	40	PMS	4332	519	340	7	23	10	4	7	51
P014	137+0.000	6.5 E RYEGATE	GOLOEN VALLEY	5 37 37	9.104	20	24	RMS	1119	145	515	0	10	8	7	26	51
P037	17+0.211	17.2 E JCT FAI 90	BIG HORN	5 54 54	7.296	24	24	PMS	1345	188	187	0	10	8	20	15	53
P063	19+0.218	FERGUS CO	FERGUS	5 47 73	3.002	24	24	PMS	1140	148	396	0	15	10	4	24	53
P072	5+0.604	4.8 S BELFRY	CARBON	5 61 61	4.864	30	30	PMS	903	144	329	2	15	7	6	23	53
P053	40+0.546	6.3 N GOLO VAL CO	GOLOEN VALLEY	5 56 56	4.841	30	30	BST	1263	164	573	0	10	10	7	26	53
P057	94+0.341	11.1 E LEWISTOWN	FERGUS	5 37 57	8.960	24	30	RMS	1046	135	324	2	16	9	2	24	53
P045	28+0.272	WHEATLAND CO	WHEATLAND	5 46 55	5.074	24	26	RMS	366	51	514	0	9	10	6	29	54
P061	38+0.689	6.5 S FAP RTE 57	FERGUS	5 41 67	4.893	24	30	RMS	879	131	324	2	17	9	2	24	54
P057	41+0.824	5.2 E FAP 80	JUDITH BASIN	5 36 56	12.442	22	24	RMS	1452	174	683	0	15	6	7	26	54
P004	57+0.562	LAUREL	YELLOWSTONE	5 36 64	.636	30	30	RMS	3220	322	280	8	24	8	1	13	54
P078	0+0.472	RED LODGE	CARBON	5 52 52	5.580	24	24	RMS	676	108	556	3	16	7	1	27	54
P081	32+0.645	9.8 NW JCT FAP 43	FERGUS	5 51 51	9.827	24	24	BST	336	53	172	3	17	8	1	25	54
P078	6+0.052	5.5 W REO LOOGE	CARBON	5 53 53	7.264	24	24	RMS	327	52	278	4	16	6	1	27	54

FINANCIAL DISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS- FNO	SRF	ORN	SAF	CAP	TOT
P063	26+0.629	1.2 N FERGUS CO	FERGUS	5	41	70	6.838	24	24	RMS	1110	144	276	5	15	10	2	22	54
P081	29+0.558	12.9 NW JCT FAP 43	FERGUS	5	73	73	3.087	24	24	RMS	304	48	172	4	16	8	1	26	55
P048	1+0.344	0.8 N HARDIN	BIG HORN	5	41	63	5.459	21	24	RMS	926	126	390	2	14	8	6	25	55
P061	83+0.411	4.6 S PHILLIPS CO	FERGUS	5	60	60	4.583	28	28	PMS	425	72	660	0	10	10	8	28	56
P028	47+0.309	2.3 N WYO BDRY	CARBON	5	65	65	6.415	28	28	PMS	317	63	394	4	14	10	0	28	56
P081	26+0.723	12.8 SE OENTON	FERGUS	5	73	73	2.835	24	24	RMS	289	46	287	2	15	10	2	28	57
P061	45+0.150	JCT FAP RTE 57	FERGUS	5	62	62	9.658	30	30	PMS	413	70	504	0	15	10	4	28	57
P061	26+0.604	FERGUS CO	FERGUS	5	63	63	1.120	30	30	PMS	851	127	324	5	17	10	1	24	57
P053	46+0.272	LAVINA	GOLDEN VALLEY	5	56	56	.418	30	30	BST	1370	178	504	2	13	10	8	25	58
P063	22+0.899	FERGUS CO	FERGUS	5	47	62	1.926	24	24	RMS	1125	146	457	0	15	10	8	25	58
P061	70+0.499	3.9 N JCT FAP 43	FERGUS	5	59	63	12.938	28	28	PMS	445	75	910	0	9	10	10	29	58
P057	73+0.550	8.5 E FAP 63	FERGUS	5	47	54	3.350	24	31	PMS	1702	204	329	5	18	9	5	21	58
P014	205+0.177	MELSTONE	MUSSELSHELL	5	46	63	1.991	20	24	RMS	405	68	538	0	10	10	10	28	58
P080	50+0.880	FERGUS-J BASIN CO	JUDITH BASIN	5	53	53	8.418	24	24	RMS	266	42	371	3	15	9	3	28	58
P091	0+0.124	0.7 W BIG TIMBER	SWEET GRASS	5	56	56	.768	32	32	PMS	1836	257	592	0	11	4	20	23	58
P080	59+0.331	6.7 N STANFORD	JUDITH BASIN	5	53	53	6.712	24	24	RMS	393	62	371	4	14	10	4	27	59
P063	33+0.456	JUDITH BASIN CO	JUDITH BASIN	5	41	70	2.021	24	24	RMS	1165	151	366	3	12	10	10	24	59
P061	54+0.837	9.7 N FAP RTE 57	FERGUS	5	61	61	11.832	30	30	PMS	398	67	540	0	11	10	11	28	60
P057	10+0.428	JCT FAS RTE 427	JUDITH BASIN	5	64	64	7.500	32	32	PMS	1506	180	302	5	15	10	9	21	60
P048	6+0.777	6.1 N HARDIN	BIG HORN	5	45	45	4.865	20	24	RMS	444	62	338	2	14	9	9	27	61
P061	66+0.624	JCT FAP RTE 43	FERGUS	5	62	62	3.889	30	30	PMS	465	79	324	0	12	10	13	26	61
P057	79+0.285	JCT FAP RTE 75	FERGUS	5	47	54	1.761	24	31	RMS	1850	222	733	7	17	9	3	25	61
P028	53+0.726	8.7 N WYO BDRY	CARBON	5	65	65	6.274	28	28	PMS	336	67	591	6	16	10	1	28	61
P072	0+0.000	MONT-WYOMING LINE	CARBON	5	61	61	5.184	30	30	PMS	799	127	366	0	15	8	13	25	61
P048	1+0.060	JCT FAI 90	BIG HORN	5	70	70	.284	40	40	RMS	1282	153	268	7	23	10	1	21	62
P004	52+0.256	1.4 N YELLOWST CO	YELLOWSTONE	5	22	83	1.318	24	30	RMS	5755	690	652	7	30	10	1	14	62
P014	108+0.043	7.1 E FAP 63	WHEATLAND	5	53	53	8.427	24	28	RMS	1053	136	450	3	13	10	12	25	63
P078	45+0.855	0.5 S COLUMBUS	STILLWATER	5	57	57	.591	28	28	RMS	1543	246	425	8	24	10	0	21	63
P079	0+0.000	JCT FAI 94 HYSHAM	TREASURE	5	64	64	1.953	30	30	PMS	400	56	585	4	17	10	3	29	63
P057	36+0.651	JCT FAP RTE 80	JUDITH BASIN	5	37	37	5.170	24	30	RMS	1697	203	518	0	10	9	20	24	63
P057	34+0.443	2.2 W FAP 80	JUDITH BASIN	5	83	83	2.206	24	25	RMS	1737	208	713	0	9	9	20	26	64
P048	11+0.644	11.0 N HARDIN	BIG HORN	5	54	54	6.665	24	24	RMS	266	37	457	4	17	10	4	29	64
P053	15+0.901	ACTON	YELLOWSTONE	5	48	48	7.281	20	24	RMS	1258	163	584	0	9	9	20	26	64
P043	14+0.838	JCT FAS RTE 236	FERGUS	5	63	63	10.463	28	30	PMS	322	38	366	3	16	10	7	28	64
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	5	46	78	4.429	24	24	PMS	300	42	221	4	21	10	2	27	64
P057	76+0.912	2.3 W FAP 75	FERGUS	5	47	54	2.366	24	31	PMS	2017	242	507	7	20	9	5	23	64
P028	45+0.000	MONT WYO BDRY	CARBON	5	65	65	2.331	28	28	PMS	303	60	890	5	16	10	4	29	64
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	5	39	39	8.309	20	24	RMS	510	86	322	0	15	9	14	26	64
P014	100+0.394	HARLOWTON	WHEATLAND	5	65	65	.504	40	40	PMS	1759	228	708	8	18	10	3	25	64
P081	0+0.000	JCT FAP RTE 80	FERGUS	5	52	59	12.943	24	24	PMS	215	34	287	6	18	10	2	28	64
P081	13+0.840	OENTON	FERGUS	5	73	73	12.883	24	24	PMS	304	48	196	6	21	10	1	26	64
P072	5+0.118	5.1 N WYO-MONT	CARBON	5	70	70	.486	30	30	PMS	852	136	402	6	20	10	3	25	64
P063	35+0.473	0.9 S FERGUS CO	JUDITH BASIN	5	46	59	.876	24	24	RMS	1245	161	488	0	12	8	20	25	65
P061	27+0.705	1.1 N FERGUS CO	FERGUS	5	65	65	6.059	30	30	PMS	859	128	351	5	17	10	8	25	65
P063	25+0.433	FERGUS CO	FERGUS	5	47	57	1.200	24	24	RMS	1110	144	220	2	14	9	20	20	65
P045	15+0.771	15.2 N BIG TIMBER	SWEET GRASS	5	48	78	7.041	24	24	PMS	394	55	246	5	22	10	1	27	65
P004	33+0.798	0.6 N FROMBERG	CARBON	5	68	68	8.918	40	40	PMS	2467	296	555	6	18	10	9	22	65
P072	11+0.754	0.5 N BELFRY	CARBON	5	49	49	2.812	20	24	RMS	1107	177	392	2	18	4	19	23	66
P061	43+0.570	1.6 S FAP RTE 57	FERGUS	5	62	62	1.564	32	32	PMS	927	157	518	5	18	10	8	25	66
P061	33+0.803	7.2 N FERGUS CO	FERGUS	5	52	52	4.896	24	28	RMS	873	130	338	2	12	10	20	24	68
P063	0+0.000	JCT. FAP RTE 14	WHEATLAND	5	49	83	3.758	24	28	PMS	1106	143	280	4	30	10	2	22	68
P028	96+0.673	JOLIET	CARBON	5	74	74	4.685	44	44	PMS	1986	297	688	6	24	10	4	24	68
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	5	56	56	2.851	24	28	RMS	340	44	220	0	12	9	20	27	68
P004	13+0.435	13.4 N WYO LINE	CARBON	5	59	59	5.773	32	32	PMS	1174	152	555	0	13	10	20	26	69
P048	0+0.000	JCT FAI 90	BIG HORN	5	71	71	.294	40	40	PMS	2109	274	464	8	27	10	3	21	69

FINANCIAL OISTRICT NUM8ER 5

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN YEARS OIST	8T	IM	SECTION LENGTH	WIOTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUMF	---SUFFICIENCY RATINGS- FNO	SRF	ORN	SAF	CAP	TOT
P057	137+0.626	1.1 E WINNETT	PETROLEUM	5	54	54	11.000	24	24	RMS	445	66	396	0	11	10	20	28	69
P043	1+0.366	0.7 N LEWISTOWN	FERGUS	5	77	77	1.652	44	44	PMS	2041	244	340	9	28	10	3	19	69
P057	56+0.675	2.3 E MOCCASIN	JUOITH 8ASIN	5	55	55	1.137	24	32	RMS	1440	172	444	3	13	10	20	24	70
P045	7+0.339	6.7 N 8IG TIM8ER	SWEET GRASS	5	69	69	.695	30	30	RMS	689	96	392	6	21	10	7	26	70
P048	0+1.916	HAROIN	8IG HORN	5	76	76	.516	48	48	PMS	1980	217	828	7	26	10	1	26	70
P004	0+0.516	0.5 N WYO LINE	CAR8ON	5	56	63	12.924	32	32	PMS	1061	137	518	0	14	10	20	26	70
P091	3+0.359	1.1 E BIG TIM8ER	SWEET GRASS	5	80	80	.672	40	40	PMS	1289	180	268	10	30	10	0	20	70
P078	25+0.103	CARBON-STILLWATER	STILLWATER	5	60	60	2.309	24	24	PMS	314	50	348	7	25	9	1	28	70
P014	122+0.568	GOLOEN VALLEY CO	GOLOEN VALLEY	5	67	67	2.375	40	40	PMS	1028	133	520	6	21	10	8	26	71
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	5	56	56	2.482	24	28	RMS	340	44	480	0	12	10	20	29	71
P045	22+0.797	5.4 S WHEATLAND CO	SWEET GRASS	5	69	69	1.029	30	30	RMS	300	42	147	8	23	10	4	26	71
P004	19+0.206	6.5 S 8RIOGER	CAR8ON	5	72	72	4.035	40	40	PMS	1337	173	364	2	16	10	20	23	71
P078	19+0.686	ROSCOE	CAR8ON	5	60	60	4.234	24	24	PMS	295	47	348	6	24	9	5	28	72
P080	67+0.052	STANFORO	JUOITH 8ASIN	5	27	27	.122	24	26	8ST	1250	150	638	6	17	3	20	26	72
P014	124+0.946	2.4 E GOLO VAL CO	GOLOEN VALLEY	5	56	71	4.540	28	28	PMS	1083	140	450	2	15	10	20	25	72
P028	101+0.121	0.6 S FAP 4	CAR8ON	5	68	68	.587	40	40	PMS	2052	307	602	4	16	10	20	22	72
P057	17+0.931	7.5 E FAS 427	JUOITH 8ASIN	5	64	64	3.803	32	32	PMS	1481	177	481	6	17	10	15	24	72
P063	18+0.463	JUOITH GAP	WHEATLANO	5	49	54	.733	24	24	PMS	1140	148	248	10	30	10	1	21	72
P057	66+0.986	2.0 E FAP 63	FERGUS	5	47	54	6.538	24	31	PMS	1611	193	507	6	18	9	15	24	72
P014	100+0.898	JCT FAP RTE 63	WHEATLANO	5	65	65	7.126	40	40	PMS	1044	135	487	6	17	10	14	26	73
P016	29+0.682	4.5 N MUSSELSH CO	MUSSELSHELL	5	66	66	8.466	32	32	PMS	1487	193	472	6	21	10	12	24	73
P016	21+0.519	3.5 S MUSSEL CO	YELLOWSTONE	5	68	68	1.739	40	40	PMS	1452	188	264	5	19	10	20	19	73
P004	33+0.199	FROM8ERG	CAR8ON	5	54	54	.599	24	32	RMS	2432	291	828	3	15	10	20	25	73
P063	22+0.221	JUDITH 8ASIN CO	JUOITH 8ASIN	5	47	73	.678	24	24	PMS	1140	148	488	3	15	10	20	25	73
P075	0+0.000	JCT FAP RTE 57	FERGUS	5	49	81	1.680	24	28	PMS	1100	132	220	10	30	10	3	21	74
P014	116+0.456	6.1 W GOLO VAL	WHEATLANO	5	67	67	6.108	40	40	PMS	1019	132	487	6	22	10	10	26	74
P004	42+0.925	0.2 N FAP 28	CAR8ON	5	49	83	7.959	28	32	RMS	4151	498	520	7	30	10	11	16	74
P004	0+0.000	WYOMING LINE	CAR8ON	5	49	49	.516	24	30	RMS	983	127	576	8	25	10	5	27	75
P048	18+0.321	4.4 S YELLOWSTONE	8IG HORN	5	63	63	4.388	28	28	PMS	200	28	249	8	25	10	4	28	75
P016	38+0.172	8.0 MI S KLEIN	MUSSELSHELL	5	65	65	8.038	32	32	PMS	1586	206	640	6	21	10	13	25	75
P078	24+0.317	STILLWATER-CAR8ON	CAR8ON	5	60	60	.786	24	24	PMS	310	49	464	8	26	10	3	28	75
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	5	70	70	5.994	32	32	PMS	450	63	455	4	14	10	20	28	76
P043	35+0.280	ROY	FERGUS	5	62	62	7.565	30	30	PMS	265	31	546	2	15	10	20	29	76
P057	112+0.980	JCT FAP RTE 61	FERGUS	5	51	78	8.723	24	24	PMS	415	62	396	8	30	9	1	28	76
P043	3+0.018	2.4 N LEWISTOWN	FERGUS	5	50	79	6.473	25	28	PMS	1302	156	318	9	30	10	5	23	77
P037	33+0.061	5.6 W ROSE8UO CO	8IG HORN	5	74	74	5.621	40	40	PMS	1408	197	340	7	23	10	16	21	77
P014	88+0.034	11.2 W HARLOWTON	WHEATLANO	5	66	66	4.784	40	40	PMS	538	69	520	7	17	10	16	28	78
P092	34+0.062	3.9 S GARRYOWEN	8IG HORN	5	58	58	2.013	44	44	PMS	777	101	688	7	23	10	10	28	78
P061	21+0.885	PETROLEUM CO	PETROLEUM	5	63	63	4.713	30	30	PMS	850	127	504	5	17	10	20	26	78
P053	4+0.315	8ILLINGS	YELLOWSTONE	5	63	63	2.024	32	32	PMS	3434	446	487	8	24	10	20	16	78
P043	25+0.294	10.5 N FAS 236	FERGUS	5	63	63	3.737	28	30	PMS	312	37	396	4	16	10	20	29	79
P028	70+0.311	REO LOOGE	CARBON	5	21	54	11.712	22	24	RMS	1875	281	844	6	30	10	8	25	79
P028	90+0.985	BOYO	CAR8ON	5	46	47	4.433	40	40	PMS	1799	269	602	8	27	10	11	23	79
P016	4+0.649	8ILLINGS	YELLOWSTONE	5	77	77	7.049	40	40	PMS	1436	186	378	7	24	10	16	23	80
P014	92+0.813	6.5 W HARLOWTON	WHEATLANO	5	68	68	6.513	40	40	PMS	692	89	520	6	17	10	20	27	80
P080	49+0.826	JCT FAP RTE 81	FERGUS	5	53	53	1.024	24	24	RMS	200	32	397	6	17	9	20	29	81
P078	47+0.250	COLUM8US	STILLWATER	5	72	72	.433	44	44	PMS	1430	228	795	5	20	10	20	26	81
P043	29+0.037	FERGUS	FERGUS	5	63	63	6.226	28	30	PMS	310	37	546	5	17	10	20	29	81
P043	9+0.492	JCT FAP PTE 81	FERGUS	5	50	79	5.335	25	28	PMS	659	79	283	9	28	10	8	26	81
P057	57+0.839	3.4 E MOCCASIN	JUOITH 8ASIN	5	71	71	6.520	32	32	PMS	1643	197	592	7	23	10	16	25	81
P004	50+0.814	YELLOWSTONE CO	YELLOWSTONE	5	49	83	1.390	28	32	RMS	4575	549	560	6	30	10	20	15	81
P004	23+0.235	1.5 S FAP 72	CAR8ON	5	72	72	1.501	40	40	PMS	1465	190	518	6	22	10	20	24	82
P092	22+0.560	JCT I90	8IG HORN	5	56	77	4.414	32	32	PMS	911	118	645	7	20	8	20	27	82
P092	26+0.964	4.4 N. LOOGE GRASS	8IG HORN	5	56	77	7.099	28	32	PMS	836	108	645	7	22	8	20	27	84
P057	83+0.165	LEWISTOWN	FERGUS	5	42	81	5.079	26	26	PMS	1362	177	294	10	30	10	13	21	84

FINANCIAL DISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS- FND	SRF	DRN	SAF	CAP	TOT
P037	27+0.205	2.7 E BUSBY	BIG HORN	5	76	76	5.843	40	40	PMS	1360	190	640	5	24	10	20	26	85
P028	60+0.000	8.7 S REO LODGE	CARBON	5	69	69	4.227	34	34	PMS	353	70	448	7	20	10	20	28	85
P048	0+0.294	0.3 S FAI 90	BIG HORN	5	76	76	.897	44	44	PMS	2899	376	740	7	27	10	20	22	86
P063	4+0.083	3.8 N HARLOWTON	WHEATLAND	5	49	83	6.396	24	28	PMS	1076	139	483	4	30	10	16	26	86
P043	0+0.633	LEWISTOWN LIMITS	FERGUS	5	77	77	.748	48	48	PMS	2140	256	1512	8	27	10	15	27	87
P057	156+0.720	1.6 W GARFIELD CO	PETROLEUM	5	73	73	1.632	30	30	PMS	355	53	576	7	26	10	16	29	88
P057	64+0.958	JCT FAP RTE 63	FERGUS	5	71	71	2.016	32	32	PMS	1545	185	560	8	25	10	20	25	88
P004	24+0.737	JCT FAP 72	CARBON	5	72	72	.940	40	40	PMS	3350	402	963	8	26	10	20	24	88
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	5	63	63	3.682	28	28	PMS	205	28	218	7	24	10	20	28	89
P057	64+0.442	FERGUS CO	FERGUS	5	71	71	.516	32	32	PMS	1639	196	518	8	27	10	20	24	89
P078	23+0.920	CARBON-STILLWATER	STILLWATER	5	60	60	.397	24	24	PMS	310	49	278	8	25	10	20	27	90
P061	7+0.094	6.0 N ROUNDUP	MUSSELSHELL	5	77	77	6.000	40	40	PMS	1046	156	448	8	27	10	20	25	90
P092	36+0.357	1.9 S GARRYOWEN	BIG HORN	5	76	76	1.913	28	28	PMS	752	97	600	8	24	10	20	28	90
P028	64+0.237	4.5 S REO LODGE	CARBON	5	80	80	4.158	40	40	PMS	840	168	622	10	30	10	14	26	90
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	5	63	63	3.103	28	28	PMS	234	32	483	8	25	10	20	29	92
P028	68+0.587	RED LODGE	CARBON	5	80	80	.064	48	48	PMS	2730	436	929	10	30	10	20	23	93
P057	21+0.725	GEYSER	JUDITH BASIN	5	83	83	12.697	24	25	RMS	1581	189	488	10	30	10	20	24	94
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	5	74	74	.302	34	34	PMS	248	34	222	9	28	10	20	28	95
P091	0+0.000	JCT I 90 W BIG TIM	SWEET GRASS	5	81	81	.124	40	40	PMS	1321	184	592	10	30	10	20	25	95
P057	136+0.158	WINNETT	PETROLEUM	5	79	79	1.502	30	30	PMS	485	72	576	10	30	10	20	28	98
P057	130+1.042	7.8 E PETROLEUM CO	PETROLEUM	5	79	79	4.886	30	30	PMS	330	49	576	10	30	10	20	29	99
P057	121+0.739	8.7 E FAP 61	FERGUS	5			1.467	UNDER CONSTRUCTION											
P057	123+0.199	PETROLEUM CO	PETROLEUM	5			7.767	UNDER CONSTRUCTION											
P063	10+0.467	10.5 N HARLOWTON	WHEATLAND	5			7.362	UNDER CONSTRUCTION											
P057	103+0.269	9.6 W FAP 61	FERGUS	5			9.666	UNDER CONSTRUCTION											
P037	0+0.000	JCT FAI RTE 90	BIG HORN	5			8.655	UNDER CONSTRUCTION											
P028	82+0.066	ROBERTS	CARBON	5			8.931	UNDER CONSTRUCTION											
		DISTRICT TOTAL					895.694												
		SYSTEM TOTAL					5276.836												

Sufficiency Ratings by Section Statewide

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS OIST	BT	IM	SECTION LENGTH	WIOTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	FNO	SUFFICIENCY RATINGS SRF	ORN	SAF	CAP	TOT
P016	46+0.202	KLEIN	MUSSELSHELL	5	37	37	1.838	20	24	RMS	1865	242	283	0	11	8	1	17	37
P033	0+0.658	LIBBY	LINCOLN	1	59	59	.558	26	37	BST	3821	573	352	5	15	10	1	6	37
P008	34+0.396	5.4 W HELENA	LEWIS AND CLARK	3	33	33	5.434	20	24	RMS	2916	379	492	0	8	8	3	18	37
P005	61+0.013	POLSON	LAKE	1	66	66	.587	40	40	PMS	4361	588	257	5	21	10	1	0	37
P060	81+0.469	7.0 N FAS 331	CASCADE	3	42	52	5.894	26	31	RMS	2717	353	291	0	12	10	3	12	37
P052	33+0.928	JCT FAP RTE 82	FLATHEAD	1	22	49	7.644	24	24	RMS	1978	356	431	0	14	4	1	18	37
P058	12+0.053	KIOWA JCT	GLACIER	3	28	40	5.269	20	24	RMS	639	140	302	0	10	4	0	23	37
P052	41+0.541	CRESTON	FLATHEAD	1	22	49	3.975	24	24	RMS	2184	393	429	0	14	4	3	16	37
P049	3+0.037	3.0 E FAI RTE 15	BEAVERHEAD	2	59	59	5.867	24	24	PMS	1410	183	218	0	12	8	1	17	38
P024	55+0.670	JCT FAP 41	POWELL	1	61	61	9.806	24	26	PMS	1335	206	147	3	14	10	2	9	38
P029	57+0.250	JCT FAP 55	MADISON	2	36	63	1.155	22	24	RMS	310	55	126	0	11	4	0	23	38
P037	46+0.552	4.2 E LAME DEER	ROSEBUD	4	54	54	7.110	24	24	PMS	1488	208	136	5	17	8	1	7	38
P014	133+0.003	2.5 E RYEGATE	GOLDEN VALLEY	5	37	37	3.978	20	24	RMS	1120	145	283	0	9	6	1	22	38
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	5	33	56	.969	26	30	RMS	3220	418	630	0	11	6	1	20	38
P006	78+0.947	2.3 E JCT FAP 36	SANDERS	1	31	51	6.095	20	24	RMS	1587	206	336	0	10	5	2	21	38
P003	68+0.264	PONDERA CO	PONDERA	3	32	32	6.905	20	24	BST	330	67	311	0	6	4	1	27	38
P006	88+0.718	3.6 E JCT FAP 35	SANDERS	1	24	38	1.869	20	24	RMS	900	117	283	0	11	4	0	24	39
P005	15+0.054	LAKE CO	LAKE	1	40	40	3.437	24	30	RMS	4214	581	468	0	14	8	6	11	39
P006	108+0.148	DIXON	SANDERS	1	27	34	7.086	22	24	RMS	1278	166	406	0	10	4	1	24	39
P005	24+0.366	9.3 N LAKE CO	LAKE	1	55	60	3.147	32	32	PMS	4339	598	268	6	19	10	4	0	39
P006	64+0.701	8.6 E FAS 556	SANDERS	1	39	39	3.997	26	26	BST	1701	221	294	0	12	6	2	19	39
P001	16+0.932	JCT FAP 56	LINCOLN	1	34	38	4.574	20	24	RMS	2005	260	510	0	10	3	4	22	39
P083	14+0.735	SEELEY LAKE	MISSOULA	1	52	52	8.364	22	26	PMS	837	150	211	0	10	7	3	19	39
P053	32+0.044	BROADVIEW	YELLOWSTONE	5	48	48	2.171	20	24	RMS	1070	139	189	0	12	7	1	19	39
P032	48+0.193	2.6 S SCOBEY	DANIELS	4	33	45	2.587	20	24	RMS	1140	159	182	0	13	8	1	17	39
P023	83+0.090	JCT FAP RTE 54	POWDER RIVER	4	31	56	2.448	20	24	RMS	970	135	168	0	12	7	2	18	39
P025	0+0.054	CIRCLE	MCCONE	4	36	56	7.601	20	24	RMS	610	79	136	0	9	8	1	21	39
P020	32+0.967	1.0 N SAVAGE	RICHLAND	4	34	57	9.053	20	24	RMS	2018	282	338	0	11	8	3	17	39
P044	21+0.954	7.6 E VALIER	PONDERA	3	48	48	5.911	20	20	RMS	676	108	163	0	12	6	1	20	39
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	3	48	63	3.400	25	25	RMS	1185	183	196	0	11	8	4	16	39
P050	8+0.524	0.2 N FAP RTE 87	GALLATIN	2	62	72	1.955	32	32	PMS	1690	329	182	6	19	10	1	3	39
P001	103+0.175	3.8 E MARION	FLATHEAD	1	40	50	3.262	24	24	RMS	1950	224	208	0	13	8	5	14	40
P007	26+0.490	JCT FAS 473	RAVALLI	1	36	59	4.000	22	26	RMS	2120	275	300	3	13	6	2	16	40
P003	75+0.208	DUPUYER	PONDERA	3	28	52	8.382	22	24	RMS	537	110	548	0	8	4	1	27	40
P003	59+0.625	4.6 N BYNUM	TETON	3	32	53	8.589	20	24	RMS	337	69	196	0	8	6	1	25	40
P080	4+0.000	1.6 S FT BENTON	CHOUTEAU	3	56	56	1.116	25	25	BST	685	109	229	0	11	4	2	23	40
P078	29+0.991	JCT FAS RTE 419	STILLWATER	5	35	45	15.864	20	24	RMS	1222	195	450	0	10	5	1	24	40
P036	7+0.436	7.5 N FAP 6	SANDERS	1	34	47	6.403	20	24	BST	535	80	115	0	13	6	1	20	40
P016	11+0.880	7.0 N BILLINGS	YELLOWSTONE	5	34	51	9.638	20	24	RMS	1437	186	448	0	10	5	1	24	40
P019	57+0.499	HALL FAS 512 & 513	GRANITE	1	25	52	5.079	20	22	RMS	654	98	507	0	9	3	1	27	40
P023	2+0.172	JCT FAI RTE 94	CUSTER	4	20	36	3.282	25	25	RMS	1865	242	292	0	14	8	1	18	41
P024	0+0.000	JCT FAI 90	MISSOULA	1	74	74	.975	44	44	PMS	6330	822	361	7	22	10	2	0	41
P024	109+0.051	JCT FAP RTE 9	LEWIS AND CLARK	3	52	52	7.790	24	26	RMS	995	154	237	0	11	8	2	20	41
P033	64+0.921	2.0 E FA 5	LINCOLN	1	40	79	1.975	24	26	RMS	948	142	235	0	11	8	1	21	41
P029	67+0.995	7.0 E JEFF CO LINE	JEFFERSON	2	51	51	.888	34	34	RMS	463	83	114	0	10	10	2	19	41
P023	44+0.152	6.4 N POWDER R CO	CUSTER	4	32	60	3.712	18	24	RMS	477	66	355	0	8	4	2	27	41
P019	48+0.325	MAXVILLE	GRANITE	1	31	52	9.137	20	24	RMS	535	80	732	0	8	3	2	28	41
P029	75+0.032	SILVER BOW CO LINE	SILVER BOW	2	34	62	2.823	24	30	RMS	582	104	199	0	12	7	0	22	41
P006	85+0.033	JCT FAP 35	SANDERS	1	31	51	3.637	20	24	RMS	900	117	360	0	11	4	1	25	41
P008	13+0.008	JCT FAP RTE 41	POWELL	1	33	66	10.200	22	24	RMS	1791	232	573	0	8	6	3	24	41
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	1	48	54	1.536	24	32	RMS	4768	657	136	4	20	7	10	0	41
P006	99+0.246	3.6 E PERMA	SANDERS	1	24	38	2.956	20	25	RMS	1050	136	374	0	10	4	2	25	41
P067	0+0.750	SHELBY LIMITS	TOOLE	3	28	52	1.005	20	24	RMS	1320	198	380	0	11	7	1	22	41
P029	49+0.919	6.6 N TWIN BRIDGES	MADISON	2	36	63	7.355	22	24	RMS	1126	202	428	0	12	6	1	23	42
P018	48+0.498	10.4 N GARFIELD CO	GARFIELD	4	31	35	4.902	20	24	BST	192	28	470	0	7	5	1	29	42

SUFFICIENCY RATINGS 8Y SECTIONS -- STATEWIOE

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN OIST	YEARS 8T	IM	SECTION LENGTH	WIOTH SRF	SUF ROY	TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS- FNO	SRF	ORN	SAF	CAP	TOT
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	2	31	58	6.155	22	26	RMS	494	88	193	0	10	7	2	23	42
P025	7+0.760	7.6 N CIRCLE	MCCONE	4	36	56	13.141	20	25	RMS	496	64	136	0	12	6	1	23	42
P024	116+0.832	CASCAOE CO	CASCAOE	3	52	52	10.632	24	26	RMS	1030	159	237	0	12	7	3	20	42
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	5	37	37	3.424	20	24	RMS	340	44	147	0	11	4	1	26	42
P020	53+0.171	SIONEY	RICHLANO	4	35	35	5.464	20	24	RMS	3965	475	390	0	11	5	14	12	42
P027	29+0.146	JCT FAS RTE 322	FALLON	4	48	48	5.510	25	25	8ST	690	103	172	0	11	9	1	21	42
P003	41+0.952	CHOTEAU	TETON	3	21	61	12.944	20	22	RMS	645	132	322	0	12	5	1	24	42
P001	71+0.596	8.7 W FLATHEAO CO	LINCOLN	1	37	62	6.645	24	24	RMS	1060	137	278	0	12	5	2	23	42
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	3	25	63	2.119	24	24	RMS	1540	215	772	0	10	5	1	26	42
P060	71+0.018	JCT FAP RTE 57	CASCAOE	3	55	55	3.606	40	40	RMS	2090	271	302	0	12	10	3	17	42
P001	210+0.124	0.9 E EAST GLAC	GLACIER	3	43	62	1.211	26	30	RMS	1289	195	292	0	12	9	1	20	42
P058	3+0.397	3.5 W 8ROWNING	GLACIER	3	35	51	6.369	22	24	RMS	862	189	452	0	8	8	2	24	42
P001	153+0.269	JCT FAP 65	FLATHEAO	1	48	49	3.364	24	28	PMS	1177	178	129	6	18	7	2	9	42
P052	23+0.600	4.7 S FLATHEAO CO	LAKE	1	36	60	2.661	24	25	RMS	2238	402	431	0	12	6	8	16	42
P001	435+0.143	5.8 E FAP 66	8LAINE	3	35	71	4.686	24	31	PMS	1278	166	374	0	14	4	1	23	42
P045	8+0.031	7.4 N B1G TIM8ER	SWEET GRASS	5	42	42	7.744	20	24	RMS	608	85	357	0	11	4	1	26	42
P042	59+0.181	2.9 N VALLEY CO	VALLEY	4	34	34	11.347	22	26	RMS	650	117	268	0	12	7	1	23	43
P014	146+0.071	JCT FAP RTE 53	GOLOEN VALLEY	5	37	37	5.631	20	24	RMS	340	44	147	0	12	4	1	26	43
P065	0+0.000	JCT FAP 1 W GLAC	FLATHEAO	1	38	38	.305	40	40	RMS	1870	523	614	5	13	7	1	17	43
P083	23+0.113	8.3 N SEELEY LAKE	MISSOULA	1	52	52	7.694	22	26	PMS	715	128	219	0	14	7	1	21	43
P023	2+0.111	MILES CITY LIMITS	CUSTER	4	20	36	.061	25	25	RMS	5084	660	280	0	15	8	20	0	43
P014	13+0.545	11.2 E FAS 284	8ROAOWATER	2	51	51	9.901	20	26	RMS	521	67	198	0	11	5	2	25	43
P019	24+0.300	3.4 E GRANITE CO	OEER LOOGE	2	34	54	3.379	22	24	RMS	733	109	222	0	11	7	2	23	43
P029	59+0.893	JEFFERSON CO LINE	JEFFERSON	2	36	36	5.790	22	24	RMS	312	56	449	0	9	5	1	28	43
P014	182+0.021	11.9 E ROUNOUP	MUSSELSHELL	5	39	39	5.582	20	24	RMS	650	110	210	0	12	8	1	22	43
P024	91+0.218	8.2 E FAS 279	LEWIS ANO CLARK	3	48	63	5.818	25	25	RMS	1176	182	240	0	14	8	2	19	43
P029	80+0.192	JCT FAS 375	SILVER 80W	2	28	71	3.277	24	30	RMS	1170	210	259	2	14	8	1	18	43
P010	52+0.380	LOMA	CHOUTEAU	3	34	55	2.762	22	24	RMS	1125	146	380	0	8	8	3	24	43
P010	51+0.544	0.6 S LOMA	CHOUTEAU	3	36	36	.677	24	24	RMS	1147	149	335	0	11	8	1	23	43
P004	42+0.765	JCT FAP 28	CAR8ON	5	68	68	.160	40	40	PMS	4336	520	240	7	24	10	2	0	43
P007	49+0.364	1.0 N HAMILTON	RAVALLI	1	40	40	.177	28	28	RMS	6424	693	240	4	15	4	20	0	43
P007	13+0.545	0.8 N SULA	RAVALLI	1	36	39	3.392	24	24	8ST	960	124	288	0	11	7	1	24	43
P058	9+0.785	9.9 W 8ROWNING	GLACIER	3	29	35	2.247	20	24	PMS	535	117	556	0	7	8	1	27	43
P001	49+0.289	13.5 E FAS 482	LINCOLN	1	35	39	6.869	20	24	RMS	1060	137	300	0	12	4	4	23	43
P061	13+0.075	12.0 N ROUNOUP	MUSSELSHELL	5	35	66	8.809	22	24	RMS	968	145	449	0	10	5	4	25	44
P057	171+0.261	8.1 W SANO SPRINGS	GARFIELO	4	48	52	8.146	22	24	PMS	360	54	449	0	8	7	1	28	44
P062	12+0.175	8.3 S RICHLANO CO	RICHLANO	4	40	49	8.089	24	26	RMS	817	114	211	0	12	8	2	22	44
P001	21+0.505	4.6 E FAP 56	LINCOLN	1	37	70	3.927	24	26	RMS	2089	271	595	0	10	4	7	23	44
P057	206+0.821	5.3 W FA RTE 18	GARFIELO	4	36	57	5.344	22	26	RMS	360	54	396	0	8	7	1	28	44
P001	240+0.263	4.8 E FAS 444	GLACIER	3	27	60	6.784	24	24	RMS	1307	182	838	0	10	4	3	27	44
P057	54+0.312	MOCCASIN	JUOITH 8ASIN	5	33	71	2.337	22	24	RMS	1440	172	302	2	13	7	1	21	44
P046	65+0.263	0.4 E WISE RIVER	8EAVERHEAO	2	61	61	8.231	26	28	PMS	386	69	249	0	11	6	1	26	44
P042	73+0.246	JCT FAP RTE 31	VALLEY	4	34	58	2.174	22	26	RMS	1450	232	367	0	12	9	2	21	44
P036	0+0.000	JCT FAP RTE 6	SANOERS	1	44	47	3.661	20	28	8ST	565	84	283	0	8	7	3	26	44
P025	35+0.506	11.0S ROOSEVELT CO	MCCONE	4	37	37	9.233	20	25	RMS	629	81	159	0	12	6	4	22	44
P083	30+0.815	15.9 N SEELEY LAKE	MISSOULA	1	59	59	11.071	24	24	PMS	640	115	248	0	12	6	3	23	44
P007	1+0.420	1.4 N FAP 46	RAVALLI	1	40	40	6.107	22	22	8ST	747	97	390	0	12	5	1	26	44
P006	47+0.218	2.6 E 8ELKNAP	SANOERS	1	61	64	2.474	32	32	PMS	1871	261	201	5	14	10	4	11	44
P009	43+0.146	TETON CO	TETON	3	35	35	2.847	20	24	RMS	499	89	237	0	11	8	1	24	44
P007	23+0.549	2.9 S FAS 473	RAVALLI	1	36	36	2.932	22	25	RMS	1105	143	305	0	13	6	2	23	44
P006	76+0.261	PLAINS	SANOERS	1	31	34	.380	18	24	RMS	3018	392	259	0	14	3	20	7	44
P006	51+0.570	THOMPSON FALLS	SANOERS	1	35	36	4.563	20	24	RMS	1999	259	387	0	8	6	11	20	45
P009	38+0.547	AUGUSTA FAS 434	LEWIS ANO CLARK	3	35	35	4.582	20	24	RMS	644	115	364	0	11	7	2	25	45
P007	16+0.756	4.2 N SULA	RAVALLI	1	37	39	3.539	24	24	8ST	977	127	288	0	13	7	2	23	45
P024	26+0.710	5.2 W FAP 83	MISSOULA	1	49	49	5.164	25	25	8ST	1523	236	345	0	12	8	5	20	45

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	DRN	SAF	CAP	TOT
P018	38+0.093	GARFIELD CO	GARFIELD	4	31	35	10.392	20	24	BST	185	27	448	0	8	7	1	29	45
P014	192+0.108	JCT FAS 310	MUSSELSHELL	5	39	39	3.283	20	24	RMS	455	77	168	0	13	8	1	23	45
P013	88+0.763	BROADWATER CO LINE	BROADWATER	2	32	61	4.247	20	24	RMS	380	57	180	0	12	7	1	25	45
P019	27+0.690	GRANITE CO LINE	GRANITE	1	34	40	3.134	20	24	RMS	530	79	287	0	13	6	0	26	45
P025	20+0.909	20.7 N CIRCLE	MCCONE	4	35	40	7.203	20	24	RMS	465	60	228	0	10	7	2	26	45
P014	130+0.503	RYEGATE	GOLDEN VALLEY	5	37	37	2.478	20	24	RMS	1120	145	538	0	10	6	3	26	45
P018	34+0.903	JCT FAS RTE 462	ROSEBUD	4	31	56	3.183	20	24	BST	180	27	422	0	8	7	1	29	45
P039	0+0.000	JCT 37 LAME DEER	ROSEBUD	4	64	64	4.230	24	24	PMS	1196	253	381	2	16	7	0	20	45
P023	33+0.176	17.2 N POWDER R CO	CUSTER	4	31	60	10.961	18	24	RMS	505	70	499	0	7	4	6	28	45
P024	4+0.910	4.1 E BONNER	MISSOULA	1	68	68	2.624	40	40	PMS	2301	356	448	2	11	10	4	18	45
P013	94+0.645	1.1 E GALLATIN CO	GALLATIN	2	38	38	1.106	24	28	RMS	1440	216	432	2	11	8	1	23	45
P018	23+0.937	3.9 N ROSEBUD CO	ROSEBUD	4	31	35	10.946	20	24	BST	243	36	448	0	8	7	1	29	45
P068	0+0.000	JCT I 15	CASCADE	3	33	53	.174	24	28	RMS	540	81	368	0	10	8	0	27	45
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1	41	43	6.753	20	24	RMS	1060	137	369	0	12	7	2	24	45
P063	36+0.345	FERGUS CO	FERGUS	5	46	60	3.235	24	24	RMS	1270	165	276	0	13	9	2	21	45
P059	40+0.703	2.8 MEAGHER CO	MEAGHER	2	36	47	4.600	24	24	RMS	391	58	515	0	8	6	3	28	45
P057	212+0.180	JCT FAP RTE 18	GARFIELD	4	37	47	.268	22	24	RMS	1050	157	235	0	12	8	5	20	45
P061	155+0.525	JCT FAS RTE 363	PHILLIPS	4	38	42	1.398	24	26	RMS	2240	291	231	0	12	8	14	11	45
P057	192+0.200	3.6 E EDWARDS	GARFIELD	4	36	53	6.889	24	24	RMS	360	54	441	0	8	9	1	28	46
P057	218+0.065	JCT FAS RTE 341	GARFIELD	4	36	49	8.693	24	25	BST	313	46	469	0	8	8	1	29	46
P005	61+0.600	0.6 N POLSON	LAKE	1	54	54	2.852	24	32	PMS	3314	447	444	0	17	10	4	15	46
P013	61+0.592	3.7 S NORRIS	MADISON	2	34	34	3.713	20	24	RMS	919	137	240	2	14	8	1	21	46
P009	20+0.875	0.8 N FAP 24	LEWIS AND CLARK	3	32	65	8.469	20	24	RMS	534	96	470	0	10	7	2	27	46
P003	54+0.948	BYNUM	TETON	3	32	53	4.648	20	24	RMS	386	79	299	0	12	6	2	26	46
P013	35+0.970	S OF CAMERON	MADISON	2	34	34	1.910	20	24	RMS	643	135	762	0	8	7	4	27	46
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1	52	52	9.172	28	28	RMS	1169	151	237	0	12	7	7	20	46
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	3	25	61	7.073	24	24	RMS	1327	185	805	0	9	7	3	27	46
P032	28+0.176	7.0 S DANIELS CO	ROOSEVELT	4	33	45	7.041	20	24	RMS	272	38	182	0	11	7	1	27	46
P029	77+0.863	2.3 E FAS 375	SILVER BOW	2	28	71	2.337	24	30	RMS	732	131	414	0	12	7	2	25	46
P014	6+0.412	4.0 E FAS 284	BROADWATER	2	37	66	7.187	24	25	RMS	597	77	364	0	10	7	2	27	46
P029	58+0.396	SILVER BOW CO LINE	SILVER BOW	2	36	63	1.489	22	24	RMS	310	55	428	0	12	5	1	28	46
P032	39+0.888	4.7 N DANIELS CO	DANIELS	4	33	45	4.598	20	24	RMS	318	44	182	0	14	5	1	26	46
P030	20+0.630	JCT FAS RTE 516	SHERIDAN	4	40	40	2.757	20	24	RMS	480	72	237	0	12	8	1	25	46
P023	5+0.440	3.3 S FAI RTE 94	CUSTER	4	36	36	9.137	22	25	RMS	755	105	252	0	14	7	1	24	46
P023	55+0.758	COALWOOD	POWDER RIVER	4	49	55	8.797	24	24	PMS	418	58	441	0	8	9	1	28	46
P036	13+0.871	13.9 N FAP 6	SANDERS	1	41	41	2.385	20	26	BST	515	77	267	0	10	6	4	26	46
P029	43+0.258	TWIN BRIDGES	MADISON	2	39	39	6.633	20	24	RMS	1143	205	390	0	13	5	6	22	46
P014	68+0.503	8.7 W WHEATLAND CO	MEAGHER	2	36	63	4.875	22	24	RMS	320	41	364	0	9	7	2	28	46
P044	14+0.299	VALIER	PONDERA	3	48	48	7.655	20	20	RMS	745	119	585	0	8	6	5	27	46
P014	160+0.456	7.1 W FAP PTE 16	MUSSELSHELL	5	36	50	7.063	20	24	RMS	412	53	299	0	12	6	2	27	47
P036	3+0.657	3.7 N FAP 6	SANDERS	1	41	47	3.802	20	25	BST	555	83	206	0	14	6	3	24	47
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	2	34	64	2.049	22	24	RMS	400	52	573	0	10	6	2	29	47
P023	85+0.569	2.4 S JCT FAP 54	POWDER RIVER	4	53	53	10.018	24	28	RMS	902	126	220	0	11	10	5	21	47
P072	14+0.502	6.9 S JCT FAP 4	CARBON	5	48	48	6.987	24	24	RMS	1161	185	396	2	14	6	2	23	47
P083	82+0.636	JCT FAS RTE 209	FLATHEAD	1	59	59	3.735	24	24	PMS	1217	219	220	2	13	10	7	15	47
P078	27+0.412	2.3 N CARBON CO	STILLWATER	5	35	35	2.579	20	20	RMS	324	51	391	0	12	6	1	28	47
P083	0+0.000	JCT FAP 24	MISSOULA	1	52	52	14.761	24	24	RMS	1011	181	492	0	11	7	5	24	47
P072	10+0.384	BELFRY	CARBON	5	49	49	1.126	24	24	BST	1086	173	673	2	13	5	1	26	47
P091	2+0.228	BIG TIMBER	SWEET GRASS	5	38	38	1.105	30	30	RMS	1604	224	291	5	15	8	1	18	47
P057	88+0.245	5.1 E LEWISTOWN	FERGUS	5	37	56	6.022	24	30	RMS	1104	143	333	0	13	8	2	24	47
P059	49+0.499	JCT FAS RTE 294	MEAGHER	2	36	63	8.034	22	24	RMS	490	73	627	0	9	8	2	28	47
P061	1+0.021	ROUNDUP	MUSSELSHELL	5	50	54	5.953	24	30	PMS	1114	167	291	0	11	10	5	21	47
P057	262+0.331	13.9 E FAP 42	MCCONE	4	47	47	5.189	24	24	BST	475	71	492	0	8	8	3	28	47
P053	34+0.273	GOLDEN VALLEY CO	GOLDEN VALLEY	5	48	57	6.295	22	28	RMS	952	123	438	0	10	8	3	26	47
P053	23+0.140	COMANCHE	YELLOWSTONE	5	48	48	8.421	20	24	RMS	1245	161	561	0	10	7	4	26	47

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	ST	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT
P057	248+0.630	JCT FAP 42	MCCONE	4	40	54	8.008	24	24	RMS	312	46	441	0	9	9	1	28	47
P008	11+0.262	AVON	POWELL	1	33	66	1.742	22	24	RMS	1683	218	620	0	8	8	6	25	47
P010	55+0.129	2.8 N LOMA	CHOUTEAU	3	34	55	8.768	22	24	RMS	1094	142	702	0	8	8	4	27	47
P006	56+0.095	JCT FAS 556	SANDERS	1	35	49	1.717	20	24	RMS	1516	197	315	0	10	5	11	21	47
P005	93+0.536	FLATHEAD CO	FLATHEAD	1	64	83	5.181	32	32	PMS	2086	281	364	0	9	10	10	18	47
P001	429+0.077	0.6 E FAP 66	BLAINE	3	36	62	5.241	28	30	RMS	1346	174	421	0	11	10	2	24	47
P001	44+0.296	8.5 E FAS 482	LINCOLN	1	36	39	5.006	20	24	RMS	1060	137	480	0	9	7	5	26	47
P002	70+0.895	PLEVNA	FALLON	4	39	39	11.726	24	30	RMS	933	124	226	0	13	10	2	22	47
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	2	31	40	2.000	24	31	RMS	443	79	194	0	11	10	2	24	47
P032	6+0.294	2.5 N FAP RTE 1	ROOSEVELT	4	33	79	7.819	24	24	RMS	526	73	248	0	13	7	1	26	47
P022	7+0.586	7.1 E SCOBEY	DANIELS	4	35	36	10.261	20	24	BST	405	52	184	0	12	8	1	26	47
P044	2+0.760	2.8 E JCT FAP 3	PONDERA	3	54	54	10.425	24	24	RMS	447	71	530	0	12	7	1	28	48
P037	24+0.493	BUSBY	BIG HORN	5	54	54	2.712	24	24	PMS	1362	190	396	0	12	10	3	23	48
P025	28+0.107	4.2 N FAS 254	MCCONE	4	40	40	7.404	20	24	RMS	457	59	182	0	14	7	2	25	48
P027	22+0.502	JCT FAS RTE 494	FALLON	4	48	48	6.612	25	25	BST	280	42	196	0	11	9	1	27	48
P036	31+0.649	FLATHEAD CO	FLATHEAD	1	40	51	4.443	20	26	RMS	613	91	515	0	11	6	4	27	48
P018	18+0.057	2.0 S ROSEBUD CO	CUSTER	4	28	35	2.023	20	24	BST	256	38	364	0	11	8	1	28	48
P021	0+0.825	3.0 S CONRAD	PONDERA	3	34	64	2.792	24	26	RMS	1002	130	561	0	10	8	3	27	48
P030	10+0.100	10.1 N JCT RTE 22	SHERIDAN	4	40	40	10.490	20	24	RMS	326	48	211	0	12	8	1	27	48
P014	63+0.148	18.1 E FAP 60	MEAGHER	2	37	65	5.333	21	24	RMS	320	41	357	0	9	8	3	28	48
P014	170+0.161	ROUNDUP	MUSSELSHELL	5	39	39	11.871	20	24	RMS	637	108	299	0	12	10	1	25	48
P014	77+0.214	WHEATLAND CO	WHEATLAND	5	34	64	10.825	22	24	RMS	460	59	524	0	9	7	4	28	48
P080	46+0.112	CHOUTEAU-FERGUS CO	FERGUS	5	62	62	3.745	24	24	PMS	160	25	246	0	11	5	4	28	48
P057	148+0.699	9.6 W GARFIELD CO	PETROLEUM	5	51	51	7.983	24	24	BST	384	57	299	0	12	8	1	27	48
P057	256+0.590	8.0 E FAP 42	MCCONE	4	40	54	5.802	24	24	RMS	403	60	469	0	9	9	2	28	48
P069	10+0.026	3.9 N FAS RTE 359	JEFFERSON	2	64	64	3.662	28	28	PMS	767	115	193	0	14	10	3	21	48
P061	118+0.176	15.8 N FAP RTE 66	PHILLIPS	4	49	49	6.251	22	22	BST	322	54	237	0	12	7	2	27	48
P005	114+0.862	KALISPELL	FLATHEAD	1	57	60	5.610	36	36	PMS	6377	829	602	5	18	10	6	9	48
P013	65+0.316	JCT FAP 84	MADISON	2	34	34	9.543	20	24	RMS	560	84	240	0	15	7	1	25	48
P007	82+0.745	LOLO	MISSOULA	1	68	68	.634	44	44	PMS	7561	816	464	8	25	10	1	4	48
P010	63+0.940	11.6 N LOMA	CHOUTEAU	3	34	55	8.465	22	24	RMS	1055	137	360	0	14	8	2	24	48
P004	26+0.285	BRIDGER	GARBON	5	23	51	6.413	22	24	RMS	2780	333	711	0	10	6	9	23	48
P001	37+0.882	5.1 E LIBBY	LINCOLN	1	36	51	6.395	24	24	RMS	1769	229	649	0	10	7	6	25	48
P001	6+0.982	3.2 E FAS 508	LINCOLN	1	49	51	6.959	22	28	PMS	1418	184	497	0	11	8	5	24	48
P001	224+0.000	JCT FAP RTE 3	GLACIER	3	35	61	4.927	22	24	RMS	1540	215	642	0	12	8	3	25	48
P002	6+0.885	0.7 E JCT FAI 94	CUSTER	4	50	50	6.326	20	24	RMS	563	74	228	0	12	9	2	25	48
P005	27+0.503	JCT FAP 6	LAKE	1	56	60	3.687	44	44	PMS	3840	529	544	3	15	10	5	15	48
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	3	32	65	9.092	20	24	RMS	525	94	448	0	12	7	2	27	48
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	2	34	52	.908	22	24	RMS	250	37	386	0	11	8	1	29	49
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	3	34	55	6.870	22	24	RMS	1049	136	702	0	8	8	6	27	49
P003	8+0.408	JCT FAP 24	CASCADE	3	36	61	6.993	24	31	RMS	1138	147	427	0	11	8	5	25	49
P001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1	49	51	4.352	22	28	PMS	1098	142	427	0	13	8	3	25	49
P001	56+0.167	20.4 E FAS 482	LINCOLN	1	38	50	8.685	20	26	RMS	1060	137	312	0	12	6	8	23	49
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1	37	62	2.143	24	24	RMS	1060	137	309	0	13	6	7	23	49
P001	99+0.410	MARION	FLATHEAD	1	47	61	3.779	24	30	RMS	1755	201	331	0	13	7	8	21	49
P057	226+0.736	8.7 E FAS 341	GARFIELD	4	37	54	12.201	24	24	RMS	319	47	441	0	11	8	2	28	49
P059	45+0.327	0.3 N RINGLING	MEAGHER	2	36	47	4.192	24	24	RMS	410	61	744	0	9	8	3	29	49
P057	213+0.087	JORDAN	GARFIELD	4	37	52	4.996	24	26	RMS	364	54	793	0	10	8	2	29	49
P069	13+0.688	7.5 N FAS RTE 359	JEFFERSON	2	61	61	8.498	26	26	PMS	711	106	184	3	15	9	1	21	49
P057	242+0.464	3.5 E FAS 462	GARFIELD	4	38	54	6.092	24	24	RMS	329	49	193	0	13	9	1	26	49
P046	58+0.864	.8 E BEAVERHEAD CO	BEAVERHEAD	2	61	61	6.050	26	28	PMS	368	66	248	0	12	8	3	26	49
P045	33+0.365	5.1 N WHEATLAND CO	WHEATLAND	5	35	39	4.535	20	24	RMS	448	62	561	0	10	7	4	28	49
P037	53+0.681	11.3 E LAME DEER	ROSEBUD	4	54	54	8.693	24	24	PMS	1444	202	280	3	14	9	4	19	49
P014	23+0.519	MEAGHER CO	MEAGHER	2	55	55	9.978	24	27	PMS	590	76	237	2	12	9	1	25	49
P023	47+0.867	2.7 N POWDER R CO	CUSTER	4	52	52	2.703	22	28	PMS	465	65	165	0	11	10	4	24	49

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT
P017	3+0.200	3.5 N FAP RTE 42	VALLEY	4	38	83	5.422	20	24	RHS	423	63	390	0	12	7	2	28	49
P032	35+0.228	DANIELS CO	DANIELS	4	33	45	4.667	20	24	RHS	292	40	159	0	13	8	2	26	49
P030	0+0.000	JCT FAP RTE 22	SHERIDAN	4	38	40	10.149	20	24	RHS	382	57	211	0	13	7	3	26	49
P033	1+0.219	0.6 N LIBBY	LINCOLN	1	42	50	8.320	28	28	BST	1150	172	247	3	15	8	3	20	49
P029	25+0.175	1.9 N FAS RTE 357	MADISON	2	40	40	7.929	20	24	RHS	891	160	364	0	10	8	8	23	49
P023	72+0.957	3.4 N FAP 37	POWDER RIVER	4	28	41	3.379	24	24	BST	554	77	248	2	12	8	2	25	49
P014	187+0.619	17.5 E ROUNDUP	MUSSELSHELL	5	39	39	4.478	20	24	RHS	649	110	322	0	13	8	3	25	49
P019	10+0.110	ANACONDA	DEER LODGE	2	51	59	6.813	24	28	PMS	2023	303	462	2	12	8	7	20	49
P032	14+0.125	10.0 N JCT FAP 1	ROOSEVELT	4	33	79	9.277	24	24	RHS	340	47	220	0	15	7	1	27	50
P032	23+0.431	11.8 S DANIELS CO	ROOSEVELT	4	33	79	4.760	24	24	RMS	260	36	248	0	13	8	1	28	50
P024	83+0.155	0.2 E JCT FAS 279	LEWIS AND CLARK	3	57	64	2.969	28	30	PMS	1160	179	264	4	13	10	3	20	50
P029	19+0.905	5.3 N VIRGINIA CTY	MADISON	2	42	42	5.254	20	24	RHS	762	137	655	0	10	8	5	27	50
P018	20+0.059	ROSEBUD CO	ROSEBUD	4	28	35	3.899	20	24	BST	248	37	627	0	10	8	3	29	50
P027	12+0.063	FALLON CO	FALLON	4	50	50	10.442	22	24	PHS	260	39	182	0	11	10	2	27	50
P023	79+0.965	BROADUS	POWDER RIVER	4	40	40	3.148	24	24	RHS	1362	190	246	0	13	9	10	18	50
P063	24+0.837	JUDITH BASIN CO	JUDITH BASIN	5	47	62	.581	24	24	RMS	1110	144	366	0	15	10	1	24	50
P052	10+0.345	10.3 N FAP 5	LAKE	1	48	64	7.657	24	26	RMS	1439	259	495	0	14	8	6	22	50
P057	0+0.000	JCT FAP RTE 60	CASCADE	3	60	60	5.417	32	32	PMS	1615	193	336	3	15	10	1	21	50
P061	124+0.473	22.0 N FAP RTE 66	PHILLIPS	4	47	47	5.924	25	25	BST	327	55	312	0	12	8	3	27	50
P057	238+0.926	JCT FAS 462	GARFIELD	4	38	54	2.536	24	24	RMS	330	49	276	0	13	9	1	27	50
P057	7+0.061	JUDITH BASIN CO	JUDITH BASIN	5	61	61	3.343	32	32	PMS	1609	193	364	2	14	10	2	22	50
P041	0+0.000	JCT FAP B	POWELL	1	61	61	6.348	28	28	PHS	360	57	660	0	7	10	4	29	50
P037	8+0.655	8.7 E JCT FAI 90	BIG HORN	5	54	54	8.563	24	24	PMS	1300	182	530	0	9	8	8	25	50
P046	56+0.960	SILVER BOW CO LINE	SILVER BOW	2	61	61	1.055	26	28	PHS	320	57	299	0	11	10	2	27	50
P013	56+0.524	MCALLISTER	MADISON	2	36	57	5.182	22	24	RHS	920	138	448	2	15	7	1	25	50
P005	57+0.826	I-1 S FAP 52	LAKE	1	58	58	1.188	32	32	PMS	5926	770	264	5	15	10	20	0	50
P010	80+0.000	BIG SANDY	CHOUTEAU	3	33	63	4.793	24	26	RHS	1154	150	889	0	7	7	9	27	50
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	2	32	48	5.273	24	30	RMS	380	57	289	0	14	8	1	27	50
P013	49+0.247	ENNIS	MADISON	2	34	34	7.247	20	24	RMS	1293	193	420	0	15	8	4	23	50
P013	82+0.240	1.4 N GALLATIN CO	GALLATIN	2	50	50	.830	22	24	RHS	250	37	286	0	13	8	1	28	50
P084	20+0.309	ANCENEY	GALLATIN	2	55	55	8.744	24	24	RHS	1130	192	313	4	16	8	1	21	50
P078	13+0.316	12.8 W REO LODGE	CARBON	5	57	57	6.370	24	24	PHS	280	44	591	0	13	6	2	29	50
P082	0+0.000	JCT FAP 5	FLATHEAD	1	52	71	5.474	24	24	PHS	3138	564	461	7	19	8	4	12	50
P057	199+0.094	10.5 E EDWARDS	GARFIELD	4	36	53	7.662	24	24	RMS	360	54	441	0	13	9	1	28	51
P069	31+0.026	6.0 S BOULDER	JEFFERSON	2	59	59	6.004	24	24	BST	873	130	246	4	15	7	3	22	51
P050	47+0.941	JCT FAP RTE 64	GALLATIN	2	55	55	12.950	28	28	PHS	1567	235	283	4	18	9	2	18	51
P048	0+2.507	HARDIN	BIG HORN	5	70	70	.192	40	40	PHS	4332	519	340	7	23	10	4	7	51
P046	41+0.858	DEER LODGE CO LINE	DEER LODGE	2	61	61	9.356	26	28	PMS	260	46	354	1	11	9	2	28	51
P046	51+0.396	DEER LODGE CO LINE	DEER LODGE	2	61	61	5.577	26	28	PHS	285	51	413	0	11	10	2	28	51
P042	70+0.534	2.7 S FAP RTE 31	VALLEY	4	34	34	2.721	22	26	RMS	1107	199	795	0	10	9	6	26	51
P013	47+0.144	9.3 N CAMERON	MADISON	2	36	58	1.492	22	25	RHS	1649	346	601	0	14	9	7	21	51
P007	20+0.475	7.7 N SULA	RAVALLI	1	37	39	3.081	24	24	BST	1026	133	249	0	16	7	6	22	51
P005	31+0.190	2.5 N JCT FAP 6	LAKE	1	56	83	1.427	32	32	RHS	3840	529	444	3	16	10	10	12	51
P003	0+0.000	I 15 VAUGHN	CASCADE	3	55	71	1.402	28	32	RMS	3832	498	168	6	30	10	5	0	51
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1	65	65	.521	24	28	RHS	1151	174	301	5	15	10	0	21	51
P014	137+0.000	6.5 E RYEGATE	GOLDEN VALLEY	5	37	37	9.104	20	24	RMS	1119	145	515	0	10	8	7	26	51
P022	29+0.335	ARCHER	SHERIDAN	4	37	62	11.728	20	24	RHS	921	119	364	0	13	9	4	25	51
P023	64+0.651	8.8 S COALWOOD	POWDER RIVER	4	29	41	8.397	24	24	BST	498	69	248	0	11	10	4	26	51
P061	142+0.098	14.7 S HALTA	PHILLIPS	4	42	42	5.277	20	24	RMS	375	63	211	0	14	9	2	26	51
P056	22+0.022	5.4 N LINCOLN CO	LINCOLN	1	60	60	5.854	24	24	PMS	735	117	280	4	15	7	2	24	52
P069	28+0.186	8.8 S BOULDER	JEFFERSON	2	57	57	2.840	24	24	BST	686	102	196	4	15	7	4	22	52
P060	53+0.694	4.2 N MONARCH	CASCADE	3	40	40	6.667	26	26	BST	551	82	448	0	12	9	4	27	52
P061	136+0.797	18.9 S FAS 363	PHILLIPS	4	42	42	5.282	20	24	RHS	359	61	420	0	12	8	4	28	52
P069	0+0.673	WHITEHALL	JEFFERSON	2	33	55	2.318	32	32	RHS	1626	260	640	2	13	10	3	24	52
P080	0+0.000	JCT FAP 10	CHOUTEAU	3	53	53	1.596	24	24	RHS	650	104	172	5	14	10	2	21	52

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	FNO	SRF	ORN	SAF	CAP	TOT
P024	35+0.684	POWELL CO	POWELL	1	61	61	7.494	24	26	PMS	1361	210	264	4	15	10	5	18	52
P014	252+0.337	VANADA	ROSEBUD	4	54	54	7.162	24	24	RMS	233	39	221	0	13	10	2	27	52
P024	86+0.130	3.1 E FAS 279	LEWIS AND CLARK	3	57	64	5.093	28	30	PMS	1165	180	211	6	18	10	1	17	52
P024	.65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	3	60	60	6.787	24	24	PMS	1479	229	299	4	16	10	3	19	52
P022	17+0.900	SHERIDAN CO	SHERIDAN	4	36	36	3.028	22	25	BST	361	46	197	0	17	8	1	26	52
P028	0+0.000	SILVERGATE	PARK	2	36	72	8.703	22	22	BST	300	60	253	4	16	6	0	26	52
P035	0+0.000	ST REGIS	MINERAL	1	60	60	3.381	24	24	PMS	806	120	299	3	15	7	3	24	52
P009	46+0.001	JCT FAS 408	TETON	3	35	35	7.848	20	24	RMS	352	63	286	0	16	8	1	27	52
P009	53+0.840	7.8 N FAS 408	TETON	3	36	36	6.133	22	25	RMS	386	69	253	2	15	8	1	26	52
P005	56+0.943	2.0 S FAP 52	LAKE	1	73	73	.882	40	40	PMS	5918	769	616	5	17	10	9	11	52
P013	37+0.869	CAMERON	MADISON	2	34	34	9.243	20	24	RMS	903	189	450	0	14	8	7	24	53
P053	40+0.546	6.3 N GOLD VAL CO	GOLDEN VALLEY	5	56	56	4.841	30	30	BST	1263	164	573	0	10	10	7	26	53
P060	88+0.360	2.0 E GREAT FALLS	CASCADE	3	39	71	2.019	32	32	RMS	4497	584	302	4	18	10	20	1	53
P063	19+0.218	FERGUS CO	FERGUS	5	47	73	3.002	24	24	PMS	1140	148	396	0	15	10	4	24	53
P057	94+0.341	11.1 E LEWISTOWN	FERGUS	5	37	57	8.960	24	30	RMS	1046	135	324	2	16	9	2	24	53
P072	5+0.604	4.8 S BELFRY	CARBON	5	61	61	4.864	30	30	PMS	903	144	329	2	15	7	6	23	53
P050	31+0.181	YELL PARK BDY	GALLATIN	2	60	60	8.921	28	28	PMS	1911	372	364	5	18	10	5	15	53
P083	54+0.540	6.8 N LAKE CO LINE	LAKE	1	55	55	10.638	24	24	PMS	615	110	248	2	13	7	8	23	53
P093	16+0.488	16.0 W FAP RTE 7	MISSOULA	1	64	78	4.609	30	30	PMS	1262	201	121	9	28	10	1	5	53
P085	0+0.000	JCT FAP 50 FAP 84	GALLATIN	2	53	53	6.708	24	24	RMS	2967	474	429	5	21	8	6	13	53
P027	7+0.242	6.9 N EKALAKA	CARTER	4	50	50	4.818	22	24	PMS	284	42	387	0	10	10	5	28	53
P017	8+0.774	3.1 S NASHUA	VALLEY	4	38	83	1.783	20	24	RMS	458	68	216	4	15	8	1	25	53
P041	6+0.348	6.3 N FAP 8	POWELL	1	62	62	5.406	28	28	PMS	350	56	660	0	7	10	7	29	53
P037	17+0.211	17.2 E JCT FAI 90	BIG HORN	5	54	54	7.296	24	24	PMS	1345	188	187	0	10	8	20	15	53
P041	16+0.875	14.6 N FAP 8	POWELL	1	70	70	2.966	30	30	PMS	350	56	219	2	13	10	2	26	53
P002	84+0.000	BAKER	FALLON	4	68	68	5.059	40	40	PMS	850	113	555	0	12	10	4	27	53
P001	372+0.142	8.6 E KREMLIN	HILL	3	60	60	7.002	32	32	PMS	1464	199	645	0	14	10	4	25	53
P001	308+0.048	1.0 E LIBERTY CO	LIBERTY	3	47	60	7.280	26	26	RMS	724	98	456	2	13	10	2	27	54
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	3	57	62	7.266	32	32	PMS	784	106	602	0	11	10	6	27	54
P001	254+0.122	0.6 W OF CUT BANK	GLACIER	3	55	55	.402	42	42	PMS	2990	418	817	4	17	10	1	22	54
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	3	35	71	6.447	24	24	RMS	1170	152	462	0	11	6	12	25	54
P004	57+0.562	LAUREL	YELLOWSTONE	5	36	64	.636	30	30	RMS	3220	322	280	8	24	8	1	13	54
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1	55	59	10.160	24	28	PMS	1573	220	483	2	12	10	7	23	54
P078	0+0.472	REO LODGE	CARBON	5	52	52	5.580	24	24	RMS	676	108	556	3	16	7	1	27	54
P078	6+0.052	5.5 W REO LODGE	CARBON	5	53	53	7.264	24	24	RMS	327	52	278	4	16	6	1	27	54
P056	27+0.876	6.7 S FAP 1	LINCOLN	1	56	56	6.764	24	24	PMS	901	136	249	5	16	9	2	22	54
P056	16+0.540	SANDERS-LINCOLN CO	LINCOLN	1	63	63	5.482	28	28	PMS	602	96	212	5	16	8	2	23	54
P063	26+0.629	1.2 N FERGUS CO	FERGUS	5	41	70	6.838	24	24	RMS	1110	144	276	5	15	10	2	22	54
P061	38+0.689	6.5 S FAP RTE 57	FERGUS	5	41	67	4.893	24	30	RMS	879	131	324	2	17	9	2	24	54
P055	0+0.000	JCT FAP 29	MADISON	2	53	53	2.142	24	24	RMS	900	135	299	5	15	8	3	23	54
P057	41+0.824	5.2 E FAP 80	JUDITH BASIN	5	36	56	12.442	22	24	RMS	1452	174	683	0	15	6	7	26	54
P084	11+0.483	MADISON-GALLATIN	GALLATIN	2	55	55	8.808	24	24	RMS	732	124	243	5	17	9	1	22	54
P081	32+0.645	9.8 NW JCT FAP 43	FERGUS	5	51	51	9.827	24	24	BST	336	53	172	3	17	8	1	25	54
P024	31+0.845	JCT FAP 83	MISSOULA	1	54	54	3.823	24	30	RMS	1260	195	550	0	12	10	7	25	54
P014	229+0.532	INGOMAR	ROSEBUD	4	55	63	12.892	20	20	RMS	253	43	260	0	13	9	4	28	54
P022	20+0.923	3.0 E SHERIDAN CO	SHERIDAN	4	36	61	8.441	20	25	RMS	387	50	364	0	14	9	3	28	54
P036	31+0.138	LAKE CO	LAKE	1	40	40	.511	20	25	BST	595	89	308	0	11	7	10	26	54
P034	6+0.910	RAYMOND	SHERIDAN	4	51	60	8.711	24	24	PMS	394	55	278	4	14	8	1	27	54
P042	1+0.983	MCCONE CO	MCCONE	4	60	64	6.310	24	40	BST	126	25	340	0	10	10	5	29	54
P045	28+0.272	WHEATLAND CO	WHEATLAND	5	46	55	5.074	24	26	RMS	366	51	514	0	9	10	6	29	54
P032	44+0.481	9.3 N DANIELS CO	DANIELS	4	33	45	3.712	20	24	RMS	484	67	390	0	13	8	6	27	54
P048	1+0.344	0.8 N HARDIN	BIG HORN	5	41	63	5.459	21	24	RMS	926	126	390	2	14	8	6	25	55
P001	354+0.598	1.0 E GILFORD	HILL	3	36	59	8.956	26	31	RMS	1187	161	498	4	15	10	1	25	55
P005	0+0.000	JCT FAI 90	MISSOULA	1	76	76	.622	64	64	PMS	5021	692	616	8	21	10	3	13	55
P006	12+0.353	1.0 E BULL RIVER	SANDERS	1	58	58	1.214	32	32	BST	789	110	168	6	17	10	2	20	55

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	FIN YEARS BT	FIN YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS- FNO	SRF	ORN	SAF	CAP	TOT
P005	32+0.761	ST IGNATIUS	LAKE	1	69	83	.340	32	32	RMS	3902	538	222	8	30	10	7	0	55
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	1	52	64	3.629	24	28	RMS	720	100	249	4	14	9	4	24	55
P005	67+0.425	6.4 N POLSON	LAKE	1	54	70	3.855	30	30	PMS	2007	270	259	4	18	9	10	14	55
P060	38+0.998	NEIHART	CASCADE	3	52	52	10.527	22	26	PMS	508	76	355	4	13	8	3	27	55
P066	0+0.000	JCT FAP RTE 61	PHILLIPS	4	61	61	10.621	28	28	PMS	230	32	690	0	10	10	6	29	55
P056	8+0.170	8.1 N FAP RTE 6	SANDERS	1	63	63	8.370	28	28	PMS	540	86	318	5	14	8	2	26	55
P060	74+0.514	JCT FAS RTE 331	CASCADE	3	52	55	6.955	24	32	PMS	2712	352	336	0	11	10	20	14	55
P056	0+0.000	JCT FAP RTE 6	SANDERS	1	57	57	8.170	24	24	PMS	574	91	280	4	16	8	2	25	55
P081	29+0.558	12.9 NW JCT FAP 43	FERGUS	5	73	73	3.087	24	24	PMS	304	48	172	4	16	8	1	26	55
P029	5+0.698	5.5 W ENNIS	MADISON	2	51	51	5.030	28	32	RMS	607	109	193	4	15	8	6	22	55
P024	133+0.232	5.7 E SIMMS	CASCADE	3	64	64	5.275	32	32	PMS	2009	311	390	3	17	10	7	18	55
P028	47+0.309	2.3 N WYO BORY	CARBON	5	65	65	6.415	28	28	PMS	317	63	394	4	14	10	0	28	56
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	2	51	59	2.255	32	32	PMS	1054	158	461	0	14	8	9	25	56
P036	26+0.128	7.1 N FAP 77	SANDERS	1	40	40	4.999	20	25	BST	590	88	536	0	7	7	14	28	56
P038	4+0.354	0.3 W FAP 1	FLATHEAD	1	39	53	.144	24	24	RMS	3533	529	759	0	8	8	20	20	56
P001	209+0.252	EAST GLACIER	GLACIER	3	63	63	.874	32	32	PMS	1259	191	378	5	17	10	2	22	56
P005	145+0.620	OLNEY	FLATHEAD	1	55	60	11.263	26	26	PMS	1273	178	235	0	13	9	15	19	56
P009	12+0.412	12.4 N FAI 15	LEWIS AND CLARK	3	63	63	7.749	32	32	PMS	440	79	340	0	12	10	7	27	56
P006	23+0.327	TUSCOR	SANDERS	1	59	64	6.097	32	32	PMS	1010	141	518	0	14	10	6	26	56
P006	57+0.808	1.7 E FAS 556	SANDERS	1	34	49	6.899	20	24	RMS	1597	207	364	0	13	5	17	21	56
P007	43+0.629	2.6 S HAMILTON	RAVALLI	1	49	49	.900	28	28	RMS	3310	397	791	6	14	9	5	22	56
P055	2+0.411	SIL BOW-JEFFERSON	JEFFERSON	2	53	53	9.717	24	24	RMS	1334	200	248	5	16	8	9	18	56
P061	83+0.411	4.6 S PHILLIPS CO	FERGUS	5	60	60	4.583	28	28	PMS	425	72	660	0	10	10	8	28	56
P080	2+0.366	FORT BENTON	CHOUTEAU	3	62	62	1.631	30	30	RMS	759	121	294	4	16	10	2	24	56
P050	60+0.889	12.9 N FAP RTE 64	GALLATIN	2	67	67	9.312	28	28	PMS	1617	242	206	7	26	10	1	12	56
P058	39+0.819	BABB	GLACIER	3	56	56	3.787	24	28	RMS	737	162	462	3	16	9	3	25	56
P057	267+0.491	JCT FAS RTE 253	MCCONE	4	41	56	10.951	24	25	RMS	476	71	515	0	8	10	10	28	56
P081	26+0.723	12.8 SE BENTON	FERGUS	5	73	73	2.835	24	24	RMS	289	46	287	2	15	10	2	28	57
P058	25+0.516	6.0 S ST MARYS	GLACIER	3	58	64	6.011	44	44	PMS	713	156	455	5	15	10	2	25	57
P061	26+0.604	FERGUS CO	FERGUS	5	63	63	1.120	30	30	PMS	851	127	324	5	17	10	1	24	57
P054	0+0.000	WYOMING LINE	POWDER RIVER	4	59	66	9.121	24	24	BST	314	47	556	0	10	10	8	29	57
P061	45+0.150	JCT FAP RTE 57	FERGUS	5	62	62	9.658	30	30	PMS	413	70	504	0	15	10	4	28	57
P060	25+0.339	3.3 S CASCADE CO	MEAGHER	2	59	63	3.335	26	26	PMS	363	54	488	3	15	10	1	28	57
P087	6+0.719	MADISON-GALLATIN	GALLATIN	2	67	67	3.316	30	30	PMS	380	83	235	4	17	10	1	25	57
P083	47+0.765	LAKE CO. LINE	LAKE	1	58	58	6.789	24	24	PMS	613	110	396	2	12	6	11	26	57
P083	86+0.280	3.7 N FAS RTE 209	FLATHEAD	1	59	59	4.733	24	24	PMS	1847	332	396	5	16	10	9	17	57
P014	224+0.418	5.1 W INGOMAR	ROSEBUD	4	48	63	5.122	25	25	RMS	271	46	221	2	16	10	2	27	57
P014	259+0.489	7.2 E VANADA	ROSEBUD	4	54	54	5.579	24	24	RMS	271	46	424	0	14	10	5	28	57
P018	1+0.000	MILES CITY LIMITS	CUSTER	4	57	57	1.135	32	32	BST	1502	225	409	5	18	10	2	22	57
P017	0+0.000	JCT FAP RTE 42	VALLEY	4	69	69	3.500	24	24	BST	438	65	313	3	15	6	6	27	57
P023	50+0.580	POWDER RIVER CO	POWDER RIVER	4	52	60	5.179	24	28	RMS	421	58	738	0	10	10	8	29	57
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	2	51	59	5.072	24	28	PMS	1217	182	528	0	11	10	11	25	57
P037	69+0.625	6.3 E POWDER R CO	POWDER RIVER	4	67	67	9.659	28	28	PMS	664	106	390	2	12	10	7	26	57
P001	315+0.301	6.5 W CHESTER	LIBERTY	3	47	60	5.785	26	26	RMS	966	131	532	4	14	10	3	26	57
P001	543+0.809	JCT FAP 31	VALLEY	4	62	62	2.430	36	36	PMS	1637	212	560	4	15	10	4	24	57
P010	3+0.534	GREAT FALLS	CASCADE	3	40	71	6.102	28	28	PMS	2365	307	481	5	20	9	3	20	57
P006	106+0.153	2.0 W DIXON	SANDERS	1	44	44	1.991	24	24	BST	1050	136	479	0	10	8	13	26	57
P005	64+0.489	3.5 N POLSON	LAKE	1	54	54	2.938	24	32	PMS	2135	288	268	3	15	10	15	14	57
P006	10+0.404	JCT FAP 56	SANDERS	1	52	52	.970	24	28	RMS	798	111	187	5	15	10	6	21	57
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	2	49	49	5.991	20	26	RMS	1164	151	504	0	11	8	12	26	57
P034	0+0.192	PLENTYWOOD	SHERIDAN	4	51	60	6.730	24	24	PMS	630	88	278	5	15	9	3	25	57
P037	62+0.327	ASHLAND	ROSEBUD	4	57	57	1.966	24	28	PMS	802	128	390	3	14	10	6	25	58
P031	0+0.000	JCT FAP 42	VALLEY	4	62	62	1.443	28	28	PMS	550	77	354	4	17	9	1	27	58
P037	42+0.082	LAME DEER FAP 39	ROSEBUD	4	54	54	4.469	24	24	PMS	1518	212	249	2	12	9	18	17	58
P050	40+0.132	8.9 N PARK BOY	GALLATIN	2	60	60	7.823	28	28	PMS	2175	424	364	5	18	10	12	13	58

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT
P046	26+0.350	WISDOM	BEAVERHEAD	2 65 65	5.256	28	28	PMS	264	47	518	3	12	10	4	29	58
P070	1+0.506	SUPERIOR	MINERAL	1 31 52	.062	22	24	RMS	330	59	716	0	4	5	20	29	58
P057	73+0.550	8.5 E FAP 63	FERGUS	5 47 54	3.350	24	31	PMS	1702	204	329	5	18	9	5	21	58
P061	70+0.499	3.9 N JCT FAP 43	FERGUS	5 59 63	12.938	28	28	PMS	445	75	910	0	9	10	10	29	58
P080	50+0.880	FERGUS-J BASIN CO	JUDITH BASIN	5 53 53	8.418	24	24	RMS	266	42	371	3	15	9	3	28	58
P070	0+0.200	1.0 W SUPERIOR	MINERAL	1 31 52	1.035	22	24	RMS	191	34	544	0	4	5	20	29	58
P053	46+0.272	LAVINA	GOLDEN VALLEY	5 56 56	.418	30	30	BST	1370	178	504	2	13	10	8	25	58
P063	22+0.899	FERGUS CO	FERGUS	5 47 62	1.926	24	24	RMS	1125	146	457	0	15	10	8	25	58
P091	0+0.124	0.7 W BIG TIMBER	SWEET GRASS	5 56 56	.768	32	32	PMS	1836	257	592	0	11	4	20	23	58
P014	212+0.433	5.3 E ROSEBUD CO	ROSEBUD	4 46 57	4.717	20	24	RMS	319	54	168	3	19	10	1	25	58
P001	521+0.454	20.0 E VALLEY CO	VALLEY	4 50 55	5.117	24	27	PMS	1244	161	455	3	16	10	4	25	58
P001	379+0.167	JCT FAP R7E 10	HILL	3 52 52	1.516	40	40	RMS	4990	523	616	4	17	10	10	17	58
P001	591+0.423	WOLF POINT	ROOSEVELT	4 58 58	5.798	32	32	PMS	2481	322	600	6	16	10	4	22	58
P001	0+0.000	IDAHO LINE	LINCOLN	1 54 55	2.622	24	30	PMS	1080	140	289	3	14	9	9	23	58
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	1 64 76	9.496	36	36	PMS	4402	607	420	8	25	10	7	8	58
P005	104+0.255	JCT FAP 82	FLATHEAD	1 49 83	5.341	32	32	PMS	7925	871	383	5	30	10	13	0	58
P006	0+0.000	IDAHO LINE	SANDERS	1 52 65	2.260	24	28	RMS	720	100	280	6	16	8	3	25	58
P006	14+0.720	3.4 E BULL RIVER	SANDERS	1 59 64	8.606	32	32	PMS	866	121	268	4	16	10	5	23	58
P006	104+0.678	4.5 W DIXON	SANDERS	1 69 69	.388	32	32	PMS	1050	136	240	6	19	10	1	22	58
P014	205+0.177	MELSTONE	MUSSELSHELL	5 46 63	1.991	20	24	RMS	405	68	538	0	10	10	10	28	58
P013	93+0.363	JCT FAP 8	BROADWATER	2 68 68	.330	40	40	RMS	660	99	213	6	20	10	0	23	59
P006	46+0.236	1.6 E BELKNAP	SANDERS	1 58 58	.985	32	32	BST	1314	183	420	3	13	10	10	23	59
P011	40+0.712	9.1 S FAS 540	PARK	2 65 65	9.177	32	32	PMS	2075	385	600	6	17	10	6	20	59
P001	204+0.366	6.4 E GLACIER CO	GLACIER	3 63 63	4.884	32	32	PMS	1062	161	441	5	17	10	2	25	59
P002	4+0.822	MILES CITY	CUSTER	4 50 82	1.527	26	28	PMS	1549	206	731	3	12	10	8	26	59
P001	526+0.524	14.1 W GLASGOW	VALLEY	4 50 55	11.109	24	27	PMS	1295	168	297	5	20	10	2	22	59
P037	64+0.304	POWDER RIVER CO	POWDER RIVER	4 57 57	5.314	24	28	PMS	723	115	248	0	14	10	12	23	59
P050	81+0.910	JCT FAP 84 85	GALLATIN	2 60 60	5.208	36	36	PMS	6930	831	520	8	26	10	9	6	59
P060	49+0.470	MONARCH	CASCADE	3 52 52	4.234	22	26	PMS	536	80	355	5	15	8	4	27	59
P084	0+0.000	JCT FAP 13	MADISON	2 53 53	6.427	24	24	RMS	536	91	374	5	18	9	1	26	59
P063	33+0.456	JUDITH BASIN CO	JUDITH BASIN	5 41 70	2.021	24	24	RMS	1165	151	366	3	12	10	10	24	59
P051	9+0.094	0.8 E DAWSON CO	DAWSON	4 59 59	9.669	28	28	PMS	233	32	318	0	11	10	10	28	59
P061	110+0.333	8.1 N FAP RTE 66	PHILLIPS	4 57 59	7.800	24	29	PMS	320	54	354	0	11	10	10	28	59
P058	35+0.813	4.3 N ST MARYS	GLACIER	3 56 64	4.001	32	32	PMS	1202	264	498	6	18	10	3	22	59
P080	59+0.331	6.7 N STANFORD	JUDITH BASIN	5 53 53	6.712	24	24	RMS	393	62	371	4	14	10	4	27	59
P083	41+0.890	5.8 S LAKE CO LINE	MISSOULA	1 59 59	5.856	24	24	PMS	625	112	457	2	13	7	11	26	59
P086	9+0.582	8.6 N BOZEMAN	GALLATIN	2 73 73	6.746	31	31	PMS	1120	224	414	2	18	10	7	22	59
P060	28+0.700	CASCADE CO	CASCADE	3 59 63	7.208	26	26	PMS	390	58	260	5	16	10	1	27	59
P077	0+0.000	JCT FAP R7E 36	SANDERS	1 41 41	1.746	20	26	BST	930	186	749	0	10	6	17	26	59
P069	2+0.991	2.3 E WHITEHALL	JEFFERSON	2 68 68	2.055	30	30	PMS	1336	207	366	4	22	10	2	22	60
P061	54+0.837	9.7 N FAP RTE 57	FERGUS	5 61 61	11.832	30	30	PMS	398	67	540	0	11	10	11	28	60
P086	3+0.822	2.8 N BOZEMAN	GALLATIN	2 61 61	5.760	30	30	PMS	1541	308	738	6	19	10	1	24	60
P058	31+0.544	ST MARYS	GLACIER	3 64 64	4.279	32	32	PMS	1260	277	448	6	18	10	5	21	60
P010	109+0.571	1.8 S FAP 1	HILL	3 52 52	1.796	32	32	RMS	1800	234	520	3	15	10	9	23	60
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	1 48 54	.787	24	28	PMS	3440	412	303	6	15	9	20	10	60
P005	47+0.372	RONAN	LAKE	1 70 70	6.021	40	40	PMS	6088	791	560	8	20	10	13	9	60
P014	55+0.917	10.8 E FAP 60	MEAGHER	2 56 58	7.271	28	28	PMS	336	43	248	3	15	10	5	27	60
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	2 61 61	5.777	34	34	PMS	1699	365	640	3	13	10	13	21	60
P001	454+0.446	DODSON	PHILLIPS	4 49 78	3.241	26	26	RMS	1160	150	525	3	16	8	7	26	60
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1 57 59	2.834	26	26	PMS	1038	157	384	5	20	10	1	24	60
P001	661+0.539	5.6 W N D LINE	ROOSEVELT	4 55 62	5.605	32	32	PMS	1290	167	340	6	15	10	6	23	60
P037	79+0.284	15.0 E POWDER R CO	POWDER RIVER	4 67 67	3.193	28	28	PMS	612	97	204	4	14	10	9	23	60
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4 63 64	11.418	24	42	BST	128	25	426	0	11	10	10	29	60
P029	34+0.189	SHERIDAN	MADISON	2 39 39	8.029	22	24	RMS	913	164	762	0	14	8	11	27	60
P017	10+0.569	1.4 S NASHUA	VALLEY	4 57 83	1.424	24	28	PMS	480	72	356	5	15	10	3	27	60

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT
P018	2+0.123	1.1 N MILES CITY	CUSTER	4	64	64	10.937	32	32	PMS	452	67	520	3	13	10	6	28	60
P058	0+0.000	JCT FAP RTE 1	GLACIER	3	35	51	3.369	22	24	RMS	1232	271	819	0	7	8	20	25	60
P084	6+0.425	6.4 E JCT FAP 13	MADISON	2	52	52	5.052	24	24	RMS	601	102	348	5	18	10	1	26	60
P057	10+0.428	JCT FAS RTE 427	JUDITH BASIN	5	64	64	7.500	32	32	PMS	1506	180	302	5	15	10	9	21	60
P062	1+0.524	CULBERTSON	ROOSEVELT	4	61	61	.496	36	36	PMS	1114	155	560	6	17	10	1	26	60
P057	79+0.285	JCT FAP RTE 75	FERGUS	5	47	54	1.761	24	31	RMS	1850	222	733	7	17	9	3	25	61
P061	66+0.624	JCT FAP RTE 43	FERGUS	5	62	62	3.889	30	30	PMS	465	79	324	0	12	10	13	26	61
P083	65+0.165	17.7 N LAKE CO.	LAKE	1	58	79	12.634	24	24	PMS	691	124	165	8	27	6	1	19	61
P072	0+0.000	MONT-WYOMING LINE	CARBON	5	61	61	5.184	30	30	PMS	799	127	366	0	15	8	13	25	61
P059	2+0.267	1.8 N FAI 90	PARK	2	41	41	2.293	20	24	PMS	1192	178	390	3	15	9	11	23	61
P013	96+0.554	THREE FORKS	GALLATIN	2	50	55	.555	32	32	RMS	1460	219	752	2	14	8	11	26	61
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	1	63	63	2.361	28	28	RMS	720	100	218	5	16	9	8	23	61
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1	72	83	2.054	28	28	RMS	3953	545	372	10	30	10	3	8	61
P005	53+0.399	6.0 N RONAN	LAKE	1	58	58	3.432	32	32	PMS	5904	767	520	8	21	10	14	8	61
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	4	58	58	4.565	32	32	PMS	1793	233	600	5	15	10	7	24	61
P001	184+0.254	12.6 W GLACIER CO	FLATHEAD	1	67	77	12.184	32	32	PMS	983	149	538	5	15	10	5	26	61
P048	6+0.777	6.1 N HARDIN	BIG HORN	5	45	45	4.865	20	24	RMS	444	62	338	2	14	9	9	27	61
P028	53+0.726	8.7 N WYO BORY	CARBON	5	65	65	6.274	28	28	PMS	336	67	591	6	16	10	1	28	61
P018	13+0.047	7.0 S ROSEBUD CO	CUSTER	4	63	63	5.000	30	30	PMS	276	41	624	2	15	10	5	29	61
P062	33+0.331	3.6 N SIDNEY	RICHLAND	4	37	83	2.109	22	22	PMS	1350	189	189	4	30	10	3	15	62
P060	9+0.718	9.5 N FAP 14	MEAGHER	2	59	63	7.386	26	26	PMS	391	58	330	5	17	10	3	27	62
P055	2+0.123	MADISON-SILVER BOW	SILVER BOW	2	53	53	.288	24	24	RMS	900	135	368	7	20	8	3	24	62
P087	10+0.026	3.3 E MADISON CO	GALLATIN	2	67	67	10.223	30	30	PMS	400	88	372	4	16	10	6	26	62
P010	86+0.041	3.4 S HILL CO	CHOUTEAU	3	33	41	3.371	20	24	BST	1130	146	739	0	8	7	20	27	62
P005	37+0.397	5.0 N ST IGNATIUS	LAKE	1	72	72	3.743	32	32	RMS	3997	551	399	9	30	10	4	9	62
P012	0+0.000	IDAHO LINE	GALLATIN	2	61	61	2.272	34	34	PMS	1650	354	322	7	23	10	8	14	62
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	4	60	60	9.761	32	32	PMS	1919	249	640	4	15	10	9	24	62
P032	60+0.935	9.2 N SCOBEY	DANIELS	4	45	68	4.884	24	24	RMS	62	8	329	4	16	10	2	30	62
P048	1+0.060	JCT FAI 90	BIG HORN	5	70	70	.284	40	40	RMS	1282	153	268	7	23	10	1	21	62
P004	52+0.256	1.4 N YELLOWST CO	YELLOWSTONE	5	22	83	1.318	24	30	RMS	5755	690	652	7	30	10	1	14	62
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1	57	59	1.514	26	26	PMS	1047	159	357	6	20	10	3	23	62
P002	89+0.046	5.1 E BAKER	FALLON	4	68	68	6.442	40	40	PMS	641	85	592	0	12	10	12	28	62
P001	383+0.815	HAVRE	HILL	3	46	54	7.204	24	30	PMS	2904	348	507	6	22	10	4	20	62
P001	363+0.532	APPR TO KREMLIN	HILL	3	36	59	8.591	26	31	RMS	1263	171	622	6	15	10	5	26	62
P024	43+0.145	7.5 E POWELL CO	POWELL	1	61	61	12.512	24	26	PMS	1488	230	294	4	15	10	15	18	62
P020	63+0.922	FAIRVIEW	RICHLAND	4	56	56	.349	24	32	RMS	2710	325	828	6	22	10	1	24	63
P008	98+0.994	0.8 E JCT FAS 437	BROADWATER	2	52	52	8.944	24	28	RMS	1579	252	354	2	12	10	20	19	63
P007	7+0.530	7.4 N JCT FAP 46	RAVALLI	1	40	40	6.016	24	24	BST	810	105	280	0	13	6	20	24	63
P010	97+0.042	7.6 N HILL CO	HILL	3	28	41	7.369	22	24	RMS	1408	183	480	0	12	7	20	24	63
P078	45+0.855	0.5 S COLUMBUS	STILLWATER	5	57	57	.591	28	28	RMS	1543	246	425	8	24	10	0	21	63
P080	39+0.544	1.5 S SQUARE BUTTE	CHOUTEAU	3	64	64	6.073	28	28	PMS	160	25	299	0	13	10	11	29	63
P057	36+0.651	JCT FAP RTE 80	JUDITH BASIN	5	37	37	5.170	24	30	RMS	1697	203	518	0	10	9	20	24	63
P079	0+0.000	JCT FAI 94 HYSHAM	TREASURE	5	64	64	1.953	30	30	PMS	400	56	585	4	17	10	3	29	63
P064	0+0.000	JCT FAP RTE 50	GALLATIN	2	72	77	3.000	30	30	PMS	944	236	331	7	25	10	2	19	63
P014	108+0.043	7.1 E FAP 63	WHEATLAND	5	53	53	8.427	24	28	RMS	1053	136	450	3	13	10	12	25	63
P011	0+0.000	YELL PARK BDRY	PARK	2	75	75	1.016	48	48	PMS	2879	535	664	7	27	10	1	18	63
P011	10+0.864	10.7 N GARDINER	PARK	2	69	69	5.766	32	32	BST	1002	186	441	6	21	10	2	24	63
P005	156+0.922	LINCOLN CO	LINCOLN	1	55	60	2.697	26	26	PMS	1056	147	235	0	13	9	20	21	63
P014	33+0.493	JCT FAP 59	MEAGHER	2	33	66	8.182	21	24	RMS	1015	131	584	0	8	8	20	27	63
P008	3+0.919	3.8 E GARRISON	POWELL	1	57	64	7.362	32	32	PMS	1651	214	409	6	18	10	7	22	63
P050	16+0.625	8.3 N FAP RTE 87	GALLATIN	2	63	63	14.593	32	32	PMS	1741	339	518	4	16	10	13	20	63
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1	75	75	4.368	44	44	PMS	3428	514	340	8	26	10	12	7	63
P001	644+1.008	CULBERTSON	ROOSEVELT	4	56	61	3.010	32	32	PMS	1319	171	640	6	17	10	4	26	63
P001	157+0.164	3.7 E WEST GLACIER	FLATHEAD	1	48	49	2.350	24	28	PMS	1133	172	154	6	17	7	20	13	63
P001	223+0.702	2.8 E BROWNING	GLACIER	3	60	60	.184	32	32	PMS	2265	385	258	7	18	10	20	8	63

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT
P001	211+0.317	2.1 E EAST GLAC	GLACIER	3 39 63	1.867	26	30	RMS	1333	202	622	0	10	8	20	25	63
P005	18+0.483	3.4 N LAKE CO	LAKE	1 55 60	5.861	32	32	PMS	4340	598	481	5	18	10	20	11	64
P001	656+0.309	10.8 W N D LINE	ROOSEVELT	4 55 62	5.246	32	32	PMS	1202	156	520	6	17	10	5	26	64
P001	556+0.131	NASHUA	VALLEY	4 56 70	8.685	32	32	PMS	1215	157	600	5	18	10	5	26	64
P028	45+0.000	MONT WYO BORY	CARBON	5 65 65	2.331	28	28	PMS	303	60	890	5	16	10	4	29	64
P024	72+0.242	LINCOLN	LEWIS AND CLARK	3 60 60	3.534	24	24	PMS	1506	233	424	3	15	10	14	22	64
P010	90+0.926	1.5 N HILL CO	HILL	3 30 73	6.098	22	26	PMS	1262	164	831	0	10	7	20	27	64
P005	59+0.004	JCT FAP 52	LAKE	1 58 58	.331	40	40	PMS	7120	925	289	8	26	10	20	0	64
P014	242+0.413	AHLES	ROSEBUD	4 50 63	9.949	20	24	RMS	242	41	322	0	13	9	14	28	64
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	5 39 39	8.309	20	24	RMS	510	86	322	0	15	9	14	26	64
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	3 63 63	.726	32	32	PMS	539	97	302	5	17	10	7	25	64
P009	60+0.000	4.0 S CHOTEAU	TETON	3 36 36	4.013	22	25	RMS	438	78	450	2	16	8	11	27	64
P014	100+0.394	HARLOWTON	WHEATLAND	5 65 65	.504	40	40	PMS	1759	228	708	8	18	10	3	25	64
P081	13+0.840	OENTON	FERGUS	5 73 73	12.883	24	24	PMS	304	48	196	6	21	10	1	26	64
P081	0+0.000	JCT FAP RTE 80	FERGUS	5 52 59	12.943	24	24	PMS	215	34	287	6	18	10	2	28	64
P072	5+0.118	5.1 N WYO-MONT	CARBON	5 70 70	.486	30	30	PMS	852	136	402	6	20	10	3	25	64
P053	15+0.901	ACTON	YELLOWSTONE	5 48 48	7.281	20	24	RMS	1258	163	584	0	9	9	20	26	64
P057	76+0.912	2.3 W FAP 75	FERGUS	5 47 54	2.366	24	31	PMS	2017	242	507	7	20	9	5	23	64
P060	0+0.000	JCT FAP RTE 14	MEAGHER	2 55 69	9.550	28	28	PMS	427	64	413	6	16	10	4	28	64
P080	45+0.606	0.5 N FERGUS CO	CHOUTEAU	3 62 62	.497	24	24	PMS	160	25	699	0	10	5	20	29	64
P057	34+0.443	2.2 W FAP 80	JUDITH BASIN	5 83 83	2.206	24	25	RMS	1737	208	713	0	9	9	20	26	64
P083	77+0.797	4.8 S FLATHEAD CO	LAKE	1 62 62	4.859	30	30	PMS	855	153	324	5	15	10	11	23	64
P046	31+0.616	5.3 E WISDOM	BEAVERHEAD	2 65 65	5.283	26	26	PMS	260	43	560	3	12	10	10	29	64
P043	14+0.838	JCT FAS RTE 236	FERGUS	5 63 63	10.463	28	30	PMS	322	38	366	3	16	10	7	28	64
P046	64+0.920	WISE RIVER	BEAVERHEAD	2 70 70	.398	44	44	PMS	376	67	415	8	17	10	1	28	64
P037	82+0.471	CUSTER FOR BORY	POWDER RIVER	4 67 67	2.271	28	28	PMS	600	96	248	2	13	10	15	24	64
P048	11+0.644	11.0 N HARDIN	BIG HORN	5 54 54	6.665	24	24	RMS	266	37	457	4	17	10	4	29	64
P051	0+0.000	JCT FAP RTE 57	MCCONE	4 60 61	3.326	30	30	PMS	396	55	546	3	16	10	7	28	64
P041	27+0.495	JCT FAS 271	POWELL	1 57 72	5.017	24	24	PMS	420	67	249	5	17	10	6	26	64
P049	0+0.244	DILLON	BEAVERHEAD	2 46 62	2.421	24	26	RMS	1812	235	420	2	13	7	20	22	64
P036	18+0.961	JCT FAP 77	SANDERS	1 63 63	7.161	28	28	PMS	617	92	592	3	12	10	11	28	64
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	5 46 78	4.429	24	24	PMS	300	42	221	4	21	10	2	27	64
P045	15+0.771	15.2 N BIG TIMBER	SWEET GRASS	5 48 78	7.041	24	24	PMS	394	55	246	5	22	10	1	27	65
P036	16+0.265	0.1 SW FAS 382	SANDERS	1 63 63	2.732	28	28	PMS	808	121	555	2	12	10	14	27	65
P001	424+0.712	HARLEM	BLAINE	3 68 68	3.805	40	40	PMS	2484	322	600	7	22	10	4	22	65
P001	291+0.748	6.8 E FAS 417	TOOLE	3 54 59	8.023	32	32	PMS	919	124	645	0	15	10	13	27	65
P004	33+0.798	0.6 N FROMBERG	CARBON	5 68 68	8.918	40	40	PMS	2467	296	555	6	18	10	9	22	65
P024	0+0.975	MILLTOWN	MISSOULA	1 74 74	.870	44	44	PMS	4054	527	516	10	28	10	2	15	65
P005	125+0.804	1.1 S WHITEFISH	FLATHEAD	1 45 45	1.128	36	36	PMS	8595	859	963	4	14	10	20	17	65
P005	71+0.313	6.2 S FAP 36	LAKE	1 62 62	6.212	32	32	PMS	1853	250	302	4	19	10	14	18	65
P014	217+0.153	10.0 E ROSEBUD CO	ROSEBUD	4 48 63	7.269	25	25	RMS	295	50	371	3	18	10	6	28	65
P007	59+0.036	VICTOR	RAVALLI	1 56 61	7.721	32	32	PMS	3980	429	688	8	24	10	2	21	65
P066	10+0.608	PHILLIPS-BLAINE CO	BLAINE	3 59 59	12.623	28	28	PMS	356	49	354	0	15	9	13	28	65
P093	6+0.837	6.8 E IDAHO LINE	MISSOULA	1 64 79	9.654	30	30	PMS	1044	167	211	8	27	10	2	18	65
P059	37+1.030	MEAGHER CO	MEAGHER	2 42 52	2.756	24	24	RMS	375	56	774	0	8	8	20	29	65
P063	25+0.433	FERGUS CO	FERGUS	5 47 57	1.200	24	24	RMS	1110	144	220	2	14	9	20	20	65
P087	20+0.240	2.1 W JCT FAP 50	GALLATIN	2 67 67	2.194	30	30	PMS	583	128	581	6	18	10	4	27	65
P061	27+0.705	1.1 N FERGUS CO	FERGUS	5 65 65	6.059	30	30	PMS	859	128	351	5	17	10	8	25	65
P063	35+0.473	0.9 S FERGUS CO	JUDITH BASIN	5 46 59	.876	24	24	RMS	1245	161	488	0	12	8	20	25	65
P061	88+0.068	PHILLIPS CO	PHILLIPS	4 60 60	5.580	28	28	PMS	420	71	660	0	8	10	20	28	66
P061	147+0.379	9.5 S MALTA	PHILLIPS	4 38 42	8.114	24	26	RMS	397	67	357	0	11	8	20	27	66
P062	24+0.961	JCT FAS 201	RICHLAND	4 40 83	4.749	22	22	PMS	1088	152	189	4	30	10	4	18	66
P072	11+0.754	0.5 N BELFRY	CARBON	5 49 49	2.812	20	24	RMS	1107	177	392	2	18	4	19	23	66
P061	43+0.570	1.6 S FAP RTE 57	FERGUS	5 62 62	1.564	32	32	PMS	927	157	518	5	18	10	8	25	66
P036	36+0.100	4.4 N FLATHEAD CO	FLATHEAD	1 37 61	4.101	24	26	RMS	638	95	889	0	11	7	20	28	66

SUFFICIENCY RATINGS BY SECTIONS — STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT
P033	53+0.851	RESERV BR APPR	LINCOLN	1 71 71	.676	34	34	PMS	400	60	114	8	25	10	1	22	66
P050	76+0.436	5.4 S FAP 84 85	GALLATIN	2 64 64	5.455	32	32	PMS	4019	602	600	7	24	10	10	15	66
P001	197+0.193	0.6 W GLACIER CO	FLATHEAD	1 52 70	.348	26	26	PMS	980	148	168	5	14	10	20	17	66
P001	629+0.422	3.2 E BROCKTON	ROOSEVELT	4 46 83	5.368	24	28	GRV	1279	166	212	6	30	10	2	18	66
P001	278+0.809	0.3 E FAI 15	TOOLE	3 56 56	.440	60	60	PMS	4020	482	1780	0	11	9	20	26	66
P001	278+0.459	JCT FAI 15	TOOLE	3 60 60	.350	68	68	PMS	4020	482	1424	0	11	10	20	25	66
P001	247+0.019	7.7 W OF CUT BANK	GLACIER	3 27 76	4.950	24	24	PMS	1462	204	495	7	25	7	3	24	66
P001	421+0.341	3.4 W HARLEM	BLAINE	3 39 62	2.572	26	31	RMS	1839	239	624	5	14	10	13	24	66
P020	13+0.048	11.3 N GLENDIVE	DAWSON	4 69 69	5.607	40	40	PMS	1870	261	364	5	18	10	14	19	66
P026	0+0.000	JCT FAP RTE 20	RICHLAND	4 36 83	.771	24	24	PMS	2523	327	429	6	30	10	1	19	66
P018	73+0.587	14.7 N COHAGEN	GARFIELD	4 58 65	9.391	28	28	PMS	247	37	383	4	15	10	8	29	66
P005	98+0.643	5.2 NLFLATHEADCO	FLATHEAD	1 63 83	5.548	32	32	PMS	3011	406	464	4	30	10	5	17	66
P007	83+0.388	JCT FAP 93	MISSOULA	1 68 68	6.756	68	68	PMS	12585	1132	1312	8	24	10	7	17	66
P014	73+0.390	3.8 W WHEATLAND CO	MEAGHER	2 36 63	1.779	22	24	RMS	320	41	646	0	10	7	20	29	66
P006	11+0.402	BULL RIVER	SANDERS	1 63 63	.956	28	28	RMS	794	111	249	6	17	10	10	23	66
P006	13+0.530	2.2 E BULL RIVER	SANDERS	1 63 63	1.194	28	28	RMS	784	109	416	6	17	10	8	26	67
P005	180+0.908	JCT FAP 33	LINCOLN	1 50 50	6.546	24	24	RMS	570	85	292	0	12	9	20	26	67
P093	0+0.000	MONT-IDAHO LINE	MISSOULA	1 64 79	6.815	30	30	PMS	802	128	278	8	27	8	1	23	67
P061	130+0.356	25.0 S FAS RTE 363	PHILLIPS	4 42 42	6.399	20	24	RMS	341	57	392	0	13	8	18	28	67
P087	1+0.460	1.3 E FAP 13	MADISON	2 72 72	1.586	30	30	PMS	380	83	372	6	23	10	1	27	67
P080	5+0.120	2.7 S FORT BENTON	CHOUTEAU	3 56 78	9.572	24	24	PMS	556	88	221	8	27	7	1	24	67
P069	5+0.046	4.3 E WHITEHALL	JEFFERSON	2 68 68	1.060	30	30	PMS	1129	170	546	0	14	8	20	25	67
P001	393+0.855	2.8 E BLAINE CO	BLAINE	3 38 59	9.717	24	30	RMS	2956	354	624	5	17	10	14	21	67
P003	15+0.376	7.3 N FAP 24	CASCADE	3 42 42	1.479	24	30	RMS	1148	149	546	0	13	8	20	26	67
P001	508+0.040	6.6 E VALLEY CO	VALLEY	4 66 66	7.595	40	40	PMS	1113	144	640	5	19	10	6	27	67
P001	501+0.410	VALLEY CO	VALLEY	4 55 55	6.588	24	28	RMS	1100	143	481	0	12	9	20	26	67
P001	499+1.054	SACO	PHILLIPS	4 55 55	1.515	24	28	RMS	1150	149	592	0	11	10	20	26	67
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	4 57 61	9.308	32	32	PMS	1749	227	560	3	20	10	10	24	67
P023	95+0.564	6.0 N CARTER CO	POWDER RIVER	4 54 54	6.028	24	28	RMS	756	105	732	0	9	10	20	28	67
P024	75+0.787	3.5 E LINCOLN	LEWIS AND CLARK	3 60 81	6.221	24	24	PMS	1410	218	221	10	30	10	2	15	67
P024	127+0.466	SIMMS	CASCADE	3 59 59	5.720	32	32	PMS	1799	278	487	6	19	10	11	21	67
P024	138+0.485	SUN RIVER	CASCADE	3 36 82	1.018	28	28	RMS	2110	327	360	9	30	10	2	16	67
P027	71+0.318	7.9 S WIBAUX	WIBAUX	4 65 65	2.083	28	28	PMS	646	96	249	8	22	10	3	24	67
P050	7+0.330	7.2 N WEST YELL	GALLATIN	2 64 64	1.047	34	34	PMS	1530	298	592	3	12	10	20	22	67
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	2 60 63	9.393	28	28	PMS	242	43	354	6	16	10	7	28	67
P050	10+0.485	2.4 N FAP RTE 87	GALLATIN	2 63 63	6.020	32	32	PMS	1700	331	420	5	14	10	20	18	67
P033	54+0.527	0.7 N RES BR	LINCOLN	1 71 71	10.394	34	34	PMS	525	78	268	7	23	10	1	26	67
P031	39+0.360	11.0 S OPHEIM	VALLEY	4 52 71	11.080	24	24	RMS	204	32	218	7	22	10	1	28	68
P050	70+0.197	11.7 S FAP 84 85	GALLATIN	2 58 60	6.250	32	32	PMS	2704	405	600	7	23	10	3	20	68
P008	65+0.437	0.7 S WINSTON	BROADWATER	2 56 65	11.540	32	32	PMS	2708	365	600	6	21	10	10	21	68
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	5 56 56	2.851	24	28	RMS	340	44	220	0	12	9	20	27	68
P069	6+0.106	JCT FAS RTE 359	JEFFERSON	2 70 70	3.920	32	32	PMS	802	120	325	0	14	10	20	24	68
P063	0+0.000	JCT. FAP RTE 14	WHEATLAND	5 49 83	3.758	24	28	PMS	1106	143	280	4	30	10	2	22	68
P061	33+0.803	7.2 N FERGUS CO	FERGUS	5 52 52	4.896	24	28	RMS	873	130	338	2	12	10	20	24	68
P057	330+0.554	0.3 W GLENDIVE	DAWSON	4 48 50	.222	24	34	PMS	2375	237	258	6	18	8	20	16	68
P001	642+0.523	1.7 W CULBERTSON	ROOSEVELT	4 56 61	1.712	32	32	PMS	1168	151	378	0	14	10	20	24	68
P001	639+0.172	5.0 W CULBERTSON	ROOSEVELT	4 52 52	3.338	24	30	RMS	1162	151	366	0	14	10	20	24	68
P001	228+0.797	BLACKFOOT	GLACIER	3 57 57	1.050	24	32	RMS	1540	215	640	2	11	10	20	25	68
P028	96+0.673	JOLIET	CARBON	5 74 74	4.685	44	44	PMS	1986	297	688	6	24	10	4	24	68
P022	81+0.351	5.5 S FROID	ROOSEVELT	4 59 59	7.156	32	32	PMS	1095	142	409	0	13	10	20	25	68
P027	0+0.355	EKALAKA	CARTER	4 50 50	6.902	22	24	PMS	344	51	597	0	9	10	20	29	68
P021	0+0.000	115 S CONRAD	PONDERA	3 73 73	.825	40	40	PMS	840	109	560	6	24	10	1	27	68
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	3 50 63	1.203	24	30	RMS	1540	215	468	2	13	10	20	23	68
P001	251+0.988	2.7 W OF CUT BANK	GLACIER	3 72 72	2.128	50	50	PMS	1982	277	544	6	22	10	9	22	69
P001	280+0.100	SHELBY	TOOLE	3 54 59	11.649	32	32	PMS	1094	148	602	0	13	10	20	26	69

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	DRN	SAF	CAP	TOT
P001	278+0.091	0.4 W FAL 15	TOOLE	3	60	60	.368	68	68	PMS	1673	234	1472	0	11	10	20	28	69
P001	515+0.618	14.2 E VALLEY CO	VALLEY	4	50	55	5.795	24	27	PMS	1207	156	525	4	16	10	13	26	69
P005	120+0.487	5.8 N KALISPELL	FLATHEAD	1	81	81	4.974	36	36	PMS	5502	715	688	6	30	10	9	14	69
P001	546+0.252	2.4 E EAP 31	VALLEY	4	53	53	8.404	24	30	RMS	1537	199	585	0	14	10	20	25	69
P001	177+0.633	19.1 W GLACIER CO	FLATHEAD	1	69	69	2.833	34	34	PMS	994	151	409	9	22	10	4	24	69
P002	6+0.197	I 94 E MILES CITY	CUSTER	4	62	62	.688	32	32	PMS	569	75	168	5	17	10	14	23	69
P001	113+0.334	6.0 W KALISPELL	FLATHEAD	1	49	82	6.278	32	34	PMS	3614	415	412	8	26	10	10	15	69
P004	13+0.435	13.4 N WYO LINE	CARBON	5	59	59	5.773	32	32	PMS	1174	152	555	0	13	10	20	26	69
P048	0+0.000	JCT EAI 90	BIG HORN	5	71	71	.294	40	40	PMS	2109	274	464	8	27	10	3	21	69
P043	1+0.366	0.7 N LEWISTOWN	FERGUS	5	77	77	1.652	44	44	PMS	2041	244	340	9	28	10	3	19	69
P037	95+0.715	EPSIE	POWDER RIVER	4	60	69	7.908	28	28	PMS	662	105	299	6	23	10	5	25	69
P032	51+0.736	SCOBEY	DANIELS	4	58	68	9.191	24	26	PMS	161	22	422	7	20	10	3	29	69
P031	32+0.480	15.5 N AIRBASE RD	VALLEY	4	54	54	6.850	24	24	PMS	210	33	249	4	17	10	10	28	69
P041	11+0.754	11.7 N FAP 8	POWELL	1	77	77	5.121	28	28	PMS	350	56	247	6	24	10	2	27	69
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	3	51	57	3.833	30	30	PMS	1797	233	507	2	14	10	20	23	69
P019	38+0.582	.4 N PHILIPSBURG	GRANITE	1	60	60	9.701	32	32	PMS	608	91	426	3	13	10	16	27	69
P010	9+0.609	6.1 N GR FALLS	CASCADE	3	51	57	6.489	30	30	PMS	1895	246	366	4	15	10	20	20	69
P011	49+0.902	JCT EAS 540	PARK	2	61	61	1.890	32	32	PMS	3420	410	645	7	23	10	9	20	69
P061	93+0.534	5.6 N PHILLIPS CO	PHILLIPS	4	60	60	8.793	28	28	PMS	419	71	841	0	10	10	20	29	69
P086	0+0.962	BOZEMAN	GALLATIN	2	58	58	2.860	25	25	PMS	2682	536	661	10	30	9	2	18	69
P061	102+0.308	JCT EAP RTE 66	PHILLIPS	4	57	59	8.062	24	29	PMS	320	54	518	0	11	10	20	28	69
P057	289+0.828	DAWSON CO	DAWSON	4	64	64	7.066	32	32	PMS	655	98	364	5	19	10	9	26	69
P062	2+0.037	0.5 S CULBERTSON	ROOSEVELT	4	78	78	1.845	40	40	PMS	899	125	270	8	27	10	1	23	69
P062	29+0.721	4.7 S JCT EAS 201	RICHLAND	4	38	83	3.628	22	22	PMS	1243	174	270	4	30	10	5	20	69
P086	31+0.492	GALLATIN-PARK CO	PARK	2	63	63	6.738	28	28	PMS	200	40	345	5	16	10	10	28	69
P087	3+0.037	6.7 E EAP 13	MADISON	2	63	63	3.728	30	30	PMS	380	83	408	5	22	10	5	27	69
P057	137+0.626	1.1 E WINNETT	PETROLEUM	5	54	54	11.000	24	24	PMS	445	66	396	0	11	10	20	28	69
P023	101+0.585	CARTER CO	CARTER	4	54	54	6.878	24	28	RMS	756	105	420	2	11	10	20	26	69
P023	108+0.475	HAMMOND	CARTER	4	55	73	11.000	28	28	PMS	734	102	450	0	12	10	20	27	69
P027	66+0.022	10.3 N EAS 413	WIBAUX	4	65	65	5.304	28	28	PMS	400	60	483	6	21	10	4	28	69
P019	63+0.222	0.6 S DRUMMOND	GRANITE	1	66	66	.449	32	32	PMS	687	103	688	8	22	10	1	28	69
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	4	63	63	11.140	32	32	PMS	1097	142	560	3	14	10	16	26	69
P027	54+0.746	WIBAUX CO	WIBAUX	4	65	65	11.265	28	28	PMS	338	50	517	6	21	10	4	29	70
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAD	1	57	59	5.217	26	26	PMS	1083	164	357	6	18	8	15	23	70
P003	84+0.363	JCT EAP 44	PONDERA	3	66	66	4.863	34	34	PMS	525	107	520	6	22	10	5	27	70
P001	466+0.722	12.1 E DODSON	PHILLIPS	4	53	53	4.948	24	30	RMS	1469	190	546	0	15	10	20	25	70
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1	72	83	.388	28	28	RMS	3934	542	207	10	30	10	20	0	70
P001	254+0.578	CUT BANK	GLACIER	3	55	55	.229	42	42	PMS	4110	575	817	4	17	10	20	19	70
P001	348+0.215	HINGHAM	HILL	3	60	60	6.381	32	32	PMS	1008	137	602	6	18	10	9	27	70
P004	0+0.516	0.5 N WYO LINE	CARBON	5	56	63	12.924	32	32	PMS	1061	137	518	0	14	10	20	26	70
P048	0+1.916	HAROLN	BIG HORN	5	76	76	.516	48	48	PMS	1980	217	828	7	26	10	1	26	70
P039	4+0.230	NO CHEYENNE INDN R	ROSEBUD	4	64	78	9.049	26	26	PMS	646	136	294	7	26	10	4	23	70
P042	0+0.000	JCT FAP RTE 57	GARFIELD	4	60	64	1.990	24	40	BST	140	28	602	0	11	10	20	29	70
P051	18+0.776	10.5 E DAWSON CO	DAWSON	4	59	59	8.456	28	28	PMS	238	33	283	0	12	10	20	28	70
P035	7+0.680	MINERAL-SANDERS CO	SANDERS	1	65	69	3.803	30	30	PMS	600	90	324	7	24	10	3	26	70
P033	14+0.002	13.3 N LIBBY	LINCOLN	1	74	74	3.652	34	34	PMS	294	44	182	8	24	10	2	26	70
P044	0+0.000	JCT FAP 3	PONDERA	3	54	54	2.760	24	24	RMS	405	64	495	2	13	7	20	28	70
P047	5+0.988	JCT FORMER US 10	DEER LODGE	2	31	42	.802	24	30	RMS	1179	153	298	5	15	8	20	22	70
P031	50+0.833	OPHEIM	VALLEY	4	57	66	10.022	28	28	PMS	62	11	354	6	17	8	9	30	70
P045	7+0.339	6.7 N BIG TIMBER	SWEET GRASS	5	69	69	.695	30	30	RMS	689	96	392	6	21	10	7	26	70
P039	13+0.279	9.5 SO COLSTRIP	ROSEBUD	4	58	78	.664	26	26	PMS	560	118	235	9	28	10	1	22	70
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4	36	66	4.061	28	28	RMS	140	28	396	6	22	10	3	29	70
P010	20+0.058	3.8 N CHOUTEAU CO	CHOUTEAU	3	63	63	9.726	32	32	PMS	1738	225	520	5	19	10	12	24	70
P011	55+0.874	LIVINGSTON	PARK	2	34	34	2.078	20	24	PMS	2051	266	654	6	28	9	3	24	70
P014	45+0.138	JCT FAP RTE 60	MEAGHER	2	65	65	3.943	40	40	PMS	417	54	350	5	16	10	11	28	70

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	ORN	SAF	CAP	TOT
P057	56+0.675	2.3 E MOCCASIN	JUDITH BASIN	5	55	55	1.137	24	32	RMS	1440	172	444	3	13	10	20	24	70
P091	3+0.359	1.1 E BIG TIMBER	SWEET GRASS	5	80	80	.672	40	40	PMS	1289	180	268	10	30	10	0	20	70
P078	25+0.103	CARBON-STILLWATER	STILLWATER	5	60	60	2.309	24	24	PMS	314	50	348	7	25	9	1	28	70
P014	207+0.150	ROSEBUD CO	ROSEBUD	4	46	57	5.287	20	24	RMS	339	57	299	6	24	10	3	27	70
P069	22+0.186	14.8 S BOULDER	JEFFERSON	2	57	71	6.000	24	24	PMS	645	96	371	7	22	10	5	26	70
P058	44+0.488	4.7 N BABB	GLACIER	3	56	56	5.856	22	22	RMS	508	111	377	2	12	10	20	26	70
P062	8+0.836	5.0 S RICHLAND CO	RICHLAND	4	70	70	3.328	34	34	PMS	771	107	270	5	19	10	13	24	71
P057	306+0.463	2 MI E LINDSAY	DAWSON	4	67	67	10.240	40	40	PMS	783	117	592	6	21	10	7	27	71
P046	73+0.646	8.3 E WISE RIVER	BEAVERHEAD	2	68	68	1.323	34	34	PMS	398	71	336	5	20	10	9	27	71
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4	57	64	6.173	24	32	BST	143	28	724	0	12	10	20	29	71
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1	56	83	1.843	32	32	RMS	3918	540	444	7	30	10	12	12	71
P001	554+0.658	0.5 W NASHUA	VALLEY	4	56	70	.526	32	32	PMS	1454	189	384	6	21	10	11	23	71
P001	180+0.463	16.2 W GLACIER CO	FLATHEAD	1	81	81	3.634	34	34	PMS	988	150	220	10	30	10	1	20	71
P001	197+0.541	0.2 W GLACIER CO.	FLATHEAD	1	52	70	.275	26	26	PMS	980	148	440	6	30	10	0	25	71
P004	19+0.206	6.5 S BROGER	CARBON	5	72	72	4.035	40	40	PMS	1337	173	364	2	16	10	20	23	71
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1880	253	518	6	20	10	12	23	71
P046	36+0.881	4.9 W DEER LODGE CO	BEAVERHEAD	2	65	65	4.966	26	26	PMS	260	46	357	2	11	10	20	28	71
P039	21+0.410	1.3 SD COLSTRIP	ROSEBUD	4	81	81	5.737	36	36	PMS	2189	464	448	10	30	10	7	14	71
P046	16+0.966	9.2 W WISDOM	BEAVERHEAD	2	62	62	9.226	30	30	PMS	311	55	546	5	16	10	12	28	71
P033	42+0.817	11.0 S RES BR APPR	LINCOLN	1	74	74	11.169	34	34	PMS	213	31	159	8	25	10	1	27	71
P031	16+0.960	JCT AIRBASE RDAD	VALLEY	4	64	64	8.673	30	30	PMS	237	37	366	4	20	10	9	28	71
P045	22+0.797	5.4 S WHEATLAND CO	SWEET GRASS	5	69	69	1.029	30	30	RMS	300	42	147	8	23	10	4	26	71
P019	30+0.851	7.7 S PHILIPSBURG	GRANITE	1	57	76	7.703	32	32	PMS	604	90	461	7	23	10	4	27	71
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	5	56	56	2.482	24	28	RMS	340	44	480	0	12	10	20	29	71
P007	76+0.872	MISSOULA CO	MISSOULA	1	74	76	6.045	38	38	PMS	6496	701	688	8	25	10	13	15	71
P014	122+0.568	GOLDEN VALLEY CO	GOLDEN VALLEY	5	67	67	2.375	40	40	PMS	1028	133	520	6	21	10	8	26	71
P008	87+0.738	TOSTON APRR RO	BROADWATER	2	50	51	11.260	24	26	RMS	1583	213	455	4	14	10	20	23	71
P009	0+0.000	JCT FAI 15	LEWIS AND CLARK	3	67	67	2.209	30	30	PMS	440	79	546	7	22	10	4	28	71
P009	1+0.951	1.9 N FAI 15	LEWIS AND CLARK	3	59	59	10.453	32	32	PMS	440	79	302	5	19	10	12	26	72
P014	124+0.946	2.4 E GOLD VAL CO	GOLDEN VALLEY	5	56	71	4.540	28	28	PMS	1083	140	450	2	15	10	20	25	72
P013	93+0.693	GALLATIN CO LINE	GALLATIN	2	49	49	1.107	28	28	RMS	920	138	640	2	13	10	20	27	72
P007	74+0.249	0.4 S FLORENCE	RAVALLI	1	74	76	.571	64	64	PMS	4933	532	1472	8	23	10	6	25	72
P063	18+0.463	JUDITH GAP	WHEATLAND	5	49	54	.733	24	24	PMS	1140	148	248	10	30	10	1	21	72
P080	67+0.052	STANFORD	JUDITH BASIN	5	27	27	.122	24	26	BST	1250	150	638	6	17	3	20	26	72
P057	66+0.986	2.0 E FAP 63	FERGUS	5	47	54	6.538	24	31	PMS	1611	193	507	6	18	9	15	24	72
P093	21+0.095	11.4 W FAR RTE 7	MISSOULA	1	64	78	11.465	30	30	PMS	1599	255	441	8	27	10	6	21	72
P088	0+0.000	W GARRISON INT I90	POWELL	1	79	79	.415	50	50	PMS	1499	194	380	10	30	10	0	22	72
P078	19+0.686	RDSCDE	CARBON	5	60	60	4.234	24	24	PMS	295	47	348	6	24	9	5	28	72
P066	37+0.321	12.7 S JCT FAP 1	BLAINE	3	59	59	12.714	28	28	PMS	511	71	383	2	16	10	17	27	72
P057	17+0.931	7.5 E FAS 427	JUDITH BASIN	5	64	64	3.803	32	32	PMS	1481	177	481	6	17	10	15	24	72
P041	19+0.841	7.6 S FAS 271	POWELL	1	65	79	7.654	30	30	PMS	350	56	256	6	25	10	4	27	72
P057	5+0.301	5.3 E FAP 60	CASCADE	3	61	61	1.769	32	32	PMS	1635	196	364	4	16	10	20	22	72
P049	0+0.000	OILLON	BEAVERHEAD	2	46	74	.102	40	40	RMS	2470	321	896	4	17	6	20	25	72
P046	75+0.066	SILVER BOW CO LINE	SILVER BOW	2	68	68	1.422	34	34	PMS	435	78	350	8	25	10	2	27	72
P035	3+0.381	3.3 N ST REGIS	MINERAL	1	72	72	4.299	30	30	PMS	658	98	378	7	23	10	6	26	72
P028	101+0.121	0.6 S FAP 4	CARBON	5	68	68	.587	40	40	RMS	2052	307	602	4	16	10	20	22	72
P003	16+0.870	8.8 N FAP 24	CASCADE	3	62	62	1.232	35	35	BST	1152	149	560	2	14	10	20	26	72
P001	263+0.107	0.3 E TOOLE CO	TOOLE	3	65	65	7.491	32	32	PMS	1446	202	688	6	18	10	12	26	72
P021	4+0.995	CONRAD	PONDERA	3	73	73	.178	40	40	PMS	1040	135	289	8	27	10	4	23	72
P027	73+0.386	5.7 S WIBAUX	WIBAUX	4	65	65	5.731	28	28	PMS	738	110	448	7	23	10	7	26	73
P016	21+0.519	3.5 S MUSSEL CO	YELLOWSTONE	5	68	68	1.739	40	40	PMS	1452	188	264	5	19	10	20	19	73
P016	29+0.682	4.5 N MUSSELSH CO	MUSSELSHELL	5	66	66	8.466	32	32	PMS	1487	193	472	6	21	10	12	24	73
P014	100+0.898	JCT FAP RTE 63	WHEATLAND	5	65	65	7.126	40	40	PMS	1044	135	487	6	17	10	14	26	73
P019	62+0.597	1.0 S DRUMMOND	GRANITE	1	66	66	.628	40	40	PMS	682	102	516	9	25	10	2	27	73
P011	19+0.339	0.4 S FAS 540	PARK	2	61	61	11.618	32	32	PMS	961	178	600	8	23	10	6	26	73

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT
P014	42+0.708	WHITE SULPHUR	MEAGHER	2	65	65	2.417	40	40	PMS	914	118	487	6	19	10	12	26	73
P080	29+0.129	GERALDINE	CHOUTEAU	3	64	64	5.317	28	28	PMS	256	40	450	5	18	10	11	29	73
P063	22+0.221	JUDITH BASIN CO	JUDITH BASIN	5	47	73	.678	24	24	PMS	1140	148	488	3	15	10	20	25	73
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4	57	64	8.785	24	32	BST	156	31	426	0	14	10	20	29	73
P036	40+0.186	LAKE CO	LAKE	1	37	65	6.526	24	26	RMS	650	97	643	8	10	7	20	28	73
P046	58+0.032	BEAVERHEAD CO LINE	BEAVERHEAD	2	61	61	.832	30	33	PMS	360	64	400	3	12	10	20	28	73
P046	0+0.000	JCT FAP RTE 7	RAVALLI	1	60	63	.105	28	28	PMS	240	43	498	9	25	10	0	29	73
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4	56	74	5.463	24	34	BST	150	30	426	0	14	10	20	29	73
P039	27+0.141	4.5 NO COLSTRIP	ROSEBUD	4	83	83	10.907	36	36	PMS	1892	401	568	6	30	10	8	19	73
P035	12+0.947	8.4 SW FAP 6	SANDERS	1	65	69	3.151	30	30	PMS	591	88	550	8	25	10	2	28	73
P033	17+0.654	LIBBY OAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	274	41	159	8	27	10	2	26	73
P001	256+0.020	CUT BANK	GLACIER	3	67	67	6.809	40	40	PMS	2085	291	559	4	17	10	20	22	73
P003	101+0.021	9.2 S FAP RTE 1	GLACIER	3	51	51	2.132	26	28	RMS	570	113	413	3	14	10	20	26	73
P001	307+0.040	LIBERTY CO	LIBERTY	3	57	62	.983	32	32	PMS	666	90	688	2	13	10	20	28	73
P004	33+0.199	FROMBERG	CARBON	5	54	54	.599	24	32	RMS	2432	291	828	3	15	10	20	25	73
P001	648+0.067	3.0 E CULBERTSON	ROOSEVELT	4	61	61	8.291	32	32	PMS	1099	142	640	3	13	10	20	27	73
P001	626+0.151	BROCKTON	ROOSEVELT	4	43	83	3.243	24	28	GRV	1352	175	354	6	30	10	4	23	73
P001	197+0.816	GLACIER CO LINE	GLACIER	3	52	70	6.390	26	26	PMS	914	138	440	6	30	10	3	25	74
P005	41+0.154	5.4 S RONAN	LAKE	1	66	66	4.905	40	40	PMS	5327	735	555	10	30	10	14	10	74
P004	42+0.925	0.2 N FAP 28	CARBON	5	49	83	7.959	28	32	RMS	4151	498	520	7	30	10	11	16	74
P001	33+0.316	0.6 E LIBBY	LINCOLN	1	76	76	3.326	68	68	PMS	4676	607	1472	6	24	10	10	24	74
P023	76+0.303	JCT FAP RTE 37	POWDER RIVER	4	69	69	1.530	28	28	PMS	1440	187	165	7	24	10	20	13	74
P020	23+0.110	RICHLAND CO	RICHLAND	4	54	82	5.787	28	28	PMS	1899	265	249	8	30	10	12	14	74
P014	116+0.456	6.1 W GOLD VAL	WHEATLAND	5	67	67	6.108	40	40	PMS	1019	132	487	6	22	10	10	26	74
P062	3+0.941	RICHLAND CO	RICHLAND	4	78	78	4.895	40	40	PMS	745	104	375	6	25	10	7	26	74
P060	60+0.343	10.7 N MONARCH	CASCADE	3	69	69	1.923	48	48	PMS	518	77	520	8	26	10	2	28	74
P075	0+0.000	JCT FAP RTE 57	FERGUS	5	49	81	1.680	24	28	PMS	1100	132	220	10	30	10	3	21	74
P059	0+0.000	JCT FAI RTE 90	PARK	2	55	55	1.755	24	36	RMS	1232	184	481	5	15	10	20	24	74
P050	0+0.554	WEST YELLOWSTONE	GALLATIN	2	68	68	7.129	40	40	PMS	1615	314	518	6	17	10	20	21	74
P042	56+0.288	VALLEY CO	VALLEY	4	36	66	2.293	30	36	RMS	155	31	688	8	26	10	1	29	74
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	243	36	182	8	27	10	2	27	74
P033	9+0.560	8.9 N LIBBY	LINCOLN	1	67	67	4.431	34	34	PMS	524	78	520	8	25	10	3	28	74
P051	3+0.340	3.3 E FAP RTE 57	MCCONE	4	60	61	5.001	30	30	PMS	311	43	366	2	14	10	20	28	74
P035	11+0.483	3.8 NE MINERAL CO	SANDERS	1	63	69	1.464	30	30	PMS	600	90	351	9	27	10	3	26	75
P046	1+0.166	IDAHO LINE	BEAVERHEAD	2	60	63	2.945	28	28	PMS	240	43	387	5	17	10	15	28	75
P037	84+0.754	2.1 E FOR BORY	POWDER RIVER	4	58	69	10.979	28	28	PMS	621	99	390	5	17	10	17	26	75
P048	18+0.321	4.4 S YELLOWSTONE	BIG HORN	5	63	63	4.388	28	28	PMS	200	28	249	8	25	10	4	28	75
P003	95+0.089	5.9 N GLACIER CO	GLACIER	3	66	66	5.926	34	34	PMS	570	115	409	7	22	10	10	26	75
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	1012	153	378	6	19	10	16	24	75
P001	564+0.858	8.8 E NASHUA	VALLEY	4	61	61	6.923	32	32	PMS	1158	150	640	6	24	10	9	26	75
P003	103+0.350	7.1 S FAP RTE 1	GLACIER	3	60	60	7.233	32	32	PMS	570	113	441	3	16	10	20	26	75
P004	0+0.000	WYOMING LINE	CARBON	5	49	49	.516	24	30	RMS	983	127	576	8	25	10	5	27	75
P002	51+0.731	FALLON CO	FALLON	4	67	67	6.054	40	40	PMS	620	82	392	5	13	10	20	27	75
P025	46+1.002	JCT FAP 32	ROOSEVELT	4	78	78	5.381	40	40	PMS	1092	141	520	8	27	10	4	26	75
P016	38+0.172	8.0 MI S KLEIN	MUSSELSHELL	5	65	65	8.038	32	32	PMS	1586	206	640	6	21	10	13	25	75
P008	57+0.136	1.1 E BROADWATER	BROADWATER	2	72	72	8.302	34	34	PMS	2536	342	409	7	23	10	18	17	75
P078	24+0.317	STILLWATER-CARBON	CARBON	5	60	60	.786	24	24	PMS	310	49	464	8	26	10	3	28	75
P088	0+0.415	JCT FAP 8	POWELL	1	79	79	1.007	50	50	PMS	1100	143	535	10	28	10	1	26	75
P080	34+0.440	5.3 S GERALDINE	CHOUTEAU	3	65	65	5.097	28	28	PMS	191	30	480	1	15	10	20	29	75
P064	7+0.180	MADISON CO LINE	MADISON	2	73	73	2.450	24	24	GRV	760	190	633	10	30	10	1	25	76
P069	38+0.095	BOULDER	JEFFERSON	2	73	73	.303	40	40	PMS	1840	294	560	9	29	10	6	22	76
P066	23+0.241	12.6 N PHILLIPS CO	BLAINE	3	59	59	14.057	28	28	PMS	325	45	354	2	16	10	20	28	76
P080	14+0.671	12.2 S FT BENTON	CHOUTEAU	3	62	62	9.506	30	30	PMS	482	77	294	5	15	10	20	26	76
P064	3+0.000	3.0 W FAP RTE 50	GALLATIN	2	73	73	4.180	24	24	GRV	760	190	633	10	30	10	1	25	76
P057	287+0.710	7.0 E FAP 51	MCCONE	4	64	64	2.137	32	32	PMS	670	100	302	4	17	10	20	25	76

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT
P043	35+0.280	ROY	FERGUS	5 62 62	7.565	30	30	PMS	265	31	546	2	15	10	20	29	76
P046	76+0.492	0.6 W DIVIDE	SILVER BOW	2 34 76	.490	32	32	PMS	483	86	542	4	14	10	20	28	76
P029	0+0.244	ENNIS LIMITS	MADISON	2 50 82	5.436	24	24	PMS	683	122	338	10	30	9	2	25	76
P057	112+0.980	JCT FAP RTE 61	FERGUS	5 51 78	8.723	24	24	PMS	415	62	396	8	30	9	1	28	76
P001	391+0.007	BLAINE CO	BLAINE	3 46 54	2.849	24	30	PMS	2641	316	507	5	20	10	20	21	76
P014	265+0.114	12.6 E VANADA	ROSEBUD	4 57 75	5.387	32	32	PMS	388	65	455	8	24	10	6	28	76
P014	2+0.399	JCT FAS RTE 284	BROADWATER	2 64 64	4.000	32	32	PMS	717	93	375	7	17	10	16	26	76
P013	0+0.000	IDAHO LINE	MADISON	2 62 76	8.564	34	34	BST	200	42	426	7	23	10	7	29	76
P010	104+0.366	6.9 S FAP 1	HILL	3 67 67	5.125	40	40	PMS	1846	239	600	6	16	10	20	24	76
P008	78+0.114	TOWNSEND	BROADWATER	2 39 78	9.674	30	32	PMS	1925	259	600	7	24	10	11	24	76
P018	58+0.960	COHAGEN	GARFIELD	4 76 76	4.360	30	30	PMS	215	32	585	7	26	10	4	29	76
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4 62 71	12.052	30	30	PMS	140	28	372	1	16	10	20	29	76
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	5 70 70	5.994	32	32	PMS	450	63	455	4	14	10	20	28	76
P037	33+0.061	5.6 W ROSEBUD CO	BIG HORN	5 74 74	5.621	40	40	PMS	1408	197	340	7	23	10	16	21	77
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	4 79 79	3.704	32	32	PMS	370	51	487	9	28	10	2	28	77
P057	158+0.363	GARFIELD CO	GARFIELD	4 73 73	3.214	30	30	PMS	360	54	576	7	25	10	6	29	77
P043	3+0.018	2.4 N LEWISTOWN	FERGUS	5 50 79	6.473	25	28	PMS	1302	156	318	9	30	10	5	23	77
P059	4+0.559	4.1 N FAI 90	PARK	2 41 41	9.613	20	24	RMS	1076	161	364	10	30	10	4	23	77
P001	262+0.815	TOOLE CO	TOOLE	3 67 67	.272	40	40	PMS	1429	200	688	4	17	10	20	26	77
P006	8+0.252	8.2 E IDAHO LINE	SANDERS	1 63 63	2.158	28	28	RMS	720	100	280	6	16	10	20	25	77
P002	57+0.772	JCT. FAS RTE. 320	FALLON	4 58 72	12.362	32	32	PMS	600	79	481	5	20	10	14	28	77
P001	169+0.063	15.8 E WEST GLAC	FLATHEAD	1 75 75	2.107	32	32	PMS	1029	156	378	7	22	10	14	24	77
P002	0+0.000	I94 W MILES CITY	CUSTER	4 62 82	.908	32	34	PMS	1160	127	488	10	30	10	1	26	77
P002	45+0.879	5.9 W FALLON CO	CUSTER	4 67 67	5.873	40	40	PMS	585	77	364	5	15	10	20	27	77
P007	66+0.762	JCT FAS 269	RAVALLI	1 56 61	6.777	60	60	PMS	4670	504	1472	8	24	10	10	25	77
P014	270+0.819	FORSYTH	ROSEBUD	4 77 77	.068	40	40	PMS	2120	318	230	9	29	10	20	9	77
P008	107+0.894	JCT FAI 90	BROADWATER	2 52 52	.961	24	28	RMS	770	123	444	6	16	10	19	26	77
P014	0+0.886	TOWNSEND	BROADWATER	2 64 64	1.514	32	32	PMS	1819	236	560	8	20	10	15	24	77
P010	84+0.818	4.8 N BIG SANDY	CHOUTEAU	3 70 70	1.223	32	32	PMS	1130	146	640	5	16	10	20	27	78
P020	1+0.761	GLENDIVE	DAWSON	4 64 64	4.376	40	40	PMS	2566	359	444	7	23	10	20	18	78
P020	42+0.055	7.9 S FA RTE 51	RICHLAND	4 73 73	7.955	40	40	PMS	2756	385	555	8	26	10	14	20	78
P014	88+0.034	11.2 W HARLOWTON	WHEATLAND	5 66 66	4.784	40	40	PMS	538	69	520	7	17	10	16	28	78
P013	16+0.388	7.7 N FAP 87	MADISON	2 69 69	4.975	40	40	PMS	422	88	461	5	16	10	20	27	78
P057	161+0.577	3.1 E GARFIELD CO	GARFIELD	4 68 68	9.598	36	36	PMS	360	54	448	4	16	10	20	28	78
P039	13+0.943	8.8 SO COLSTRIP	ROSEBUD	4 58 77	7.467	26	26	PMS	658	139	264	8	27	10	11	22	78
P031	2+0.075	0.6 N FAP 1	VALLEY	4 65 65	14.871	32	32	PMS	453	72	560	5	18	10	17	28	78
P053	4+0.315	BILLINGS	YELLOWSTONE	5 63 63	2.024	32	32	PMS	3434	446	487	8	24	10	20	16	78
P092	34+0.062	3.9 S GARRYOWEN	BIG HORN	5 58 58	2.013	44	44	PMS	777	101	688	7	23	10	10	28	78
P061	21+0.885	PETROLEUM CO	PETROLEUM	5 63 63	4.713	30	30	PMS	850	127	504	5	17	10	20	26	78
P001	124+0.717	KALISPELL U L	FLATHEAD	1 80 80	9.205	88	88	PMS	5134	616	1840	7	24	10	12	25	78
P003	1+0.866	1.4 W VAUGHN	CASCADE	3 36 82	6.533	28	31	PMS	3561	462	504	6	30	10	16	16	78
P001	457+0.675	3.1 E ODDSON	PHILLIPS	4 63 78	9.025	30	30	PMS	1226	159	546	8	28	10	6	26	78
P001	472+0.410	MALTA	PHILLIPS	4 67 67	8.975	40	40	PMS	1842	239	560	6	18	10	20	24	78
P007	0+0.000	IDAHO LINE	RAVALLI	1 40 40	.105	22	22	BST	710	92	422	10	30	10	1	27	78
P005	125+0.446	JCT FAP 38	FLATHEAD	1 60 60	.358	36	36	PMS	8196	819	688	6	30	10	20	12	78
P001	489+0.049	9.9 W SACO	PHILLIPS	4 67 67	9.965	40	40	PMS	1218	158	560	5	17	10	20	26	78
P001	446+0.310	PHILLIPS CO	PHILLIPS	4 73 73	7.398	40	40	PMS	1100	143	600	5	18	10	20	26	79
P006	90+0.589	4.6 W PERMA	SANDERS	1 69 69	3.542	32	32	PMS	900	117	350	7	17	10	20	25	79
P005	92+0.740	4.9 N ROLLINS	LAKE	1 64 83	.749	32	32	PMS	1640	221	342	4	25	10	20	20	79
P019	5+0.559	JCT FAP RTE 47	DEER LODGE	2 61 61	1.543	76	76	PMS	5850	819	1536	8	24	10	15	22	79
P018	63+0.374	4.4 N COHAGEN	GARFIELD	4 67 67	10.222	30	30	PMS	239	35	624	5	16	10	19	29	79
P013	74+0.873	0.5 S HARRISON	MADISON	2 76 76	5.908	32	32	PMS	379	56	602	7	25	10	8	29	79
P012	8+0.047	0.6 W WEST YELL	GALLATIN	2 30 78	.571	30	30	PMS	1852	398	873	8	25	3	20	23	79
P043	25+0.294	10.5 N FAS 236	FERGUS	5 63 63	3.737	28	30	PMS	312	37	396	4	16	10	20	29	79
P028	90+0.985	BOYD	CARBON	5 46 47	4.433	40	40	PMS	1799	269	602	8	27	10	11	23	79

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT
P028	70+0.311	RED LODGE	CARBON	5	21	54	11.712	22	24	RMS	1875	281	844	6	30	10	8	25	79
P059	24+0.884	JCT FAP RTE 86	PARK	2	73	73	4.765	32	32	PMS	419	62	592	4	17	10	20	28	79
P058	43+0.622	3.8 N BABB	GLACIER	3	61	61	.866	28	28	RMS	553	121	415	5	18	10	20	26	79
P057	316+0.709	12.0 E FAS 470	DAWSON	4	61	61	8.025	32	32	PMS	1175	173	592	4	19	10	20	26	79
P060	62+0.121	9.2 S FAP RTE 57	CASCADE	3	69	69	9.198	40	40	PMS	495	74	409	7	25	10	11	27	80
P080	24+0.255	3.9 N GERALDINE	CHOUTEAU	3	64	64	3.984	30	30	PMS	493	78	409	5	18	10	20	27	80
P001	29+0.863	2.0 W LIBBY	LINCOLN	1	71	76	2.036	68	68	PMS	5900	767	1800	8	24	10	14	24	80
P007	74+0.820	FLORENCE	RAVALLI	1	74	76	2.051	38	38	PMS	5530	597	688	8	25	10	20	17	80
P014	92+0.813	6.5 W HARLOWTON	WHEATLAND	5	68	68	6.513	40	40	PMS	692	89	520	6	17	10	20	27	80
P010	89+0.606	0.2 N HILL CO	HILL	3	70	70	1.319	32	32	PMS	1205	156	640	6	18	10	20	26	80
P016	4+0.649	BILLINGS	YELLOWSTONE	5	77	77	7.049	40	40	PMS	1436	186	378	7	24	10	16	23	80
P020	50+0.012	JCT FAP RTES 26 51	RICHLAND	4	73	73	.896	83	83	PMS	7615	761	1740	7	22	10	18	23	80
P008	54+0.482	JEFFERSON CO	JEFFERSON	2	69	69	1.515	40	40	PMS	3101	418	520	8	24	10	20	18	80
P022	0+0.523	SCOBEY	DANIELS	4	65	65	7.070	32	32	PMS	644	83	560	5	17	10	20	28	80
P049	16+0.192	2.5 E MADISON CO	MADISON	2	53	79	10.659	26	26	PMS	1097	142	490	7	27	10	10	26	80
P051	32+0.582	RICHLAND CO	RICHLAND	4	58	77	5.840	24	32	PMS	273	38	378	6	27	10	9	28	80
P037	38+0.689	ROSEBUD CO	ROSEBUD	4	75	75	.873	40	40	PMS	1900	266	378	8	26	10	17	19	80
P037	40+0.709	1.3 W LAME DEER	ROSEBUD	4	75	75	.522	56	56	PMS	1900	266	1088	8	26	10	10	26	80
P001	571+0.774	FRAZER	VALLEY	4	58	76	9.318	24	32	PMS	1318	171	640	4	20	10	20	26	80
P006	102+0.193	6.6 E PERMA	SANDERS	1	69	69	.754	32	32	PMS	1050	136	510	6	18	10	20	26	80
P004	50+0.814	YELLOWSTONE CO	YELLOWSTONE	5	49	83	1.390	28	32	RMS	4575	549	560	6	30	10	20	15	81
P024	16+0.038	POTOMAC	MISSOULA	1	68	68	6.575	40	40	PMS	1734	268	392	9	30	10	12	20	81
P080	49+0.826	JCT FAP RTE 81	FERGUS	5	53	53	1.024	24	24	RMS	200	32	397	6	17	9	20	29	81
P078	47+0.250	COLUMBUS	STILLWATER	5	72	72	.433	44	44	PMS	1430	228	795	5	20	10	20	26	81
P060	17+0.022	11.6 S CASCADE CO	MEAGHER	2	59	63	8.316	26	26	PMS	374	56	330	6	18	10	20	27	81
P008	27+0.319	0.3 W L & C CO	POWELL	1	77	83	.308	56	56	RMS	1940	252	768	10	30	10	6	25	81
P013	8+0.630	JCT FAP 87	MADISON	2	66	66	7.813	40	40	PMS	408	85	497	5	19	10	20	27	81
P007	49+0.541	1.1 N HAMILTON	RAVALLI	1	53	53	9.486	24	32	RMS	4850	523	688	10	30	10	12	19	81
P011	30+0.977	JCT COUNTY ROAD	PARK	2	61	61	9.708	32	32	PMS	1490	277	600	7	23	10	18	23	81
P019	0+0.000	JCT FAI RTE 90	DEER LODGE	2	64	64	2.889	76	76	PMS	1970	275	1520	8	24	10	12	27	81
P011	1+0.365	1.3 N GARDINER	PARK	2	71	71	4.308	34	34	PMS	1382	257	448	7	23	10	20	21	81
P023	14+0.655	12.4 S FAI RTE 94	CUSTER	4	62	76	13.187	28	28	PMS	550	77	517	7	26	10	10	28	81
P010	89+0.417	HILL CO	HILL	3	30	70	.189	30	30	RMS	1130	146	624	6	19	10	20	26	81
P007	73+0.547	1.0 S FLORENCE	RAVALLI	1	74	76	.674	44	44	PMS	4825	521	688	8	24	10	20	19	81
P057	57+0.839	3.4 E MOCCASIN	JUDITH BASIN	5	71	71	6.520	32	32	PMS	1643	197	592	7	23	10	16	25	81
P055	12+0.988	WHITEHALL	JEFFERSON	2	66	66	.090	32	32	PMS	1985	297	368	8	25	10	20	18	81
P043	9+0.492	JCT FAP RTE 81	FERGUS	5	50	79	5.335	25	28	PMS	659	79	283	9	28	10	8	26	81
P057	279+0.774	CIRCLE	MCCONE	4	66	66	1.035	32	32	PMS	1569	235	520	6	22	10	20	23	81
P043	29+0.037	FERGUS	FERGUS	5	63	63	6.226	28	30	PMS	310	37	546	5	17	10	20	29	81
P051	8+0.342	DAWSON CO	DAWSON	4	60	61	.775	30	30	PMS	258	36	624	5	17	10	20	29	81
P057	180+0.288	SAND SPRINGS	GARFIELD	4	73	73	11.848	32	32	PMS	360	54	364	5	19	10	20	28	82
P057	330+0.191	GLENDIVE SPUR	DAWSON	4	60	60	.363	72	88	PMS	2939	293	1216	6	20	10	20	26	82
P057	280+0.776	JCT FAP RTE 51	MCCONE	4	66	66	6.934	32	32	PMS	715	107	518	5	20	10	20	27	82
P044	27+0.865	0.5 W JCT 115	PONDERA	3	72	72	.523	34	34	PMS	500	80	432	8	27	10	10	27	82
P039	38+0.047	13.1 SO JCT I 94	ROSEBUD	4	83	83	6.364	24	36	PMS	1710	362	568	6	30	10	16	20	82
P004	23+0.235	1.5 S FAP 72	CARBON	5	72	72	1.501	40	40	PMS	1465	190	518	6	22	10	20	24	82
P003	23+0.959	FAIRFIELD	TETON	3	81	81	4.118	34	34	PMS	951	123	560	10	30	10	5	27	82
P001	414+0.015	1.0 E ZURICH	BLAINE	3	56	73	7.314	32	32	PMS	1959	254	640	8	24	10	16	24	82
P001	481+0.373	9.0 E MALTA	PHILLIPS	4	67	67	7.671	40	40	PMS	1214	157	600	7	19	10	20	26	82
P003	83+0.648	8.4 N DUPUYER	PONDERA	3	66	66	.713	34	34	PMS	539	110	384	8	24	10	14	26	82
P092	22+0.560	JCT I90	BIG HORN	5	56	77	4.414	32	32	PMS	911	118	645	7	20	8	20	27	82
P062	20+0.286	4.6 N FAS 201	RICHLAND	4	40	49	4.651	24	26	RMS	891	124	448	4	30	10	12	26	82
P020	6+0.133	4.4 N GLENDIVE	DAWSON	4	67	67	6.856	40	40	PMS	2008	281	555	7	23	10	20	22	82
P008	52+0.831	3.0 E EAST HELENA	LEWIS AND CLARK	3	69	69	1.669	40	40	PMS	3399	458	688	8	24	10	20	20	82
P008	0+0.000	JCT FAI 90	POWELL	1	78	78	3.789	40	40	PMS	1613	209	504	8	27	10	13	24	82

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	FIN YEARS ST	FIN YEARS LM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT
P022	73+0.852	2.0 S ROOSEVELT CO	ROOSEVELT	4	71	71	1.992	32	32	PMS	1363	177	432	6	22	10	20	24	82
P024	82+0.008	1.0 W JCT FAS 279	LEWIS AND CLARK	3	57	81	1.136	24	24	PMS	1313	203	371	10	30	10	11	22	83
P008	27+0.627	LEWIS & CLARK CO	LEWIS AND CLARK	3	77	83	2.263	56	56	RMS	1972	256	768	10	30	10	8	25	83
P014	270+0.888	FORSYTH SPUR	ROSEBUD	4	77	77	.332	28	28	PMS	1750	210	448	7	23	10	20	23	83
P010	29+0.728	13.5 N CHOUTEAU CO	CHOUTEAU	3	64	64	9.834	32	32	PMS	1789	232	640	6	22	10	20	25	83
P031	1+0.443	JCT FAP 1	VALLEY	4	62	62	.642	32	32	PMS	650	91	560	6	19	10	20	28	83
P057	330+0.776	0.5 W GLENDIVE	DAWSON	4	69	69	.405	24	24	PMS	1770	177	678	6	21	10	20	26	83
P001	341+0.907	0.3 E FAS RTE 432	HILL	3	60	60	5.813	32	32	PMS	986	134	638	6	20	10	20	27	83
P001	423+0.924	0.8 W HARLEM	BLAINE	3	68	68	.797	40	40	PMS	1578	205	600	8	20	10	20	25	83
P002	13+0.171	7.0 E JCT FAI 94	CUSTER	4	70	70	7.734	34	34	PMS	519	69	364	6	20	10	20	27	83
P001	32+0.748	LIBBY	LINCOLN	1	71	76	.561	68	68	PMS	6790	753	1880	7	22	10	20	24	83
P001	37+0.373	4.5 E LIBBY	LINCOLN	1	76	76	.509	44	44	PMS	2695	350	516	8	25	10	20	20	83
P001	36+0.664	4.0 E LIBBY	LINCOLN	1	76	76	.709	62	62	PMS	2834	368	544	7	26	10	20	20	83
P068	1+0.259	CASCADE	CASCADE	3	63	63	.235	30	30	PMS	800	120	317	7	22	10	20	24	83
P050	8+0.373	JCT FAP RTE 87	GALLATIN	2	64	64	.151	52	52	PMS	1690	329	592	8	23	10	20	22	83
P046	51+0.307	BEAVERHEAD CO LINE	BEAVERHEAD	2	61	61	.089	26	28	PMS	260	46	472	7	18	10	20	29	84
P057	83+0.165	LEWISTOWN	FERGUS	5	42	81	5.079	26	26	PMS	1362	177	294	10	30	10	13	21	84
P057	241+0.447	2.5 E FAS 462	GARFIELD	4	68	68	1.022	36	36	RMS	330	49	420	6	20	10	20	28	84
P046	4+0.107	2.9 E IDAHO LINE	BEAVERHEAD	2	60	63	3.674	28	28	PMS	240	43	472	5	20	10	20	29	84
P008	55+0.996	BROADWATER CO	BROADWATER	2	69	69	1.139	40	40	PMS	2717	366	640	8	25	10	20	21	84
P008	49+0.577	EAST HELENA	LEWIS AND CLARK	3	78	78	3.266	44	44	PMS	4204	567	688	8	28	10	20	18	84
P011	16+0.633	3.1 S FAS 540	PARK	2	61	61	2.712	32	32	PMS	1000	186	600	8	23	10	18	25	84
P019	2+0.896	OPPORTUNITY	DEER LODGE	2	61	61	2.670	76	76	PMS	3010	421	1520	7	23	10	18	26	84
P013	21+0.332	9.3 S FAS 357	MADISON	2	71	71	2.992	40	40	PMS	432	90	383	7	21	10	20	26	84
P001	404+0.087	CHINOOK	BLAINE	3	40	56	9.930	28	30	PMS	2151	279	624	6	30	10	15	23	84
P007	0+0.105	JCT FAP 46	RAVALLI	1	40	40	1.323	22	22	BST	715	92	422	10	30	10	7	27	84
P006	95+0.631	PERMA	SANDERS	1	57	76	3.633	30	30	PMS	1037	134	318	7	25	8	20	24	84
P059	20+0.488	5.1 N CLYDE PARK	PARK	2	73	73	4.228	32	32	PMS	727	109	555	6	21	10	20	27	84
P092	26+0.964	4.4 N. LODGE GRASS	BIG HORN	5	56	77	7.099	28	32	PMS	836	108	645	7	22	8	20	27	84
P087	0+0.000	JCT FAP 13	MADISON	2	63	63	1.393	30	30	PMS	380	83	289	6	23	10	20	26	85
P028	60+0.000	8.7 S RED LODGE	CARBON	5	69	69	4.227	34	34	PMS	353	70	448	7	20	10	20	28	85
P051	59+0.918	10.6 E LAMBERT	RICHLAND	4	55	77	11.192	24	28	PMS	894	125	354	8	28	10	14	25	85
P037	27+0.205	2.7 E BUSBY	BIG HORN	5	76	76	5.843	40	40	PMS	1360	190	640	5	24	10	20	26	85
P054	9+0.128	BIDDLE	POWDER RIVER	4	68	68	8.767	30	32	PMS	357	53	441	6	21	10	20	28	85
P022	75+0.881	FROID	ROOSEVELT	4	71	71	5.469	32	32	PMS	1040	135	520	7	22	10	20	26	85
P011	1+0.019	GARDINER NO	PARK	2	75	75	.346	34	34	PMS	2257	419	611	8	27	10	20	20	85
P008	46+0.471	HELENA	LEWIS AND CLARK	3	78	78	2.077	88	88	PCC	9745	1071	1520	8	28	10	20	19	85
P011	5+0.566	5.0 N GARDINER	PARK	2	69	69	5.149	34	34	PMS	1006	187	441	8	23	10	20	24	85
P003	89+0.220	GLACIER CO	GLACIER	3	68	68	5.858	34	34	PMS	570	116	441	6	23	10	20	26	85
P007	38+0.734	7.4 N DARBY	RAVALLI	1	81	81	4.969	38	38	PMS	2672	320	560	10	30	10	14	21	85
P001	611+0.926	POPLAR	ROOSEVELT	4	70	79	13.687	40	40	PMS	1896	246	688	10	28	10	12	25	85
P001	332+0.615	HILL CO	HILL	3	71	71	9.281	40	40	PMS	1076	146	559	7	23	10	20	26	86
P001	555+0.899	NASHUA	VALLEY	4	56	70	.095	32	32	PMS	1430	185	528	8	23	10	20	25	86
P008	25+0.582	1.9 W L & C CO	POWELL	1	73	73	1.668	56	56	PMS	1940	252	1920	7	24	10	17	28	86
P063	4+0.083	3.8 N HARLOWTON	WHEATLAND	5	49	83	6.396	24	28	PMS	1076	139	483	4	30	10	16	26	86
P048	0+0.294	0.3 S FAI 90	BIG HORN	5	76	76	.897	44	44	PMS	2899	376	740	7	27	10	20	22	86
P051	38+0.441	5.8 E RICHLAND CO	RICHLAND	4	57	77	10.781	24	28	PMS	284	39	444	7	27	10	13	29	86
P022	63+0.803	MEDICINE LAKE	SHERIDAN	4	63	63	.265	32	32	PMS	1050	136	896	7	21	10	20	28	86
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	2	64	69	.217	32	32	PMS	1460	219	406	8	26	10	20	22	86
P008	30+0.041	2.2E LEW & CL CO	LEWIS AND CLARK	3	78	83	4.151	56	56	RMS	2063	268	1920	10	30	10	8	28	86
P008	108+0.854	1.0 S FAI 90	BROADWATER	2	68	68	.321	44	44	RMS	770	123	288	8	24	10	20	24	86
P022	71+0.833	ROOSEVELT CO	ROOSEVELT	4	76	76	2.019	32	32	PMS	1360	176	560	6	26	10	20	25	87
P020	31+0.497	SAVAGE	RICHLAND	4	74	74	1.484	40	40	PMS	1925	269	518	8	27	10	20	22	87
P020	28+0.894	5.8 N RICHLAND CO	RICHLAND	4	75	75	2.598	40	40	PMS	1913	267	592	8	26	10	20	23	87
P020	18+0.596	4.2 S RICHLAND CO	DAWSON	4	54	82	4.170	28	28	PMS	1884	263	372	8	30	10	20	19	87

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS- FNO	SRF	ORN	SAF	CAP	TOT
P039	44+0.450	6.8 SO JCT I 94	ROSEBUD	4	79	79	6.769	36	36	PMS	1710	362	592	9	27	10	20	21	87
P043	0+0.633	LEWISTOWN LIMITS	FERGUS	5	77	77	.748	48	48	PMS	2140	256	1512	8	27	10	15	27	87
P027	44+0.455	8.6 N BAKER	FALLON	4	58	78	10.261	28	28	PMS	443	66	338	8	26	10	16	27	87
P001	542+0.429	GLASGOW	VALLEY	4	62	62	1.386	68	68	PMS	3803	494	1408	7	26	10	20	25	88
P001	428+0.518	JCT FAP 66	BLAINE	3	68	68	.553	40	40	PMS	1386	180	520	8	25	10	20	25	88
P001	321+0.077	0.6 W CHESTER	LIBERTY	3	77	77	.701	40	40	PMS	1530	208	559	10	30	10	14	24	88
P004	24+0.737	JCT FAP 72	CARBON	5	72	72	.940	40	40	PMS	3350	402	963	8	26	10	20	24	88
P022	64+0.346	MEDICINE LAKE	SHERIDAN	4	76	76	7.509	32	32	PMS	1169	151	480	7	26	10	20	25	88
P010	40+0.641	JCT FAP 80	CHOUTEAU	3	74	74	10.901	32	32	PMS	1180	153	560	7	25	10	20	26	88
P037	41+0.208	0.8 W LAME DEER	ROSEBUD	4	75	75	.872	48	48	PMS	1905	266	544	9	26	10	20	23	88
P051	49+0.250	LAMBERT	RICHLAND	4	56	77	10.645	24	28	PMS	565	79	413	6	27	10	18	27	88
P037	39+0.577	0.8 E ROSEBUD CO	ROSEBUD	4	75	75	1.113	48	48	PMS	1900	266	544	8	27	10	20	23	88
P057	156+0.720	1.6 W GARFIELD CO	PETROLEUM	5	73	73	1.632	30	30	PMS	355	53	576	7	26	10	16	29	88
P057	64+0.958	JCT FAP RTE 63	FERGUS	5	71	71	2.016	32	32	PMS	1545	185	560	8	25	10	20	25	88
P029	14+0.828	VIRGINIA CITY	MADISON	2	45	82	5.116	24	24	PMS	810	145	416	6	30	10	17	25	88
P040	0+0.000	JCT FAI 94	PRAIRIE	4	72	72	.116	40	40	PMS	1060	159	285	9	27	10	20	22	88
P059	14+0.280	0.6 S CLYDE PARK	PARK	2	80	80	.625	40	40	PMS	976	146	592	10	30	10	13	26	89
P057	64+0.442	FERGUS CO	FERGUS	5	71	71	.516	32	32	PMS	1639	196	518	8	27	10	20	24	89
P035	16+0.098	5.3 SW FAP 6	SANDERS	1	68	69	5.348	30	30	PMS	584	87	324	9	26	10	18	26	89
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	5	63	63	3.682	28	28	PMS	205	28	218	7	24	10	20	28	89
P001	213+0.173	3.9 E EAST GLAC	GLACIER	3	77	77	5.712	48	48	PMS	1439	218	510	7	28	10	20	24	89
P008	23+0.219	2.3 E ELLISTON	POWELL	1	73	73	2.363	56	56	PMS	1940	252	768	8	26	10	20	25	89
P001	537+0.619	3.3 W GLASGOW	VALLEY	4	80	80	3.326	44	44	PMS	2969	383	640	9	29	10	20	21	89
P023	27+0.820	22.7 N POWDER R CO	CUSTER	4	77	77	5.365	34	34	PMS	536	75	592	8	25	10	18	28	89
P023	119+0.471	20.4 N WYO LINE	CARTER	4	55	78	10.845	26	26	PMS	776	108	456	7	27	10	20	26	90
P023	130+0.301	9.6 N WYO LINE	CARTER	4	65	78	9.551	34	34	PMS	825	115	520	8	28	10	17	27	90
P092	36+0.357	1.9 S GARRYOWEN	BIG HORN	5	76	76	1.913	28	28	PMS	752	97	600	8	24	10	20	28	90
P061	7+0.094	6.0 N POUNDUP	MUSSELSHELL	5	77	77	6.000	40	40	PMS	1046	156	448	8	27	10	20	25	90
P078	23+0.920	CARBON-STILLWATER	STILLWATER	5	60	60	.397	24	24	PMS	310	49	278	8	25	10	20	27	90
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	4	52	83	4.409	24	28	GRV	1197	155	383	6	30	10	20	24	90
P059	29+0.649	8.3 S MEAGHER CO	PARK	2	73	73	8.379	32	32	PMS	389	58	555	8	24	10	20	28	90
P028	64+0.237	4.5 S RED LODGE	CARBON	5	80	80	4.158	40	40	PMS	840	168	622	10	30	10	14	26	90
P057	296+0.860	7.1 E DAWSON CO	DAWSON	4	76	76	9.622	32	32	PMS	681	102	592	7	26	10	20	27	90
P051	27+0.527	RICHEY	DAWSON	4	58	77	5.039	24	32	PMS	301	42	520	6	26	10	20	29	91
P010	39+0.561	0.4 N FT BENTON	CHOUTEAU	3	74	74	1.138	32	32	PMS	1209	157	432	9	27	10	20	25	91
P014	48+0.995	3.9 E FAP 60	MEAGHER	2	76	76	6.934	36	36	PMS	381	49	350	8	26	10	20	28	92
P013	93+0.067	0.3 W FAP 8	BROADWATER	2	68	68	.296	40	40	RMS	380	57	258	9	26	10	20	27	92
P018	53+0.390	5.4 S COHAGEN	GARFIELD	4	77	77	5.433	30	30	PMS	198	29	488	7	26	10	20	29	92
P002	20+0.912	10.6 W LOCATE	CUSTER	4	75	75	6.532	34	34	PMS	457	60	336	8	27	10	20	27	92
P001	326+0.338	3.8 E CHESTER	LIBERTY	3	76	76	6.154	40	40	PMS	1149	156	645	8	28	10	20	26	92
P042	58+0.581	JCT FAP RTE 17	VALLEY	4	36	66	.600	30	36	RMS	540	97	645	8	26	10	20	28	92
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	5	63	63	3.103	28	28	PMS	234	32	483	8	25	10	20	29	92
P027	35+0.755	BAKER	FALLON	4	57	60	8.648	28	28	RMS	768	115	416	6	30	10	20	26	92
P013	80+0.773	GALLATIN CO LINE	GALLATIN	2	76	76	1.444	32	32	PMS	250	37	461	7	27	10	20	29	93
P001	541+0.083	GLASGOW	VALLEY	4	80	80	.346	72	72	PMS	7625	838	1760	10	30	10	20	23	93
P007	48+0.006	HAMILTON	RAVALLI	1	80	80	1.348	84	84	PMS	6788	733	1472	10	30	10	20	23	93
P028	68+0.587	RED LODGE	CARBON	5	80	80	.064	48	48	PMS	2730	436	929	10	30	10	20	23	93
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	4	76	76	5.516	30	30	PMS	400	60	427	8	27	10	20	28	93
P029	10+0.756	2.3 E VIRGINIA CTY	MADISON	2	56	82	2.337	26	26	PMS	556	100	240	9	30	10	20	24	93
P054	17+0.695	8.8 N BIOOLE	POWDER RIVER	4	74	75	5.910	30	30	PMS	381	57	457	8	27	10	20	28	93
P057	21+0.725	GEYSER	JUDITH BASIN	5	83	83	12.697	24	25	RMS	1581	189	488	10	30	10	20	24	94
P046	77+0.114	DIVIDE EAST	SILVER BOW	2	76	76	.784	34	34	PMS	544	97	249	10	30	10	20	24	94
P059	15+0.393	CLYDE PARK	PARK	2	80	80	5.052	40	40	PMS	733	109	555	10	30	10	17	27	94
P001	322+0.620	CHESTER	LIBERTY	3	77	77	3.787	40	40	PMS	1294	175	645	9	29	10	20	26	94
P002	27+0.464	4.1 W LOCATE	CUSTER	4	73	73	6.279	34	34	PMS	466	61	364	8	29	10	20	27	94

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	5	74	74	.302	34	34	PMS	248	34	222	9	28	10	20	28	95
P091	0+0.000	JCT I 90 W BIG TIM	SWEET GRASS	5	81	81	.124	40	40	PMS	1321	184	592	10	30	10	20	25	95
P047	6+0.790	WARM SPRINGS	DEER LODGE	2	78	78	.063	48	48	PMS	530	68	258	10	30	10	20	26	96
P032	3+0.720	JCT FAP RTE I	ROOSEVELT	4	79	79	2.548	32	32	PMS	414	57	555	9	29	10	20	28	96
P059	15+0.307	CLYDE PARK	PARK	2	80	80	.062	40	40	PMS	720	108	828	10	30	10	20	28	98
P057	136+0.158	WINNETT	PETROLEUM	5	79	79	1.502	30	30	PMS	485	72	576	10	30	10	20	28	98
P057	130+1.042	7.8 E PETROLEUM CO	PETROLEUM	5	79	79	4.886	30	30	PMS	330	49	576	10	30	10	20	29	99
P031	25+0.657	8.6 N AIRBASE ROAD	VALLEY	4			6.846	UNDER CONSTRUCTION											
P028	82+0.066	ROBERTS	CARBON	5			8.931	UNDER CONSTRUCTION											
P057	123+0.199	PETROLEUM CO	PETROLEUM	5			7.767	UNDER CONSTRUCTION											
P037	0+0.000	JCT FAI RTE 90	BIG HORN	5			8.655	UNDER CONSTRUCTION											
P049	13+0.697	MADISON CO LINE	MADISON	2			2.491	UNDER CONSTRUCTION											
P049	8+0.886	4.8 W MAD CO LN	BEAVERHEAD	2			4.811	UNDER CONSTRUCTION											
P057	103+0.269	9.6 W FAP 61	FERGUS	5			9.666	UNDER CONSTRUCTION											
P057	121+0.739	8.7 E FAP 61	FERGUS	5			1.467	UNDER CONSTRUCTION											
P013	27+0.156	10.8 S CAMERON	MADISON	2			8.814	UNDER CONSTRUCTION											
P022	42+0.348	PLENTYWOOD	SHERIDAN	4			1.033	UNDER CONSTRUCTION											
P022	43+0.383	JCT FAP 30	SHERIDAN	4			9.226	UNDER CONSTRUCTION											
P024	100+0.420	JCT FAS RTE 434	LEWIS AND CLARK	3			8.624	UNDER CONSTRUCTION											
P013	24+0.369	13.3 S CAMERON	MADISON	2			2.648	UNDER CONSTRUCTION											
P006	37+0.680	WHITE PINE	SANDERS	1			8.533	UNDER CONSTRUCTION											
P006	29+0.459	TROUT CREEK	SANDERS	1			8.234	UNDER CONSTRUCTION											
P001	271+0.001	7.6 E TOOLE CO	TOOLE	3			7.061	UNDER CONSTRUCTION											
P003	28+0.322	4.2 N FAIRFIELD	TETON	3			12.351	UNDER CONSTRUCTION											
P003	18+0.076	2.1 S TETON CO	CASCADE	3			2.110	UNDER CONSTRUCTION											
P003	20+0.191	TETON CO	TETON	3			3.196	UNDER CONSTRUCTION											
P002	34+0.095	2.6 E LOCATE	CUSTER	4			11.760	UNDER CONSTRUCTION											
P001	136+0.808	COLUMBIA FALLS	FLATHEAD	1			.374	UNDER CONSTRUCTION											
P001	133+0.915	JCT FAP 38	FLATHEAD	1			1.911	UNDER CONSTRUCTION											
P001	138+0.223	1.3 E COL FALLS	FLATHEAD	1			.242	UNDER CONSTRUCTION											
P001	137+0.485	0.6 E COL FALLS	FLATHEAD	1			.576	UNDER CONSTRUCTION											
P001	137+0.182	0.3 E CO. FALLS	FLATHEAD	1			.303	UNDER CONSTRUCTION											
P063	10+0.467	10.5 N HARLOWTON	WHEATLAND	5			7.362	UNDER CONSTRUCTION											

SYSTEM TOTAL 5276.836